

INDUSTRIAL EQUIPMENT

Aviation & Ground Support

Aircraft maintenance access, towbars and ground support.



300 Series Helicopter Work Stand



200 Series Helicopter Maintenance Platform



Portable Helicopter Maintenance Deck - ME-251

635 products. One place to compare.

Browse models and key details, then open the linked product page for complete specifications and a tailored quote. No online checkout.

REQUEST A QUOTE >

industrialmanlifts.com

How to use this catalog

Find. Compare. Request a quote.

01 / Choose the equipment type

Use the department contents and PDF bookmarks to reach the right collection. Each canonical product is listed once; separate dimensions, materials and model families remain distinct.

02 / Check the exact configuration

Product cards show selected details from the current website catalog. Technical tables, documentation and configuration information remain on the linked product page. Some values vary by model or selected options.

03 / Share the application

Open a product page or request a quote. Include the model or catalog reference, quantity, intended task, relevant dimensions, delivery address and needed-by date.

About this edition

Prepared October 2026 from the website catalog. This is a product-selection reference, not a statement of stock, current pricing, certification or guaranteed compatibility. Confirm the final specification and operating documentation before purchase or use.

Photography and source notes

Equipment photos are shown for the identified catalog listing and may show optional configurations. Confirm what is included in the quoted equipment. Unavailable or uncertain model photos are labeled; review the exact product documentation before ordering.

Contents

Choose a department

Aviation & Ground Support

4

635 products / Aircraft maintenance access, towbars and ground support.

Alphabetical model index

164

Aviation & Ground Support

Aviation & Ground Support

Aircraft maintenance access, towbars and ground support.

BEFORE YOU COMPARE

Identify the exact aircraft and service point. Confirm attachment interfaces, approach clearances and the applicable aircraft and equipment operating procedures.



Cessna 100 Universal Towbar TH-5

Equipment shown is a catalog example. Open the product page to confirm its exact configuration.

Aviation & Ground Support / Product selection

Universal Helicopter Maintenance Platform Model#: ME-201 Light/Medium Helicopter Types

PHOTO PENDING

Exact model image not available

LISTED DETAILS

Bell 206 A/B/L / Bell 204 / 205

Bell 206 A/B/L; Bell 204 / 205.

[View specifications >](#)

300 Series Helicopter Work Stand

Catalog ref: 5965



Series

300

Overall Height

112 in

Overall Width

36 in

Overall Length

72 in

300 Series helicopter work stand with a listed 70-inch deck and 112 × 36 × 72-inch overall dimensions. Specify the aircraft and required service position.

[View specifications >](#)

200 Series Helicopter Maintenance Platform

Catalog ref: 5974



Series

200

Overall Height

94 in

Overall Width

54 in

Overall Length

62 in

200 Series helicopter work platform with a listed 42-inch deck height and 94 × 54 × 62-inch overall dimensions. Confirm the aircraft-specific configuration.

[View specifications >](#)

Portable Helicopter Maintenance Deck - ME-251

Catalog ref: ME-251



LISTED DETAILS

Provides safe working area on the top deck of the helicopter / Non-slip deck surface and removable hand rails

Platform is attached to the helicopter at three points: at the skid gear and on a pair of step/handles; Provides safe working area on the top deck of the helicopter.

[View specifications >](#)

Aviation & Ground Support / Product selection

Aircraft Utility Maintenance Platform

Catalog ref: 5999



LISTED DETAILS

Variable height platform with self-leveling stairs. / 500 lb. capacity.

500 lb. capacity; 4 x 4 platform has a slip-resistant surface.

[View specifications >](#)

B-1 Maintenance Stand

Catalog ref: 5995



LISTED DETAILS

Variable height platform with self-leveling stairs. / 500 lb. capacity.

500 lb. capacity; 4 x 4 platform has a slip-resistant surface.

[View specifications >](#)

B-1 Maintenance Stands

Catalog ref: 4891



LISTED DETAILS

Variable height platform with self-leveling stairs. / 500 lb. capacity.

500 lb. capacity; 4' x 4' platform has a slip-resistant surface.

[View specifications >](#)

B7 Maintenance Platform NSN 1730-01-009-0446

Catalog ref: 5953



Platform Height
7' to 15'

Platform Height: 7' to 15'; Platform Height: 7' to 15'.

[View specifications >](#)

Aviation & Ground Support / Product selection

Helicopter Maintenance Stand



LISTED DETAILS

Knock down construction for shipping / Special height guardrails do not contact rotors

Knock down construction for shipping; Special height guardrails do not contact rotors.

[View specifications >](#)

AW119 Helicopter Maintenance Platform

Catalog ref: 40921



LISTED DETAILS

Choice of Welded or Bolted Stand* / Available in Steel or Aluminum

Overall Dimensions (In Inches) - Length 65" x Width 36" x Height 102"; Top Deck - 50".

[View specifications >](#)

AW139 Helicopter Maintenance Platform 800 Series

Catalog ref: 5876



LISTED DETAILS

AGUSTAWESTLAND, AW139 / HEIGHT: 132" WIDTH: 71" LENGTH: 152"

AGUSTAWESTLAND, AW139; HEIGHT: 132" WIDTH: 71" LENGTH: 152".

[View specifications >](#)

Airbus Ladder ABL-8 Series

Catalog ref: 6000



LISTED DETAILS

Heavy-duty rail rubber bumper pads help protect fuselage and hatch from damage. / 1-1/4" slip-resistant ribbed rungs.

Lightweight 6000 series aluminum alloy construction for maximum strength with minimum weight; 1-1/4" slip-resistant ribbed rungs.

[View specifications >](#)

Aviation & Ground Support / Product selection

Helicopter Maintenance Canopy

Catalog ref: 40847

LISTED DETAILS



1 Quadrant (Canopy) / 1 Receiver sleeve with tie downs built-in

1 Quadrant (Canopy); 1 Receiver sleeve with tie downs built-in.

[View specifications >](#)

All-Purpose Aviation Maintenance Ladder

Catalog ref: 5996

LISTED DETAILS



4" deep slip-resistant ribbed steps add comfort and safety. / Can be customized for a particular aircraft.

Large 1-1/2" wide aluminum angled feet have heavy-duty skid-resistant rubber treads to keep ladder in place; 4" deep slip-resistant ribbed steps add comfort and safety.

[View specifications >](#)

Aluminum All-Purpose Aircraft Ladders

Catalog ref: 4886

LISTED DETAILS



4" deep slip-resistant ribbed steps add comfort and safety. / Can be customized for a particular aircraft.

Large 1-1/2" wide aluminum angled feet have heavy-duty skid-resistant rubber treads to keep ladder in place; 4" deep slip-resistant ribbed steps add comfort and safety.

[View specifications >](#)

B300-2 Crew Access Stand

Catalog ref: 5997

LISTED DETAILS



Steel construction with safety yellow finish. / 42" handrails on platform with angled rear handrails for a close fit to the aircraft.

42" handrails on platform with angled rear handrails for a close fit to the aircraft; 45-degree staircase slope.

[View specifications >](#)

Aviation & Ground Support / Product selection

C1 Maintenance Platform NSN 1730-00-395-2781

Catalog ref: 6110



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

C1 Maintenance Platform NSN 1730-00-395-2781 - Aircraft Ladders. PART IS FACTORY NEW WITH OEM CERTIFICATION 2.

[View specifications >](#)

Engine Access Maintenance Ladder



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Non-Slip Platform: The ladder includes a non-slip platform that provides a secure footing for technicians, reducing the risk of slips and falls during engine maintenance;

[View specifications >](#)

Gulfstream Fuselage Ladder

Catalog ref: 5957



LISTED DETAILS


Supported Cantilever ladder with upper curved portion to fit flush with fuselage / Carbon steel with 450 lbs. capacity

Carbon steel with 450 lbs. capacity; 126" (10 1/2 feet) platform height.

[View specifications >](#)

McDonnell Douglas MD-80 De-Icing Ladders

Catalog ref: 6001



LISTED DETAILS

Heavy-duty rail rubber bumper pads help protect fuselage and hatch from damage. / 4" deep slip-resistant ribbed steps for a more comfortable work surface.

Lightweight 6000 series aluminum alloy construction for maximum strength with minimum weight; 4" deep slip-resistant ribbed steps for a more comfortable work surface.

[View specifications >](#)

Aviation & Ground Support / Product selection

Telescoping Ladder



LISTED DETAILS

Telescoping Ladders are ideal when storage space is limited. / The lightweight and low profile design allows for storage in closets or tight spaces.

These ladders extend in 12" increments; Telescoping Ladders are ideal when storage space is limited.

[View specifications >](#)

Aircraft Engine Access Maintenance Platform



LISTED DETAILS

Heavy-duty design will support you and your tools all day long / Shelves are interchangeable from right to left side

Large 19" x 36" deck area allows you to move and work comfortably; 2" x 2" square tube construction.

[View specifications >](#)

Aircraft Wing Access Stand

Catalog ref: 5998



LISTED DETAILS

Height adjustment from 162" to 168" / 30" x 72" top platform

Height adjustment from 162" to 168"; 30" x 72" top platform.

[View specifications >](#)

B1 Maintenance Stand NSN 1730-00-390-5618

Catalog ref: 5949



LISTED DETAILS

Adjustable to any height within its 3' to 12' platform floor range / 500 lb capacity

Adjustable to any height within its 3' to 12' platform floor range; 500 lb capacity.

[View specifications >](#)

Aviation & Ground Support / Product selection

B2 Maintenance Stand (NSN 1730-00-390-5620)

Catalog ref: 5950

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

B2 Maintenance Stand (NSN 1730-00-390-5620) - Aircraft Maintenance Platforms. Elevate your aircraft maintenance operations with the B2 Maintenance Stand.

[View specifications >](#)

B4 Maintenance Platform NSN 1730-01-596-9017

Catalog ref: 5951

LISTED DETAILS



It features a self-contained hydraulic system that can be operated manually / Capacity - 500 lbs.

Capacity - 500 lbs; The top platform of size 36" x 82" with diamond plate surface that is large enough to suit your requirements.

[View specifications >](#)

B5 Maintenance Stand (NSN 1730-00-294-8884)

Catalog ref: 5952

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Multi-Functional Design: The B5 Maintenance Stand is suitable for a variety of maintenance tasks, including aircraft, vehicle, and equipment servicing, making it a versatile tool in any workshop.

[View specifications >](#)

B717 Tail Dock System

LISTED DETAILS



Full access to the tail section of Boeing 717 aircraft / Lightweight, durable materials with non-slip surfaces

Full access to the tail section of Boeing 717 aircraft; Lightweight, durable materials with non-slip surfaces.

[View specifications >](#)

Aviation & Ground Support / Product selection

B737 Fuselage Docking System



LISTED DETAILS

Full fuselage access for B737 aircraft / Customizable configurations for MRO operations

Full fuselage access for B737 aircraft; Customizable configurations for MRO operations.

[View specifications >](#)

B737 Nose Dock Platform



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

B737 Nose Dock Platform - Aircraft Maintenance Platforms. This is a 2 piece dock, both which are mounted on 4 x 300 mm directional Locking & braked Castors.

[View specifications >](#)

B737 Tail Dock



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Perfect Fit for Boeing 737: Specifically designed for the Boeing 737 series, ensuring a custom fit that enhances maintenance efficiency;

[View specifications >](#)

B757-767 Aircraft Maintenance Docking System



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Custom Fit: Designed specifically for B757 and B767 aircraft, ensuring precise alignment and optimal access to all critical maintenance areas;

[View specifications >](#)

Aviation & Ground Support / Product selection

B767 Cantilever Tail Dock System

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Optimized Access: The cantilever design of the dock system allows unobstructed access to the tail section of the B767, enabling your maintenance team to work with greater precision and efficiency.

[View specifications >](#)

B767/B777 Fuselage and Wing Dock

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.


B767/B777 fuselage and wing docking access. Request a layout for the aircraft variant, maintenance zones and available hangar space.

[View specifications >](#)

Boeing 737 Maintenance Tail Dock

Catalog ref: 6108

LISTED DETAILS



Airbus' A300 series / Boeing P-8A Poseidon

Airbus' A300 series; Boeing P-8A Poseidon.

[View specifications >](#)

Boeing 737 Nose Gear Stand

LISTED DETAILS



Custom Platform / Provides Safe Access

Custom Platform; Provides Safe Access.

[View specifications >](#)

Aviation & Ground Support / Product selection

C-130 Aircraft Maintenance Exterior Access Stands

Catalog ref: 6003

LISTED DETAILS



All steel construction / Yellow Powder coated finish

10 Poly on aluminum caster with face brake; 50° forward descent staircases on each half.

[View specifications >](#)

C-130 Aircraft Maintenance Full Docking Platform System

Catalog ref: 6002

LISTED DETAILS



Aluminum/Steel hybrid construction / Tow bars for moving the units far distances

12 person capacity (6 person per level); 50° forward descent staircases at multiple access points.

[View specifications >](#)

C-130 Aircraft Wing Stands

Catalog ref: 5954



LISTED DETAILS

Two piece modular design / 36" Guardrails w/mid-rail and 4" Toe boards

Platform 8' High x 35' Long x 16' Wide; with 2' 2-1/2" rear stairway landing platforms; 36" Guardrails w/mid-rail and 4" Toe boards.

[View specifications >](#)

C5M Aircraft Engine Work Stand

Catalog ref: 4927

LISTED DETAILS



C5M Aircraft Engine Work Stand. hand rails can be adjusted to half height. / Small to large deck space, for one or several persons.

C5M Aircraft Engine Work Stand. hand rails can be adjusted to half height; Main deck lowest setting can be as low as 4' 6" (highest setting depends on the unit size).

[View specifications >](#)

Aviation & Ground Support / Product selection

Casa 235 Aircraft Complete Maintenance Stand System

Catalog ref: 5920



LISTED DETAILS

Can be connected end-to-end or face-to-face to provide additional length or width / Staircases easily detach for storage or when used in conjunction with other stands

Can be connected end-to-end or face-to-face to provide additional length or width; Sections of railing can be lowered or completely removed to allow conformation to the aircraft body and components.

[View specifications >](#)

Crew Access Stands

Catalog ref: 4889



LISTED DETAILS

Steel construction with safety yellow finish. / 42" handrails on platform with angled rear handrails for a close fit to the aircraft.

42" handrails on platform with angled rear handrails for a close fit to the aircraft; 45-degree staircase slope.

[View specifications >](#)

CRJ 200 Engine Maintenance Stand

Catalog ref: 6084



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

CRJ 200 Engine Maintenance Stand - Aircraft Maintenance Platforms.

[View specifications >](#)

CRJ 200 Tail Dock System

Catalog ref: 6112



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Tailored for CRJ 200 Aircraft: Specifically engineered for the CRJ 200, this dock system ensures a perfect fit, optimizing maintenance workflows and reducing downtime;

[View specifications >](#)

Aviation & Ground Support / Product selection

CRJ700 Engine Maintenance Stand

Catalog ref: 6107



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

CRJ700 Engine Maintenance Stand - Aircraft Maintenance Platforms. Our CRJ700 Engine Maintenance Stand is made with vertical tubing that is one of the industries strongest aluminum.

[View specifications >](#)

Engine Access Work Platform



LISTED DETAILS

Removable Guardrails / Rolalift Lifting Device

Removable Guardrails; Rolalift Lifting Device.

[View specifications >](#)

G450 Gulfstream Tail Dock System

Catalog ref: 5956



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Custom Fit for Gulfstream G450: Tailored specifically for the G450 model, ensuring a perfect fit and maximum efficiency during maintenance tasks;

[View specifications >](#)

Global 5000 Engine Stand

Catalog ref: 5964



LISTED DETAILS

Custom-fit for Bombardier Global 5000 engines / High-grade, durable materials for long-term use

Custom-fit for Bombardier Global 5000 engines; Allows for secure handling of Global 5000 engines during repairs or storage.

[View specifications >](#)

Aviation & Ground Support / Product selection

Gulfstream Engine Stand

Catalog ref: 5955

LISTED DETAILS



Portable platforms used to roll up against aircraft engine pods on either side / Allows personnel to access aircraft engine at a safe working height

42" guardrails with mid-rails and 4" kick plates; Platform is 8' high x 27' long.

[View specifications >](#)

Hercules C-130 Aircraft Complete Maintenance Stand System

Catalog ref: 5926

LISTED DETAILS



Can be connected end-to-end or face-to-face to provide additional length or width / Staircases easily detach for storage or when used in conjunction with other stands

Can be connected end-to-end or face-to-face to provide additional length or width; Sections of railing can be lowered or completely removed to allow conformation to the aircraft body and components.

[View specifications >](#)

Industrial Work Stand 3 Step 18 inch Platform

Catalog ref: 4939



Weight
43 lbs

Weight: 43 lbs; Deck Size: 48" X 18".

[View specifications >](#)

Industrial Work Stand 3 Step 36 inch Platform

Catalog ref: 4978



LISTED DETAILS

This model comes standard with a modular wrap around handrail. / The deck is 48" x 36" and can adjust in height from 3'8" to 18".

The deck is 48" x 36" and can adjust in height from 3'8" to 18"; 4000 lbs capacity!.

[View specifications >](#)

Aviation & Ground Support / Product selection

Industrial Work Stand 4 Step 18 inch Platform

Catalog ref: 4950



LISTED DETAILS

2000 lbs capacity! /
Lightweight and Portable

2000 lbs capacity!; 30 day money back guarantee!.

[View specifications >](#)

Industrial Work Stand 4 Step 36 inch Platform

Catalog ref: 4981



LISTED DETAILS

The Industrial Work Stand 4 Step 36 inch Platform is the widest we build. / It can be used as a portable stage.

The Industrial Work Stand 4 Step 36 inch Platform is the widest we build; It is height adjustable from 2.5 feet to just under 5 feet.

[View specifications >](#)

Industrial Work Stand 5 Step 18 inch Platform

Catalog ref: 4953



LISTED DETAILS

2000 lbs capacity! /
Lightweight and Portable

2000 lbs capacity!; 30 day money back guarantee!.

[View specifications >](#)

Industrial Work Stand 5 Step 36 inch Platform

Catalog ref: 4984



LISTED DETAILS

It is height adjustable from 2.5 feet to just under 6 feet. / 4000 lbs capacity!

This is the largest Industrial Work Stand 5 Step 36 inch Platform we build. It can be used as a portable stage; It is height adjustable from 2.5 feet to just under 6 feet.

[View specifications >](#)

Aviation & Ground Support / Product selection

Industrial Work Stand 6 Step 18 inch Platform

Catalog ref: 4975



LISTED DETAILS

2000 lbs capacity! /
Lightweight and Portable

2000 lbs capacity!; 30 day money back guarantee!.

[View specifications >](#)

Industrial Work Stand 6 Step 36 inch Platform

Catalog ref: 4987



LISTED DETAILS

Our biggest and best model.
Large enough to comfortably
fit 4 to 6 guys on the deck. /
Height adjustable up to 7
feet.

Our biggest and best model. Large enough to
comfortably fit 4 to 6 guys on the deck; Height
adjustable up to 7 feet.

[View specifications >](#)

KC135 Aircraft Maintenance Platform Full Docking System



SELECTION CHECKS

Confirm aircraft make, model
and attachment interface;
clearances around landing
gear, wheel fairings and
service points.

Tailored Design: Specifically crafted for KC135 aircraft,
offering precise alignment and comprehensive access to
all critical maintenance zones;

[View specifications >](#)

MD80 Cantilever Tail Dock



LISTED DETAILS

Full access to the MD80 tail
section for inspections and
repairs / Durable, lightweight
construction with non-slip
surfaces

Full access to the MD80 tail section for inspections and
repairs; Durable, lightweight construction with non-slip
surfaces.

[View specifications >](#)

Aviation & Ground Support / Product selection

Military Aircraft Systems

Catalog ref: 4894

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Durable Steel Construction: Built to withstand the harsh demands of military environments, the system ensures long-lasting reliability and performance;

[View specifications >](#)

Single Pallet Aircraft Engine Maintenance Stand

Catalog ref: 4921



Weight
2,200 lbs

Weight: 2,200 lbs; Single Pallet Aircraft Engine Maintenance Stand Work Deck - Height range 6' to 10' with manual crank (electric powered lift option).

[View specifications >](#)

Universal B Maintenance Platform

Catalog ref: 4915

LISTED DETAILS



Extension Planks, Straight or Curved Ladders, Work trays, Stabilizing Jacks. / Customizable Working heights range of 4-15 ft

Customizable Working heights range of 4-15 ft; Streamline design The 'Universal B Maintenance Platform' is only 5 feet wide!!.

[View specifications >](#)

Scorpion Aircraft Tug

Catalog ref: 6156



LISTED DETAILS

Tow aircraft up to 15,000 pounds gross weight / Lift arm capacity 1,000 pounds, lift up to 2 feet high

Tow aircraft up to 15,000 pounds gross weight; Lift arm capacity 1,000 pounds, lift up to 2 feet high.

[View specifications >](#)

Aviation & Ground Support / Product selection

115V Connector with LED Switch



LISTED DETAILS

Housing provides for greater resistance to abrasion from ramp surfaces and Jet A1. / push-button switches.

Housing provides for greater resistance to abrasion from ramp surfaces and Jet A1; 6 PIN Plugs, Performance and dimensions to ISO 461 (BS4G173:1985) and appropriate MOD (Air) and NSN Standards.

[View specifications >](#)

12V Piper Plug



LISTED DETAILS

Mates with 11041 socket. / With ground return terminal. Single pole.

Mates with 11041 socket; Cable clamp holds wires firmly in place. Diecast housing. Accepts up to 0AWG cable.

[View specifications >](#)

28 VDC Connector with Double Inlet Cable



LISTED DETAILS

IML are robust and durable in a high usage market place. / Sleeves are solid copper, silver plated.

IML are robust and durable in a high usage market place; Sleeves are solid copper, silver plated.

[View specifications >](#)

28VDC 3 Pins Connectors



LISTED DETAILS

IML are robust and durable in a high usage market place. / Sleeves are solid copper, silver plated.

IML are robust and durable in a high usage market place; Sleeves are solid copper, silver plated.

[View specifications >](#)

Aviation & Ground Support / Product selection

3 Pole DC Connector



LISTED DETAILS

IML are robust and durable in a high usage market place. / Sleeves are solid copper, silver plated.

IML are robust and durable in a high usage market place; Sleeves are solid copper, silver plated.

[View specifications >](#)

400 Hz 115 Volt | 6 Pins Receptable



LISTED DETAILS

Solutions for 115V, 200V, 240V, 416V, and 480V applications. / Receptacle options include: shields, replaceable contacts, and spring-loaded covers.

Solutions for 115V, 200V, 240V, 416V, and 480V applications;

[View specifications >](#)

400 Hz Connector



LISTED DETAILS

IML are robust and durable in a high usage market place. / Sleeves are solid copper, silver plated. With solenoid pin.

IML are robust and durable in a high usage market place; Sleeves are solid copper, silver plated. With solenoid pin.

[View specifications >](#)

400 HZ Receptable



LISTED DETAILS

400 Hz, 115 V , electrical power receptacle. / Chemically Surface Treated (Green) per MIL-C-5541.

400 Hz, 115 V , electrical power receptacle; Chemically Surface Treated (Green) per MIL-C-5541.

[View specifications >](#)

Aviation & Ground Support / Product selection

6 Pins Rubber Connector | 400 HZ 115 Volt



LISTED DETAILS

Construction screws together in minutes. / Sleeves are solid copper, silver plated. With solenoid pin.

6 PIN Plugs, Performance and dimensions to ISO 461 (BS4G173:1985) and appropriate MOD (Air) and NSN Standards. Plug according to MS25486;

[View specifications >](#)

AC/DC Load Banks



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

AC/DC Load Banks - Aircraft Plugs. Our load banks can be engineered to meet your custom requirements.

[View specifications >](#)

Aircraft Battery Quick-Disconnect Connectors



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Aircraft Battery Quick-Disconnect Connectors - Aircraft Plugs.

[View specifications >](#)

AN2551 Aircraft Plug



LISTED DETAILS

3 PIN NATO AN2551 standard plugs are made of strong polycarbonate. / Patented plug.

3 PIN NATO AN2551 standard plugs are made of strong polycarbonate; Mates with AN2552-3A external power receptacle.

[View specifications >](#)

Aviation & Ground Support / Product selection

AN2552 Receptable



LISTED DETAILS

AN2552 , electrical power receptacle. / Chemically Surface Treated (Green) per MIL-C-5541.

AN2552 , electrical power receptacle; Chemically Surface Treated (Green) per MIL-C-5541.

[View specifications >](#)

AN2552A-3A Receptable



LISTED DETAILS

AN2552 , electrical power receptacle. / Chemically Surface Treated (Green) per MIL-C-5541

AN2552 , electrical power receptacle; Chemically Surface Treated (Green) per MIL-C-5541.

[View specifications >](#)

Battery Connector



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Three-pole DC battery connector reference. Confirm the mating connector, pin arrangement and electrical rating for the required assembly.

[View specifications >](#)

Battery High Current Switch



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Battery High Current Switch - Aircraft Plugs.

[View specifications >](#)

Aviation & Ground Support / Product selection

Cable Assembly Harnesses



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Aviation cable-assembly and wiring-harness inquiries. Supply drawings, connector references, pinouts and finished lengths for a configuration-specific quote.

[View specifications >](#)

Cable Assembly Sets



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cable Assembly Sets - Aircraft Plugs. Any cable assembly possible on customers request.

[View specifications >](#)

Cable Epoxy Adhesive Tape



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cable Epoxy Adhesive Tape - Aircraft Plugs. It can also be used for holding in fractional horsepower motors, arbor-wound coils and wire harnesses.

[View specifications >](#)

Cable Guidance



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cable Guidance - Aircraft Plugs. Different lengths , cable diameters.

[View specifications >](#)

Aviation & Ground Support / Product selection

Cable Identification Labels

LISTED DETAILS



This product is a great all-in-one addition to your tools.

The need for identifying bundles is present constantly in the electrical and networking fields; This product is a great all-in-one addition to your tools.

[View specifications >](#)

Crimb Tools

LISTED DETAILS



Reliable hydraulic crimp tool / Pressure relief valve for overload protection.

Reliable hydraulic crimp tool; Pressure relief valve for overload protection.

[View specifications >](#)

Crocodile System

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Crocodile System - Aircraft Plugs. 60Hz in America power when they are parked at an airport apron stand.

[View specifications >](#)

DC Battery Connector

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

DC Battery Connector - Aircraft Plugs. Each color will mate only with another connector of the same color and size.

[View specifications >](#)

Aviation & Ground Support / Product selection

DC External Receptable

LISTED DETAILS



Patented plug. / Aircraft and Helicopter

Hardness 13800psi; Glass transition temperature of about 150 °C.

[View specifications >](#)

Detachable 400HZ Connector Head

LISTED DETAILS



Housing provides for greater resistance to abrasion from ramp surfaces and Jet A1. / push-button switches.

Housing provides for greater resistance to abrasion from ramp surfaces and Jet A1; 6 PIN Plugs, Performance and dimensions to ISO 461 (BS4G173:1985) and appropriate MOD (Air) and NSN Standards.

[View specifications >](#)

Digital Newton Pin Testers

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Digital Newton Pin Testers - Aircraft Plugs. The digital force gauge is basically a handheld instrument that contains a load cell, electronic part, software and a display.

[View specifications >](#)

Dust cover 28VDC - 400 Hz

LISTED DETAILS



Strong rubber dustcap fits securely onto the 28VDC or 400 Hz connector. / Ensures that debris, water and dust do not pose a hazard to personnel or equipment

Strong rubber dustcap fits securely onto the 28VDC or 400 Hz connector; Performance and dimensions to ISO 461 (BS4G173:1985) and appropriate MOD (Air) and NSN Standards.

[View specifications >](#)

Aviation & Ground Support / Product selection

Electric Cable Ties



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Electric Cable Ties - Aircraft Plugs. Because of their low cost and ease of use tie-wraps are ubiquitous, finding use in a wide range of other application.

[View specifications >](#)

Electric Cables



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Flexible aviation power cables described for 28 V DC and 400 Hz AC applications, with listed conductor-size options. Specify the complete cable assembly and connector requirements.

[View specifications >](#)

External Cable Strap



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Retention strap for an external aircraft power connector and cable. Match the strap arrangement to the connector, cable support and aircraft interface.

[View specifications >](#)

Floor Cord Covers



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Compare the listed model details and configuration options on the product page. Request a quote for your application.

[View specifications >](#)

Aviation & Ground Support / Product selection

GA Cable Set



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

GA Cable Set - Aircraft Plugs. Any cable assembly possible on customers request.

[View specifications >](#)

Gate Boxes



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Gate box/LDC equipment for centralized aircraft ground power. The catalog describes 575 VAC, 400 Hz input and 200/115 V aircraft power.

[View specifications >](#)

Heavy Cable Shrink Houses



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Heavy Cable Shrink Houses - Aircraft Plugs.

[View specifications >](#)

Isolated Battery Connectors



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Battery-pack connector options for removable batteries and space-constrained assemblies. Match the connector interface and mounting arrangement to the application.

[View specifications >](#)

Aviation & Ground Support / Product selection

Loadbanks/Switch Boards



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Loadbanks/Switch Boards - Aircraft Plugs. Our load banks can be engineered to meet your custom requirements.

[View specifications >](#)

Military Derivative Circular Connectors



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Military Derivative Circular Connectors - Aircraft Plugs.

[View specifications >](#)

Mold on Type



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Mold on Type - Aircraft Plugs. IML AC Plug Assembly is made to Mil-C-7974 standards using Mil-C-5756 electrical cable therefore meeting the MS90328 specifications.

[View specifications >](#)

NATO Aviation Battery Power Connectors



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

NATO Aviation Battery Power Connectors - Aircraft Plugs.

[View specifications >](#)

Aviation & Ground Support / Product selection

Pin Tester




SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Pin Tester - Aircraft Plugs. The digital force gauge is basically a handheld instrument that contains a load cell, electronic part, software and a display.

[View specifications >](#)

Pop-Up Pits System



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Pop-Up Pits System - Aircraft Plugs. The pit system is used for storing for example 400Hz, PCA hoses, potable water hoses, technical services.

[View specifications >](#)

Portable Receptable



LISTED DETAILS

Extra Rugged design proven over many years of service / Affordable-make your own or repair cable assemblies on line.

Silver plated quad beam copper contacts 1,2, 3, 4 are precisely set to insure consistent mating forces over thousands of cycles;

[View specifications >](#)

Portable Receptable 6 Poles



LISTED DETAILS

Extra Rugged design proven over many years of service / Affordable-make your own or repair cable assemblies on line.

Silver plated quad beam copper contacts 1,2, 3, 4 are precisely set to insure consistent mating forces over thousands of cycles;

[View specifications >](#)

Aviation & Ground Support / Product selection

Power Units



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Power Units - Aircraft Plugs. 400 Hz power converters | battery start units | power supplies 12V 24V 28V.

[View specifications >](#)

Protection Cable Rays



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cable-routing channels and distribution attachments for 400 Hz and DC aviation power cables. Specify the route, cable bundle and attachment arrangement.

[View specifications >](#)

Receptable Housing



LISTED DETAILS

Solutions for 115V, 200V, 240V, 416V, and 480V applications. / Receptacle options include: shields, replaceable contacts, and spring-loaded covers.

Solutions for 115V, 200V, 240V, 416V, and 480V applications;

[View specifications >](#)

Receptable Pin Tester



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Receptable Pin Tester - Aircraft Plugs. The digital force gauge is basically a handheld instrument that contains a load cell, electronic part, software and a display.

[View specifications >](#)

Aviation & Ground Support / Product selection

Receptacle Battery Connector



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Receptacle Battery Connector - Aircraft Plugs.

[View specifications >](#)

Spare Parts Connectors



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Replacement connector components including housings, screws, LEDs, switches and thermal-protection parts. Identify the existing connector before requesting replacements.

[View specifications >](#)

Spare Parts Receptacles



LISTED DETAILS

Any new housing , connectors , screws , led , switches or thermal protection needed.

Any new housing , connectors , screws , led , switches or thermal protection needed.

[View specifications >](#)

Special Connectors



LISTED DETAILS

We develop, test and manufacture.

We develop, test and manufacture; Any color is possible any shape. We produce housing rubber, plastic, polycarbonate and produce connectors. Inhouse testing.

[View specifications >](#)

Aviation & Ground Support / Product selection

450TB-Airbus A300 Tow Bar Assembly

Catalog ref: 6136

LISTED DETAILS



Hydraulic/Spring Retractable Undercarriage / One set of spare Shear Bolts

3.0" to 3.25" diameter Lunette Eye; Hydraulic/Spring Retractable Undercarriage.

[View specifications >](#)

450TB-Airbus A310 Tow Bar Assembly

Catalog ref: 6137

LISTED DETAILS



Hydraulic/Spring Retractable Undercarriage / One set of spare Shear Bolts

3.0" to 3.25" diameter Lunette Eye; Hydraulic/Spring Retractable Undercarriage.

[View specifications >](#)

Aerospatiale Fixed Wing Towbar

Catalog ref: 6176

Finish
POWDER COAT YELLOW




WEIGHT = 15 LBS; SHIPPING DIM. = 15" X 13" X 10".

[View specifications >](#)

Aerospatiale Multi-Link Towbar TY-TB75-15

Catalog ref: 6177

Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT



Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Aviation & Ground Support / Product selection

Aerostar Universal Towbar TH-5

Catalog ref: 6180

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Aerostar Universal Towbar TH-53

Catalog ref: 6179

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Aerostar Universal Towbar TR-34

Catalog ref: 6178

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

AG-CAT Custom Towbar TR-6

Catalog ref: 6181

LISTED DETAILS

Length: 12 ft. / Spread: 12 ft.



Length: 12 ft; Spread: 12 ft.

[View specifications >](#)

Aviation & Ground Support / Product selection

Agusta/Westland Fixed Wing Towbar Multi-Link Head TY-CH149-S

Finish
POWDER COAT YELLOW




APPLICABLE A/C=EH101, US101 & CH-149 CORMORANT;
WEIGHT = 35 LBS.

[View specifications >](#)

Agusta/Westland Multi-Link Towbar TY-TB75-15

Catalog ref: 6191

Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT



Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Air Tractor Custom Towbar TR-6

Catalog ref: 6182

LISTED DETAILS

Length: 12 ft. / Spread: 12 ft.



Length: 12 ft; Spread: 12 ft.

[View specifications >](#)

Airbus A300 Fly-Away Towbar (TOWA310-C-8)

Catalog ref: 4590

LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)



Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A300 Towbar Head (TOWHEAD-1D)

Catalog ref: 4595

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A310 Fly-Away Towbar (TOWA310-C-8)

Catalog ref: 4593

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A310 Towbar Head (TOWHEAD-1D)

Catalog ref: 4597

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A318 Fly-Away Towbar (TOWA320-C-1+8)

Catalog ref: 4627

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A318 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4503

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A318 Towbar (TOWA320-C)

Catalog ref: 4618

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A318 Towbar Head (TOWHEAD-2C)

Catalog ref: 4633

LISTED DETAILS



Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A318 Universal Towbar (TOWUNIV-3)

Catalog ref: 4326

LISTED DETAILS



Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A319 Fly-Away Towbar (TOWA320-C-1+8)

Catalog ref: 4628



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Airbus A319 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4505



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A319 Towbar (TOWA320-C)

Catalog ref: 4620



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A319 Towbar Head (TOWHEAD-2C)

Catalog ref: 4635



LISTED DETAILS

Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A319 Universal Towbar (TOWUNIV-3)

Catalog ref: 4330

LISTED DETAILS



Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A320 Fly-Away Towbar (TOWA320-C-1+8)

Catalog ref: 4631

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Airbus A320 Towbar Head (TOWHEAD-2C)

Catalog ref: 4638

LISTED DETAILS



Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A320 Universal Towbar (TOWUNIV-3)

Catalog ref: 4333

LISTED DETAILS



Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A321 Fly-Away Towbar (TOWA320-C-1+8)

Catalog ref: 4632

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Airbus A321 Towbar (TOWA320-C)

Catalog ref: 4625

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A321 Towbar Head (TOWHEAD-2C)

Catalog ref: 4640

LISTED DETAILS



Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A330 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4458

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A330 Towbar Head (TOWHEAD-1A)

Catalog ref: 4383

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A330 Towbar Head (TOWHEAD-1B)

Catalog ref: 4397

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A330 Towbar Head (TOWHEAD-1I)

Catalog ref: 4609

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A330-200 Fly-Away Towbar (TOWA330-C-8)

Catalog ref: 4698

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A330-200 Towbar (TOWA330-C)

Catalog ref: 4685

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A330-200 Universal Towbar (TOWUNIV-1)

Catalog ref: 4182

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A330-200 Universal Towbar (TOWUNIV-2)

Catalog ref: 4207

LISTED DETAILS



Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A330-200F Fly-Away Towbar (TOWA330-C-8)

Catalog ref: 4700

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A330-200F Towbar (TOWA330-C)

Catalog ref: 4687

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A330-200F Universal Towbar (TOWUNIV-1)

Catalog ref: 4185

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A330-200F Universal Towbar (TOWUNIV-2)

Catalog ref: 4209

LISTED DETAILS



Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A330-300 Fly-Away Towbar (TOWA330-C-8)

Catalog ref: 4703

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A330-300 Towbar (TOWA330-C)

Catalog ref: 4691

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A330-300 Universal Towbar (TOWUNIV-1)

Catalog ref: 4188

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A330-300 Universal Towbar (TOWUNIV-2)

Catalog ref: 4212

LISTED DETAILS



Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A340 Towbar Head (TOWHEAD-1B)

Catalog ref: 4399

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A340-200 Fly-Away Towbar (TOWA330-C-8)

Catalog ref: 4706

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A340-200 Towbar (TOWA330-C)

Catalog ref: 4694

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A340-200 Towbar Head (TOWHEAD-1I)

Catalog ref: 4610

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A340-200 Universal Towbar (TOWUNIV-2)

Catalog ref: 4214

LISTED DETAILS



Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A340-300 Fly-Away Towbar (TOWA330-C-8)

Catalog ref: 4708

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A340-300 Towbar (TOWA330-C)

Catalog ref: 4696

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A340-300 Towbar Head (TOWHEAD-1I)

Catalog ref: 4611

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A340-300 Universal Towbar (TOWUNIV-2)

Catalog ref: 4217

LISTED DETAILS



Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.


[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A340-500 Towbar Head (TOWHEAD-1K)

Catalog ref: 4102

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A340-600 Fly-Away Towbar (TOWA345-C-8)

Catalog ref: 4100

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Airbus A340-600 Towbar Head (TOWHEAD-1K)

Catalog ref: 4104

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Airbus A380 Fly-Away Towbar (TOWA380-C-1+4+8)

Catalog ref: 4674

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Airbus A380 Towbar (TOWA380-C)

Catalog ref: 4675

LISTED DETAILS



Tube made of high strength steel, welded flash version / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

American Champion TWA-10-A Adapters

Catalog ref: 6183

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

American Champion TWA-10-A Adapters - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

[View specifications >](#)

American Champion Universal Towbar TH-5

Catalog ref: 6186

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

American Champion Universal Towbar TH-53

Catalog ref: 6185

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Aviation & Ground Support / Product selection

American Champion Universal Towbar TR-34

Catalog ref: 6184

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

American General Universal Towbar TH-5

Catalog ref: 6189

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

American General Universal Towbar TH-53

Catalog ref: 6188

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

American General Universal Towbar TR-34

Catalog ref: 6187

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Antonov AN-12 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4511

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Antonov AN-12 Towbar Head (TOWHEAD-2G)

Catalog ref: 4107

LISTED DETAILS



Only for use with TowMULTI-2

Only for use with TowMULTI-2; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Antonov AN-124 Towbar (TOWAN124-L-6)

Catalog ref: 4616

LISTED DETAILS



Tube made of high strength steel / Revolving towbar eye diameter 3,5 inches (90 mm)

Revolving towbar eye diameter 3,5 inches (90 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Antonov AN-148 Towbar (TOWAN148-C)

Catalog ref: 4666

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Antonov AN-24 Towbar (TOWAN26-L)

Catalog ref: 4109

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Antonov AN-26 Towbar (TOWAN26-L)

Catalog ref: 4111

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Antonov AN-70 Towbar (TOWAN74-L)

Catalog ref: 4115

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Antonov AN-72 Towbar (TOWAN74-L)

Catalog ref: 4117

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Antonov AN-74 Towbar (TOWAN74-L)

Catalog ref: 4119

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

ATR ATR 42 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4718

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

ATR ATR 42 Towbar (TOWATRA-C)

Catalog ref: 4602

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

ATR ATR 72 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4721

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Aviation & Ground Support / Product selection

ATR ATR 72 Towbar (TOWATRA-C)

Catalog ref: 4604

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

AVCRAFT Fixed Wing Towbar Multi-Link Head TY-GAL2

Catalog ref: 6192

Finish

POWDER COAT YELLOW



APPLICABLE A/C = GULFSTREAM / GALAXY G150, G200, G280 AND FAIRCHILD DORNIER 32; WEIGHT = 13 lbs.

[View specifications >](#)

AVCRAFT Multi-Link Towbar TY-TB75


Catalog ref: 6193

Material

ALUM. 3" I.D. TUBE

Color

YELLOW POWDER COAT



Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Aviat Universal Adapter TWA-10A

Catalog ref: 6194

SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.



Aviat Universal Adapter TWA-10A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

[View specifications >](#)

Aviation & Ground Support / Product selection

Aviat Universal Towbar TH-5

Catalog ref: 6197

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Aviat Universal Towbar TH-53

Catalog ref: 6196

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Aviat Universal Towbar TR-34

Catalog ref: 6195

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Ayres Thrush Custom Towbar TR-6

Catalog ref: 6198

LISTED DETAILS

Length: 12 ft. / Spread: 12 ft.



Length: 12 ft; Spread: 12 ft.

[View specifications >](#)

Aviation & Ground Support / Product selection

BAe Jetstream J41 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4529

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

BAe Jetstream J41 Towbar Head (TOWHEAD-3Y)

Catalog ref: 4168

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

BAe systems (HS) 748 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4531

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

BAe systems (HS) 748 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4727

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Aviation & Ground Support / Product selection

BAE Systems (HS) 748 Towbar (TOWHEAD-31G)

Catalog ref: 4072

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Bae Systems HS 146 Towbar (TOWAVRO-C)

Catalog ref: 4128

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bae Systems HS146 QT Towbar (TOWAVRO-C)

Catalog ref: 4130

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bae Systems RJ-70 Towbar (TOWAVRO-C)

Catalog ref: 4123

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Bae Systems RJ100 Towbar (TOWAVRO-C)

Catalog ref: 4121

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bae Systems RJ85 Towbar (TOWAVRO-C)

Catalog ref: 4126

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Beech-Hawker (Duke) Universal Towbar TH-53

Catalog ref: 6200

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Beech-Hawker (Raytheyon) Universal Towbar TR-34

Catalog ref: 6199

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Beech-Hawker Beechjet Fixed Wing Towbar Multi-Link Head TY-DBJ1

Catalog ref: 6206

Finish
POWDER COAT YELLOW




APPLICABLE A/C = BEECHJET 400, PREMIER 1; WEIGHT = 25 lbs.

[View specifications >](#)

Beech-Hawker Beechjet Multi-Link Towbar TY-TB75

Catalog ref: 6207

Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT



Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Beech-Hawker Duchess Universal Adapter T-DEX

Catalog ref: 6203

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Beech-Hawker Duchess Universal Adapter T-DEX - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

[View specifications >](#)

Beech-Hawker Duchess Universal Towbar TH-53

Catalog ref: 6205

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Beech-Hawker Duchess Universal Towbar TR-34

Catalog ref: 6204



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Beech-Hawker Fixed Wing Towbar Multi-Link Head TY-HAW1

Catalog ref: 6208




Finish
POWDER COAT YELLOW

APPLICABLE A/C= HAWKER 400 to 1000, HS-125;
WEIGHT = 16 lbs.

[View specifications >](#)

Beech-Hawker HS-125,400 TO 1000 Multi-LinkTowbar TY-TB75

Catalog ref: 6209



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Beech-Hawker Musketeer Fixed Wing Towbar TH-53

Catalog ref: 6218



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Beech-Hawker Musketeer Universal Towbar TH-5

Catalog ref: 6219

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Beech-Hawker Musketeer Universal Towbar TR-34

Catalog ref: 6217

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Beech-Hawker Premier Fixed Wing Towbar Multi-Link Head TY-DBJ1

Catalog ref: 6210

Finish
POWDER COAT YELLOW




APPLICABLE A/C = BEECHJET 400, PREMIER 1; WEIGHT = 25 lbs.

[View specifications >](#)

Beech-Hawker Premier Multi-Link Towbar TY-TB75

Catalog ref: 6211

Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT



Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Aviation & Ground Support / Product selection

Beech-Hawker Queenair Fixed Wing Towbar Multi-Link Head TY-KQA1

Catalog ref: 6214




Finish
POWDER COAT YELLOW

APPLICABLE A/C = MERLIN, II, IV, SJ-30, KING AIR 350, 1900, STARSHIP, KING AIR 90/200, QUEENAIR, SJ-30, METRO; WEIGHT = 20 lbs.

[View specifications >](#)

Beech-Hawker Queenair Multi-Link Towbar TY-TB75

Catalog ref: 6215



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Beech-Hawker Queenair Universal Towbar TR-34

Catalog ref: 6216



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Beech-Hawker Starship Fixed Wing Towbar Multi-Link Head TY-KQA1

Catalog ref: 6212



Finish
POWDER COAT YELLOW


APPLICABLE A/C = MERLIN, II, IV, SJ-30, KING AIR 350, 1900, STARSHIP, KING AIR 90/200, QUEENAIR, SJ-30, METRO; WEIGHT = 20 lbs.

[View specifications >](#)

Aviation & Ground Support / Product selection

Beech-Hawker Starship Multi-Link Towbar TY-TB75

Catalog ref: 6213



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Beech-Hawker Twin Beech Custom Towbar TR-6

Catalog ref: 6220



LISTED DETAILS

Length: 12 ft. / Spread: 12 ft.

Length: 12 ft; Spread: 12 ft.

[View specifications >](#)

Beechcraft Hawker Fixed Wing Towbar Multi-Link HeadTY-CRJ2

Catalog ref: 6201




Finish
POWDER COAT YELLOW

WEIGHT = 54 LBS; SHIPPING DIM. = 34" X 25" X 8".

[View specifications >](#)

Beechcraft Hawker Multi-Link Towbar TY-TB75

Catalog ref: 6202



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Aviation & Ground Support / Product selection

Bell 205 212 412 Helicopter Towbar

LISTED DETAILS



Skid tube dia. 3 1/4" to 4 1/2"
/ Legs can be split into 4 pcs.
of 5 1/2 ft. for easier transport

Skid tube dia. 3 1/4" to 4 1/2"; Legs can be split into 4 pcs. of 5 1/2 ft. for easier transport.

[View specifications >](#)

Bell AH-1 Helicopter Towbar

LISTED DETAILS



Skid tube dia. 3 1/4" to 4 1/2"
/ Legs can be split into 4 pcs.
of 5 1/2 ft. for easier transport

Skid tube dia. 3 1/4" to 4 1/2"; Legs can be split into 4 pcs. of 5 1/2 ft. for easier transport.

[View specifications >](#)

BELL UH-1 Towbar

LISTED DETAILS



Skid tube dia. 3 1/4" to 4 1/2"
/ Legs can be split into 4 pcs.
of 5 1/2 ft. for easier transport

Skid tube dia. 3 1/4" to 4 1/2"; Legs can be split into 4 pcs. of 5 1/2 ft. for easier transport.

[View specifications >](#)

Boeing B707 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4464

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Boeing B707 Towbar Head (TOWHEAD-1L)

Catalog ref: 4133

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Boeing B717-200 Towbar (TOWHEAD-1C)

Catalog ref: 4078

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Boeing B717-200 Towbar (TOWMD80-L)

Catalog ref: 4417

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B727 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4470

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Boeing B737 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4513

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B737-300 Universal Towbar (TOWUNIV-3)

Catalog ref: 4338

LISTED DETAILS



Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B737-400 Universal Towbar (TOWUNIV-3)

Catalog ref: 4340

LISTED DETAILS



Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B737-500 Universal Towbar (TOWUNIV-3)

Catalog ref: 4342

LISTED DETAILS



Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Boeing B737-600 Universal Towbar (TOWUNIV-3)

Catalog ref: 4344

LISTED DETAILS



Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B737-700 Universal Towbar (TOWUNIV-3)

Catalog ref: 4346

LISTED DETAILS



Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B737-800 Universal Towbar (TOWUNIV-3)

Catalog ref: 4348

LISTED DETAILS



Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B737-900 Universal Towbar (TOWUNIV-3)

Catalog ref: 4350

LISTED DETAILS



Main tube made of high strength steel / Rigid tow eye diameter 3 inches (76.2 mm)

Rigid tow eye diameter 3 inches (76.2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Boeing B747 Fly-Away Towbar (TOWB747-C-8)

Catalog ref: 4677

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B747 Towbar (TOWB747-L)

Catalog ref: 4679

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B747-300 Towbar Head (TOWHEAD-1E)

Catalog ref: 4710

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Boeing B747-400 Towbar Head (TOWHEAD-1E)

Catalog ref: 4713

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Boeing B747-800 Towbar Head (TOWHEAD-1E)

Catalog ref: 4716

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Boeing B757 Fly-Away Towbar (TOWB757-C-8)

Catalog ref: 4449

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B757 Towbar Head (TOWHEAD-1F)

Catalog ref: 4499

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Boeing B767 Fly-Away Towbar (TOWB767-C-8)

LISTED DETAILS



Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Boeing B767 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4480

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B767 Towbar Head (TOWHEAD-1I)

Catalog ref: 4613

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Boeing B777 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4482

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing B777 Towbar Head (TOWHEAD-1B)

Catalog ref: 4404

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Boeing B787 Towbar (TOWB787-C)

Catalog ref: 4614

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Boeing IL-62 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4484

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bombardier Challenger Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4533

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bombardier Challenger Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4730

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Aviation & Ground Support / Product selection

Bombardier Challenger Towbar Head (TOWHEAD-31L)

Catalog ref: 4255

LISTED DETAILS



Only for use with TOWMULTI-3


Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Bombardier CRJ 100/200 Fly-Away Towbar (TOWREGI-L-1+8)

Catalog ref: 4377

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)


Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Bombardier CRJ 100/200 Towbar (TOWREGI-L)

Catalog ref: 4369

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)


Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bombardier CRJ 700 Fly-Away Towbar (TOWREGI-L-1+8)

Catalog ref: 4378

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).


[View specifications >](#)

Aviation & Ground Support / Product selection

Bombardier CRJ 700 Towbar (TOWREGI-L)

Catalog ref: 4371

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)


Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bombardier CRJ 900 Fly-Away Towbar (TOWREGI-L-1+8)

Catalog ref: 4380

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)


Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Bombardier CRJ 900 Towbar (TOWREGI-L)

Catalog ref: 4375

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bombardier Dash7 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4535

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Bombardier Dash7 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4732

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Bombardier Dash7 Towbar Head (TOWHEAD-31J)

Catalog ref: 4143

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Bombardier Dash8 Q400 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4540

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bombardier Dash8 Q400 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4737

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Aviation & Ground Support / Product selection

Bombardier Dash8 Q400 Towbar Head (TOWHEAD-3B)

Catalog ref: 4672

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Bombardier Dash8 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4538

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bombardier Dash8 Towbar Head (TOWHEAD-3A)

Catalog ref: 4600

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Bombardier Global Express Towbar (TOWGLOB-L)

Catalog ref: 4024

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Bombardier Learjet Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4542

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bombardier Learjet Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4740

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Bombardier Learjet Towbar Head (TOWHEAD-3L)

Catalog ref: 4316

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Bombardier(Canadair) 215 Multi-Link Towbar TY-TB75

Catalog ref: 6234

Material

ALUM. 3" I.D. TUBE

Color

YELLOW POWDER COAT



Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Aviation & Ground Support / Product selection

Bombardier(Canadair) Challenger 300 Fixed Wing Towbar Multi-Link Head TY-CON1

Catalog ref: 6225




Finish
POWDER COAT YELLOW

APPLICABLE A/C = CHALLENGER 300 AND CONTINENTAL BD100; WEIGHT = 57 LBS.

[View specifications >](#)

Bombardier(Canadair) Challenger 300 Multi-Link Towbar TY-TB75

Catalog ref: 6226



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Bombardier(Canadair) Challenger 600 Fixed Wing Towbar Multi-Link Head TY-CHA1

Catalog ref: 6227



Finish
POWDER COAT YELLOW

APPLICABLE A/C = CHALLENGER 600; WEIGHT = 13 LBS.

[View specifications >](#)

Bombardier(Canadair) Challenger 600 Multi-Link Towbar TY-TB75

Catalog ref: 6228



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Aviation & Ground Support / Product selection

Bombardier(Canadair) Challenger 850 Fixed Wing Towbar Multi-Link Head TY-CRJ2

Catalog ref: 6229




Finish
POWDER COAT YELLOW

WEIGHT = 54 LBS; SHIPPING DIM. = 34" X 25" X 8".

[View specifications >](#)

Bombardier(Canadair) Challenger 850 Multi-Link Towbar TY-TB75

Catalog ref: 6230



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Bombardier(Canadair) Continental Fixed Wing Towbar Multi-Link HeadTY-CON1

Catalog ref: 6223




Finish
POWDER COAT YELLOW

APPLICABLE A/C = CHALLENGER 300 AND CONTINENTAL BD100; WEIGHT = 57 LBS.

[View specifications >](#)

Bombardier(Canadair) Continental Multi-Link Towbar TY-TB75

Catalog ref: 6224



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.


[View specifications >](#)

Aviation & Ground Support / Product selection

Bombardier(Canadair) CRJ 700 Fixed Wing Towbar Multi-Link Head TY-CRJ1

Catalog ref: 6231

Finish
POWDER COAT YELLOW



APPLICABLE A/C = CRJ 700/900; WEIGHT = 88 lbs.

[View specifications >](#)

Bombardier(Canadair) CRJ700 Multi-Link Towbar TY-TB125

Catalog ref: 6232

Material
ALUM. 4" TUBE
Color
YELLOW POWDER COAT




Material: ALUM. 4" TUBE; MATERIAL: ALUM. 4" TUBE.

[View specifications >](#)

Bombardier(Canadair) Dash 8 Multi-Link Towbar TY-TB75

Catalog ref: 6236

Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT



Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Bombardier(Canadair) Dash8 Fixed Wing Towbar Multi-Link Head TY-D8-4

Catalog ref: 6235

Finish
POWDER COAT YELLOW



APPLICABLE A/C = DASH 8; WEIGHT = 25 LBS.


[View specifications >](#)

Aviation & Ground Support / Product selection

Bombardier(Canadair) Global Express Fixed Wing Towbar Multi-Link Head TY-GLO1

Catalog ref: 6221

Finish
POWDER COAT YELLOW




WEIGHT = 88 lbs; SHIPPING DIM. = 31" X 37" X 6".

[View specifications >](#)

Bombardier(Canadair) Lear Jet Multi-Link Towbar TY-TB75

Catalog ref: 6238

Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT




Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Bombardier(Canadair) LearJet Fixed Wing Towbar Multi-Link Head TY-CIT1

Catalog ref: 6237

Finish
POWDER COAT YELLOW



WEIGHT = 21 LBS; SHIPPING DIM. = 26" X 14" X 14".

[View specifications >](#)

Bombardier(Canadair) Multi-Link Towbar TY-TB125

Catalog ref: 6222

Material
ALUM. 4" TUBE
Color
YELLOW POWDER COAT



Material: ALUM. 4" TUBE; MATERIAL: ALUM. 4" TUBE.

[View specifications >](#)

Aviation & Ground Support / Product selection

Bombardier(Canadair)215 Fixed Wing Towbar Multi-Link Head TY-CA415

Catalog ref: 6233



Finish
POWDER COAT YELLOW

APPLICABLE A/C=CL-215, 415; WEIGHT = 41 LBS.

[View specifications >](#)

British Aerospace ATP Fixed Wing Towbar Multi-Link Head TY-ATP1

Catalog ref: 6239




Finish
POWDER COAT YELLOW

WEIGHT = 15 LBS; SHIPPING DIM. = 15" X 13" X 10".

[View specifications >](#)

British Aerospace ATP Universal Towbar TY-TB75

Catalog ref: 6240



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

British Aerospace BAE 146 Fixed Wing Towbar Multi-Link Head TY-B125

Catalog ref: 6242



Material
ALUM. 4" TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 4" TUBE; MATERIAL: ALUM. 4" TUBE.

[View specifications >](#)

Aviation & Ground Support / Product selection

British Aerospace BAE 146 Fixed Wing Towbar Multi-Link Head TY-B146

Catalog ref: 6241



Finish
POWDER COAT YELLOW

APPLICABLE A/C=BAE146; WEIGHT = 31 LBS.

[View specifications >](#)

British Aerospace Jet Stream31 Fixed Wing Towbar Multi-Link Head TY-BJS1

Catalog ref: 6243




Finish
POWDER COAT YELLOW

APPLICABLE A/C=JETSTREAM 31; WEIGHT = 13 LBS.

[View specifications >](#)

British Aerospace Jetstream 31 Multi-Link Towbar TY-TB75

Catalog ref: 6244



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; Color: YELLOW POWDER COAT.

[View specifications >](#)

British Aerospace Jetstream 41 Fixed Wing Towbar Multi-Link Head TY-BJS2

Catalog ref: 6245



Finish
POWDER COAT YELLOW


APPLICABLE A/C=JETSTREAM 41; WEIGHT = 13 LBS.

[View specifications >](#)

Aviation & Ground Support / Product selection

British Aerospace Jetstream 41 Multi-Link Towbar TY-TB75

Catalog ref: 6246



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Casa 212 Multi-Link Head TY-CAS1

Catalog ref: 6267




Finish
POWDER COAT YELLOW

APPLICABLE A/C = 212; WEIGHT = 27 LBS.

[View specifications >](#)

Casa 212 Multi-Link Towbar TY-TB75

Catalog ref: 6268



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Cessna 100 Fixed Wing Towbar TH-53

Catalog ref: 6248



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Cessna 100 Universal Towbar TH-5

Catalog ref: 6249

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Cessna 100 Universal Towbar TR-34

Catalog ref: 6247

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Cessna 140 Fixed Wing Towbar TH-5

Catalog ref: 6253

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Cessna 140 Fixed Wing Towbar TH-53

Catalog ref: 6252

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Cessna 140 Universal Towbar Adapters

Catalog ref: 6250

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cessna 140 Universal Towbar Adapters - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

[View specifications >](#)

Cessna 140 Universal Towbar TR-34

Catalog ref: 6251

Weight

14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Cessna 195 Custom Towbar TR-73

Catalog ref: 6255

Weight

22 lbs



Weight: 22 lbs; Length: 8' 4".

[View specifications >](#)

Cessna 300 Series Universal Towbar TH-53

Catalog ref: 6258

Weight

7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Cessna 300 Series Universal Towbar TR-34

Catalog ref: 6257

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Cessna 400 Light Twin Series Universal Towbar TR-34

Catalog ref: 6259

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Cessna 400 Universal Towbar TH-5

Catalog ref: 6262

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Cessna 400 Universal Towbar TH-53

Catalog ref: 6261

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Cessna 400 Universal Towbar TR-34

Catalog ref: 6260



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Cessna Caravan 208 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4544



LISTED DETAILS

Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Cessna Caravan 208 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4742



LISTED DETAILS

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Cessna Caravan 208 Towbar Head (TOWHEAD-31S)

Catalog ref: 4267



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Cessna Caravan 406 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4744

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Cessna Caravan 406 Towbar Head (TOWHEAD-31S)

Catalog ref: 4270

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Cessna Caravan Universal Towbar TR-34

Catalog ref: 6256

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Cessna Citation I Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4548

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Cessna Citation II Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4550

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Cessna Citation II Towbar Head (TOWHEAD-3L)

Catalog ref: 4320

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Cessna Citation III Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4558

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Cessna Citation III Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4759

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Aviation & Ground Support / Product selection

Cessna Citation Multi-Link Head TY-CIT1

Catalog ref: 6263




Finish
POWDER COAT YELLOW

WEIGHT = 21 LBS; SHIPPING DIM. = 26" X 14" X 14".

[View specifications >](#)

Cessna Citation Multi-Link Towbar TY-TB75

Catalog ref: 6264



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Cessna Citation VI Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4753

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Cessna Citation VI Towbar Head (TOWHEAD-3M)

Catalog ref: 4249

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Cessna Citation X Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4762

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Cessna Citation X Towbar Head (TOWHEAD-3M)

Catalog ref: 4251

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Cessna Citation XL Towbar Head (TOWHEAD-3M)

Catalog ref: 4253

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Cessna Citation2 Multi-Link Towbar TY-TB75

Catalog ref: 6266

Material

ALUM. 3" I.D. TUBE

Color

YELLOW POWDER COAT



Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.


[View specifications >](#)

Aviation & Ground Support / Product selection

Cessna Citation2 Towbar Multi-Link Head TY-CIT2

Catalog ref: 6265

Finish
POWDER COAT YELLOW



A/C MFG. = CESSNA APPLICABLE A/C = CITATION III,VI,VII,X,XL WEIGHT = 21 LBS. SHIPPING DIM. = 26" X 14" X 14" FINISH: POWDER COAT YELLOW; WEIGHT = 21 LBS.

[View specifications >](#)

Cessna CitationJet 525 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4555

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Cessna CitationJet 525 Towbar Head (TOWHEAD-3L)

Catalog ref: 4324

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Cessna Fixed Wing Towbar TR-6

Catalog ref: 6254

LISTED DETAILS



Length: 12 ft. / Spread: 12 ft.

Length: 12 ft; Spread: 12 ft.

[View specifications >](#)

Aviation & Ground Support / Product selection

CH-47 Helicopter Towbar



Finish
POWDER COAT YELLOW

CENTERLINE BETWEEN WHEELS 134"; LENGTH 14.8 FT.

[View specifications >](#)

Cirrus SR20 Fixed Wing Universal Towbar TH-5

Catalog ref: 6272



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Cirrus SR20 Fixed Wing Universal Towbar TH-53

Catalog ref: 6271



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Cirrus SR20 Fixed Wing Universal Towbar TR-34

Catalog ref: 6270



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Cirrus SR20 Universal Adapter T-349A

Catalog ref: 6269

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cirrus SR20 Universal Adapter T-349A - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

[View specifications >](#)

Commander 112 Universal Adapter T-750A

Catalog ref: 6273

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Commander 112 Universal Adapter T-750A - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

[View specifications >](#)

Commander 112 Universal Towbar TH-53

Catalog ref: 6275

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Commander 114 Universal Adapter TR-34

Catalog ref: 6274

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Dassault Falcon 10 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4564

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Dassault Falcon 10 Towbar Head (TOWHEAD-3R)

Catalog ref: 4237

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Dassault Falcon 100 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4568

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Dassault Falcon 100 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4770

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Aviation & Ground Support / Product selection

Dassault Falcon 100 Towbar Head (TOWHEAD-3R)

Catalog ref: 4243

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Dassault Falcon 20 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4566

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Dassault Falcon 20 Towbar Head (TOWHEAD-3R)

Catalog ref: 4241

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Dassault Falcon 200 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4774

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Aviation & Ground Support / Product selection

Dassault Falcon 200 Towbar Head (TOWHEAD-3R)

Catalog ref: 4245

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Dassault Falcon 2000 Towbar (multiple application) (TOWMULTI-3)

Catalog ref: 4572

LISTED DETAILS



Tube made of high strength aluminium / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Dassault Falcon 2000 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4776

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Dassault Falcon 2000 Towbar Head (TOWHEAD-3S)

Catalog ref: 4146

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Dassault Falcon 50 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4778

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Dassault Falcon 50 Towbar Head (TOWHEAD-3S)

Catalog ref: 4149

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Dassault Falcon 7X Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4783

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Dassault Falcon 900 Towbar (multiple application) (TOWMULTI-3-8)

Catalog ref: 4781

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Revolving towbar eye with shock absorber diameter 3 inches (76,2 mm).

[View specifications >](#)

Aviation & Ground Support / Product selection

Diamond DA20 Universal Towbar TH-5

Catalog ref: 6281

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Diamond DA20 Universal Towbar TH-53

Catalog ref: 6280

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Diamond DA20 Universal Towbar TR-34

Catalog ref: 6279

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Diamond DA40 Universal Adapter T-1500A

Catalog ref: 6282

SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.



Diamond DA40 Universal Adapter T-1500A - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

[View specifications >](#)

Aviation & Ground Support / Product selection

Diamond DA40 Universal Towbar TH-5

Catalog ref: 6285

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Diamond DA40 Universal Towbar TH-53

Catalog ref: 6284

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Diamond DA40 Universal Towbar TR-34

Catalog ref: 6283

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Diamond DA42 Universal Adapter T-700A

Catalog ref: 6286

SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.



Diamond DA42 Universal Adapter T-700A - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

[View specifications >](#)

Aviation & Ground Support / Product selection

Diamond DA42 Universal Towbar TH-5

Catalog ref: 6289

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Diamond DA42 Universal Towbar TH-53

Catalog ref: 6288

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Diamond DA42 Universal Towbar TR-34

Catalog ref: 6287

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

EADS CASA C-295 Towbar (TOWC295-L-001)

Catalog ref: 4671

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

EADS CASA CN-235 Towbar (TOWC235-L)

Catalog ref: 4670



LISTED DETAILS

Tube made of high strength aluminium / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Eclipse 500 Fixed Wing Towbar TH-53

Catalog ref: 6292



Weight

7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Eclipse 500 Universal Adapter T-750A

Catalog ref: 6290



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Eclipse 500 Universal Adapter T-750A - Aircraft Towbars. Industrial has added a new adapter for tug towing the Piper PA-22, 28, etc.

[View specifications >](#)

Eclipse 500 Universal Towbar TR-34

Catalog ref: 6291



Weight

14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.


[View specifications >](#)

Aviation & Ground Support / Product selection

Embraer 120 Fixed Wing Towbar Multi-Link Head TY-EMB2

Catalog ref: 6296

Finish
POWDER COAT YELLOW



APPLICABLE A/C = ERJ-120; WEIGHT = 41 LBS.

[View specifications >](#)

Embraer 120 Towbar Head (TOWHEAD-3K)

Catalog ref: 4020

LISTED DETAILS



Only for use with
TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Embraer 125 Towbar (TOWE145-L)

Catalog ref: 4018

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Embraer 135 Fixed Wing Towbar Multi-Link Head TY-EMB1

Catalog ref: 6293

Finish
POWDER COAT YELLOW



WEIGHT = 35 LBS; SHIPPING DIM. = 34" X 25" X 8".

[View specifications >](#)

Aviation & Ground Support / Product selection

Embraer 170 Fixed Wing Towbar Multi-Link Head TY-EMB3

Catalog ref: 6297

Finish
**NICKEL PLATE / POWDER
COAT YELLOW**



APPLICABLE A/C = ERJ-170, 190 & 195; WEIGHT = 58 LBS.

[View specifications >](#)

Embraer 170 Fly-Away Towbar (TOWE170-C-1+8)

Catalog ref: 4357

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Embraer 170 Towbar (TOWE170-C-4)

Catalog ref: 4434

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Embraer 175 Fly-Away Towbar (TOWE170-C-1+8)

Catalog ref: 4358

LISTED DETAILS



Tube made of high strength aluminium, can be split into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be split into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Aviation & Ground Support / Product selection

Embraer 175 Towbar (TOWE170-C-4)

Catalog ref: 4436

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)


Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Embraer 190 Fly-Away Towbar (TOWE170-C-1+8)

Catalog ref: 4360

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Embraer 190 Towbar (TOWE170-C-4)

Catalog ref: 4439

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Embraer 195 Fly-Away Towbar (TOWE170-C-1+8)

Catalog ref: 4363

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Aviation & Ground Support / Product selection

Embraer 195 Towbar (TOWE170-C-4)

Catalog ref: 4442

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Embraer CN-235 Towbar Head (TOWHEAD-31E)

Catalog ref: 4668

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Embraer ERJ-135 Towbar (TOWHEAD-3F)

Catalog ref: 4083

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Embraer ERJ-140 Towbar (TOWHEAD-3F)

Catalog ref: 4085

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Embraer ERJ-145 Towbar (TOWHEAD-3F)

Catalog ref: 4087

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Embraer Legacy Towbar (TOWHEAD-3F)

Catalog ref: 4089

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Embraer Phenom 300 Fixed Wing Towbar Multi-Link Head TY-PHE3

Catalog ref: 6301

Finish
POWDER COAT YELLOW



APPLICABLE A/C = PHENOM 300 WITHOUT NLG PROTECTION; WEIGHT = 15 lbs.

[View specifications >](#)

Embraer Phenom Fixed Wing Towbar Multi-Link Head TY-PHE2

Catalog ref: 6300

Finish
POWDER COAT BLACK



APPLICABLE A/C = PHENOM 100; WEIGHT = 9 lbs.

[View specifications >](#)

Aviation & Ground Support / Product selection

Embrear EMB-110 Towbar Head (TOWHEAD-31K)

Catalog ref: 4144

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

F-16 Aircraft Multi-Link Towbar TY-TB75

Catalog ref: 3801



Material

ALUM. 3" I.D. TUBE

Color

YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Fairchild Dornier Fixed Wing Towbar Multi-Link Head TY-GAL2

Catalog ref: 6303

Finish

POWDER COAT YELLOW



APPLICABLE A/C = GULFSTREAM / GALAXY G150, G200, G280 AND FAIRCHILD DORNIER 328; WEIGHT = 13 lbs.

[View specifications >](#)

Fairchild Merlin Fixed Wing Towbar Multi-Link Head TY-KQA1

Catalog ref: 6305

Finish

POWDER COAT YELLOW



APPLICABLE A/C = MERLIN, II, IV, SJ-30, KING AIR 350, 1900, STARSHIP, KING AIR 90/200, QUEENAIR, SJ-30, METRO; WEIGHT = 20 lbs.

[View specifications >](#)

Aviation & Ground Support / Product selection

Fairchild/Swearingen Merlin Towbar Head (TOWHEAD-31H)

Catalog ref: 4137

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Fairchild/Swearingen Metro III Towbar Head (TOWHEAD-31H)

Catalog ref: 4139

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Fairchild/Swearingen Metro IV Towbar Head (TOWHEAD-31H)

Catalog ref: 4142

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Falcon 10 Fixed Wing Towbar Multi-Link Head TY-FAL1

Catalog ref: 6307

Finish

POWDER COAT YELLOW



APPLICABLE A/C = 10, 20, 100, 200; WEIGHT = 25 LBS.

[View specifications >](#)

Aviation & Ground Support / Product selection

Falcon 50 Fixed Wing Towbar Multi-Link Head TY-FAL2

Catalog ref: 6309

Finish
POWDER COAT YELLOW



APPLICABLE A/C = 50, 900, 2000; WEIGHT = 24 lbs.

[View specifications >](#)

Falcon 7x Fixed Wing Towbar Multi-Link Head TY-FAL3

Catalog ref: 6311

Finish
POWDER COAT YELLOW



APPLICABLE A/C = 7X; WEIGHT = 24 lbs.

[View specifications >](#)

Fixed Wing Towbar Multi-Link Head TY-CHA1

Catalog ref: 3792

Finish
POWDER COAT YELLOW



A/C MFG. = BOMBARDIER (CANADAIK)APPLICABLE A/C = CHALLENGER 600WEIGHT = 13 LBS.SHIPPING DIM. = 15" X 13" X 10"FINISH: POWDER COAT YELLOW; APPLICABLE A/C = CHALLENGER 600.

[View specifications >](#)

Fixed Wing Towbar Multi-Link Head TY-F-16

Catalog ref: 3797

Finish
POWDER COAT YELLOW



APPLICABLE A/C = F16; WEIGHT = 38 lbs.

[View specifications >](#)

Aviation & Ground Support / Product selection

Fokker 100 Fixed Wing Towbar Multi-Link Head TY-FOK2

Catalog ref: 6315



Finish
POWDER COAT YELLOW

APPLICABLE A/C = 100; WEIGHT = 20 lbs.

[View specifications >](#)

Fokker 50 Fixed Wing Towbar Multi-Link Head TY-FOK1

Catalog ref: 6314



Finish
POWDER COAT YELLOW

APPLICABLE A/C = 50; WEIGHT = 21 lbs.

[View specifications >](#)

Fokker F-28 Towbar (TOWFO28-L)

Catalog ref: 4665



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Fokker F-7 Towbar (TOWFO27-L)

Catalog ref: 4022



LISTED DETAILS

Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Fokker Fokker 50/60 Towbar (TOWFO50-C)

Catalog ref: 4663

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)


Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Fokker Fokker 70/100 Fly-Away Towbar (TOWFO70-C-1+8)

Catalog ref: 4684

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 4 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 4 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Fokker Towbar Head (TOWHEAD-3Q)

Catalog ref: 4016

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Galaxy Aerospace Business Fixed Wing Towbar Multi-Link Head TY-GAL1

Catalog ref: 6317

Finish

POWDER COAT YELLOW



WEIGHT = 25 lbs; SHIPPING DIM. = 71" X 8" X 8".

[View specifications >](#)

Aviation & Ground Support / Product selection

Galaxy Aerospace Business Fixed Wing Towbar Multi-Link Head TY-WES1

Catalog ref: 6318

Finish
POWDER COAT YELLOW



WEIGHT = 34 lbs; SHIPPING DIM. = 30" X 32" X 7".

[View specifications >](#)

Galaxy Aerospace Jet Commander Fixed Wing Towbar Multi-Link Head TY-WES1

Catalog ref: 6324

Finish
POWDER COAT YELLOW



WEIGHT = 34 lbs; SHIPPING DIM. = 30" X 32" X 7".

[View specifications >](#)

Galaxy Aerospace Westwind Fixed Wing Towbar Multi-Link Head TY-WES1

Catalog ref: 6322

Finish
POWDER COAT YELLOW



WEIGHT = 34 lbs; SHIPPING DIM. = 30" X 32" X 7".

[View specifications >](#)

Galaxy Astra Fixed Wing Towbar Multi-Link Head TY-WES1

Catalog ref: 6319

Finish
POWDER COAT YELLOW



WEIGHT = 34 lbs; SHIPPING DIM. = 30" X 32" X 7".

[View specifications >](#)

Aviation & Ground Support / Product selection

Grumman G-44 Fixed Wing Towbar Custom TR-14

Catalog ref: 6325



LISTED DETAILS

Length 12 1/2 feet / Spread = 60" to 100"

Length 12 1/2 feet; Spread = 60" to 100".

[View specifications >](#)

Gulfstream A4G400 Towbar (TOWHEAD-31B)

Catalog ref: 4049



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream Aero Commander Towbar Head (TOWHEAD-3J)

Catalog ref: 4294



LISTED DETAILS

Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream Aerospace G1 Fixed Wing Towbar Multi-Link Head TY-GUL1

Catalog ref: 6327



Finish

POWDER COAT YELLOW

WEIGHT = 46 lbs; SHIPPING DIM. = 33" X 29" X 8".

[View specifications >](#)

Aviation & Ground Support / Product selection

Gulfstream Aerospace G100 Fixed Wing Towbar Multi-Link Head TY-WES1

Catalog ref: 6332

Finish
POWDER COAT YELLOW



SHIPPING DIM. = 30" X 32" X 7"; Finish: POWDER COAT YELLOW.

[View specifications >](#)

Gulfstream Aerospace G150 Fixed Wing Towbar Multi-Link Head TY-GAL2

Catalog ref: 6330

Finish
POWDER COAT YELLOW



APPLICABLE A/C = GULFSTREAM / GALAXY G150, G200, G280 AND FAIRCHILD DORNIER 328; WEIGHT = 13 lbs.

[View specifications >](#)

Gulfstream Aerospace GII Fixed Wing Towbar Multi-Link Head TY-GUL1

Catalog ref: 6329

Material
ALUM. 4" TUBE
Color
YELLOW POWDER COAT



Material: ALUM. 4" TUBE; MATERIAL: ALUM. 4" TUBE.

[View specifications >](#)

Gulfstream Aerospace GII Fixed Wing Towbar Multi-Link Head TY-GUV1

Catalog ref: 6328

Finish
POWDER COAT YELLOW




APPLICABLE A/C = GII, III, IV, V, 350,450,500,550,650; WEIGHT = 69 lbs.

[View specifications >](#)

Gulfstream G1 Towbar (TOWHEAD-31B)

LISTED DETAILS



Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream G11 Towbar (TOWHEAD-31B)

LISTED DETAILS



Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream G111 Towbar (TOWHEAD-31B)

LISTED DETAILS



Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream G200 Towbar Head (TOWHEAD-31P)

LISTED DETAILS



Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Gulfstream G300 Towbar (TOWHEAD-31B)

Catalog ref: 4037

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream G350 Towbar (TOWHEAD-31B)

Catalog ref: 4039

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream G350 Towbar Head (TOWHEAD-3G)

Catalog ref: 4285

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream G450 Towbar Head (TOWHEAD-3G)

Catalog ref: 4288

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Gulfstream G500 Towbar Head (TOWHEAD-3G)

Catalog ref: 4290

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream G550 Towbar Head (TOWHEAD-3G)

Catalog ref: 4292

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream GIV Towbar (TOWHEAD-31B)

Catalog ref: 4060

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream GIV-SP Towbar (TOWHEAD-31B)

Catalog ref: 4063

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Gulfstream GV Towbar Head (TOWHEAD-3G)

Catalog ref: 4282

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Gulfstream Turbo Commander Towbar Head (TOWHEAD-3J)

Catalog ref: 4297

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Hawker Beechcraft 125 Towbar (TOWHEAD-31A)

Catalog ref: 4035

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Hawker Beechcraft Beech 1900 Towbar Head (TOWHEAD-3T)

Catalog ref: 4156

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Hawker beechcraft Beech Premier Towbar Head (TOWHEAD-31X)

Catalog ref: 4276

LISTED DETAILS



Only for use with
TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Hawker Beechcraft Beechjet 400 Towbar Head (TOWHEAD-31N)

LISTED DETAILS



Only for use with
TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Hawker Beechcraft C-12 Towbar Head (TOWHEAD-3T)

Catalog ref: 4154

LISTED DETAILS



Only for use with
TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Hawker Beechcraft King Air Towbar Head (TOWHEAD-3T)

Catalog ref: 4164

LISTED DETAILS



Only for use with
TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Hawker Beechcraft Queen Air Towbar Head (TOWHEAD-3T)

Catalog ref: 4166

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Hawker Beechcraft Starship Towbar Head (TOWHEAD-3T)

Catalog ref: 4161

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Hawker Beechcraft T-44 Towbar Head (TOWHEAD-3T)

Catalog ref: 4159

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Honda R&D Fixed Wing Towbar Custom TR-HON

Catalog ref: 6333



Material

3 PIECE ALUMINUM

Weight

52 lbs

Finish

MIL YELLOW POWDER COAT

Material: 3 PIECE ALUMINUM; Weight: 52 lbs.

[View specifications >](#)

Aviation & Ground Support / Product selection

Ilyushin DC-10 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4488

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Ilyushin IL-62 Towbar (TOWHEAD-1H)

Catalog ref: 4027

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Ilyushin IL-76 Towbar (TOWIL76-L)

Catalog ref: 4171

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Ilyushin IL-86 Towbar (TOWIL86-L)

Catalog ref: 4173

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Ilyushin IL-96 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4486

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Ilyushin IL-96 Towbar (TOWIL96-C-8)

Catalog ref: 4180

LISTED DETAILS



Tube made of high strength steel, divided in two pieces / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); Corrosion protection: Skydrol resistant colour yellow RAL 1028.

[View specifications >](#)

Ilyushin IL-96 Towbar Head (TOWHEAD-1B)

Catalog ref: 4406

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Ilyushin IL-96 Universal Towbar (TOWUNIV-2)

Catalog ref: 4223

LISTED DETAILS



Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

L-1011 Aircraft Towbar Head (TOWHEAD-1A)

Catalog ref: 4395

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

L-1011 Aircraft Towbar Head (TOWHEAD-1B)

Catalog ref: 4408

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Lake LA-4 Multi-Link Towbar TR-34

Catalog ref: 3773



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Lancair IV Multi-Link Towbar TH-5

Catalog ref: 3769



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Aviation & Ground Support / Product selection

Lear 23 Fixed Wing Towbar Multi-Link Head TY-CIT1

Catalog ref: 3777




Finish
POWDER COAT YELLOW

WEIGHT = 21 LBS; SHIPPING DIM. = 26" X 14" X 14".

[View specifications >](#)

Lear 23 Multi-Link Towbar TY-TB75

Catalog ref: 3782



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Lear 25 Fixed Wing Towbar Multi-Link Head TY-CIT1

Catalog ref: 3785



Finish
POWDER COAT YELLOW

WEIGHT = 21 LBS; SHIPPING DIM. = 26" X 14" X 14".

[View specifications >](#)

Lear 25 Multi-Link Towbar TY-TB75

Catalog ref: 3789



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Aviation & Ground Support / Product selection

Maule All Fixed Wing Towbar Adapter TY-MAULE1

Catalog ref: 3804

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Maule All Fixed Wing Towbar Adapter TY-MAULE1 - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

[View specifications >](#)

Maule All Universal Towbar TH-5

Catalog ref: 3814

Weight

4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Maule All Universal Towbar TH-53

Catalog ref: 3810

Weight

7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Maule All Universal Towbar TR-34

Catalog ref: 3807

Weight

14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Aviation & Ground Support / Product selection

MC Donnel Douglas DC-10 Towbar Head (TOWHEAD-1B)

Catalog ref: 4410

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

MC Donnel Douglas MD-11 Towbar Head (TOWHEAD-1B)

Catalog ref: 4415

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Revolving towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

MC Donnell Douglas DC-10 Universal Towbar (TOWUNIV-2)

Catalog ref: 4225

LISTED DETAILS



Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Mc Donnell Douglas DC-8 Towbar (TOWDC08-L)

Catalog ref: 4075

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

MC Donnell Douglas DC-9 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4515

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

MC Donnell Douglas DC-9 Towbar (TOWMD80-L)

Catalog ref: 4419

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

MC Donnell Douglas DC-9 Towbar Head (TOWHEAD-2D)

Catalog ref: 4425

LISTED DETAILS



Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

MC Donnell Douglas MD-11 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4490

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

MC Donnell Douglas MD-11 Universal Towbar (TOWUNIV-2)

Catalog ref: 4227

LISTED DETAILS



Tube made of high strength steel / Revolving towbar eye diameter 3 inches (76,2 mm)

Revolving towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

MC Donnell Douglas MD-80 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4517

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

MC Donnell Douglas MD-80 Towbar (TOWMD80-L)

Catalog ref: 4421

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

MC Donnell Douglas MD-80 Towbar Head (TOWHEAD-2D)

Catalog ref: 4428

LISTED DETAILS



Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

MC Donnell Douglas MD-90 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4519

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

MC Donnell Douglas MD-90 Towbar Head (TOWHEAD-2D)

Catalog ref: 4430

LISTED DETAILS



Only for use with TOWMULTI-2

Only for use with TOWMULTI-2; Towbar head (lock pin type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

MC Donnell Douglas MD90 Towbar (TOWMD80-L)

Catalog ref: 4423

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

MC Donnell Douglas TU-204 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4493

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Micco 26 Custom Towbar TR-15

LISTED DETAILS



Length 12 1/2 feet; Spread = 72" to 102".

[View specifications >](#)

Finish
POWDER COAT YELLOW



APPLICABLE A/C = MU-2, TWIN OTTER; WEIGHT = 27 lbs.

[View specifications >](#)

Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT



Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Aviation & Ground Support / Product selection

Mooney M20 Universal Towbar TH-53

Catalog ref: 3831

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Mooney M20 Universal Towbar TR-34

Catalog ref: 3829

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Multi-Link Aircraft Towbar TY-TB75

Catalog ref: 3795

Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT



Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

North American AT-6 Custom Towbar TR-6

Catalog ref: 3838

LISTED DETAILS

Length: 12 ft. / Spread: 12 ft.



Length: 12 ft; Spread: 12 ft.

[View specifications >](#)

Aviation & Ground Support / Product selection

North American Navion Universal Towbar TH-5

Catalog ref: 3850

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

North American Navion Universal Towbar TH-53

Catalog ref: 3847

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

North American Navion Universal Towbar TR-34

Catalog ref: 3843

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

North American Sabreliner Fixed Wing Towbar Multi-Link Head TY-SAB1

Catalog ref: 3854

Finish
POWDER COAT YELLOW



WEIGHT = 14 lbs; SHIPPING DIM. = 15" X13" X 10".

[View specifications >](#)

North American Sabreliner Multi-Link Towbar TY-TB75

Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

[View specifications >](#)

Finish
POWDER COAT YELLOW

[View specifications >](#)

Finish
POWDER COAT YELLOW

[View specifications >](#)

Material
ALUM. 3" I.D. TUBE

Color
YELLOW POWDER COAT

[View specifications >](#)

Aviation & Ground Support / Product selection

Piaggio P180 Towbar Head (TOWHEAD-31T)

Catalog ref: 4272

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Pilatus PC-12 Custom Towbar TR-PC

Catalog ref: 3881



Weight

26 lbs

Finish

Powder coat orange

Weight: 26 lbs; Finish: Powder coat orange.

[View specifications >](#)

Pilatus PC-12 Custom Towbar TR-PCS

Catalog ref: 3878



Weight

19 lbs

Finish

Powder coat orange

Weight: 19 lbs; LENGTH: 10 ft.

[View specifications >](#)

Pilatus PC-12 Fixed Wing Towbar Adapter T-451A

Catalog ref: 3885



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Pilatus PC-12 Fixed Wing Towbar Adapter T-451A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

[View specifications >](#)

Aviation & Ground Support / Product selection

Pilatus PC-12 Fixed Wing Towbar Multi-Link Head TY-PIL1

Catalog ref: 3872



Finish
POWDER COAT YELLOW

APPLICABLE A/C = PC-12; WEIGHT = 15 lbs.

[View specifications >](#)

Pilatus PC-12 Multi-Link Towbar TY-TB75

Catalog ref: 3875



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Pilatus PC-12 Towbar Head (TOWHEAD-3X)

Catalog ref: 4580



LISTED DETAILS
Only for use with
TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Pilatus PC-12 Universal Towbar TR-34L

Catalog ref: 3889



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Piper Apache Universal Towbar TR-34

Catalog ref: 3893



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Piper Aztec Universal Towbar TH-53

Catalog ref: 3897



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Piper Cheyenne 400LS Towbar Head (TOWHEAD-3J)

Catalog ref: 4308

LISTED DETAILS



Only for use with
TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Piper Cheyenne I Towbar Head (TOWHEAD-3J)

Catalog ref: 4299

LISTED DETAILS



Only for use with
TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Piper Cheyenne II Towbar Head (TOWHEAD-3J)

Catalog ref: 4302

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Piper Cheyenne III Towbar Head (TOWHEAD-3J)

Catalog ref: 4304

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Piper Cheyenne IIIA Towbar Head (TOWHEAD-3J)

Catalog ref: 4306

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Piper Cheyenne Universal Towbar TR-34

Catalog ref: 3901

Weight

14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Piper Chieftan Towbar Head (TOWHEAD-3J)

Catalog ref: 4310

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Piper Malibu Fixed Wing Towbar Adapter T-820A

Catalog ref: 3951

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Piper Malibu Fixed Wing Towbar Adapter T-820A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

[View specifications >](#)

Piper Malibu Universal Towbar TR-34

Catalog ref: 3955



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Piper Mojave Towbar Head (TOWHEAD-3J)

Catalog ref: 4314

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Aviation & Ground Support / Product selection

Piper Navajo Towbar Head (TOWHEAD-3J)

Catalog ref: 4312

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Piper Navajo Universal Towbar TR-34

Catalog ref: 3905



Weight

14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Piper PA-18 Fixed Wing Towbar Adapter TWA-10A

Catalog ref: 3909

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Piper PA-18 Fixed Wing Towbar Adapter TWA-10A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

[View specifications >](#)

Piper PA-18 Universal Towbar TR-34

Catalog ref: 3913



Weight

14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Piper PA-18 Universal Towbar TH-5

Catalog ref: 3921

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Piper PA-18 Universal Towbar TH-53

Catalog ref: 3917

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Piper PA-22 Fixed Wing Towbar Adapter T-P228A

Catalog ref: 3925

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Piper PA-22 Fixed Wing Towbar Adapter T-P228A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

[View specifications >](#)

Piper PA-22 Universal Towbar TH-5

Catalog ref: 3937

Weight
4,000 lbs (1820 kg)



Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Aviation & Ground Support / Product selection

Piper PA-22 Universal Towbar TH-53

Catalog ref: 3933

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Piper PA-22 Universal Towbar TR-34

Catalog ref: 3929

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Piper PA-24 Fixed Wing Towbar Adapter T-795A

Catalog ref: 3942

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Piper PA-24 Fixed Wing Towbar Adapter T-795A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

[View specifications >](#)

Piper PA-24 Universal Towbar TH-53

Catalog ref: 3948

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Piper PA-24 Universal Towbar TR-34

Catalog ref: 3945



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Piper Seneca Universal Towbar TH-53

Catalog ref: 3965



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Piper Seneca Universal Towbar TR-34

Catalog ref: 3959



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Republic RC3 Custom Towbar TR-14

Catalog ref: 3968



LISTED DETAILS

Length 12 1/2 feet / Spread = 60" to 100"

Length 12 1/2 feet; Spread = 60" to 100".

[View specifications >](#)

Aviation & Ground Support / Product selection

Short Brothers 330 Towbar (TOWHEAD-31C)

Catalog ref: 4068

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Short Brothers 360 Towbar (TOWHEAD-31C)

Catalog ref: 4070

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Short Brothers C23A Towbar (TOWHEAD-31C)

Catalog ref: 4066

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Sino Swearingen Fixed Wing Towbar Multi-Link Head TY-KQA1

Catalog ref: 4006

Finish

POWDER COAT YELLOW



APPLICABLE A/C = MERLIN, II, IV, SJ-30, KING AIR 350, 1900, STARSHIP, KING AIR 90/200, QUEENAIR, SJ-30, METRO; WEIGHT = 20 lbs.

[View specifications >](#)

Aviation & Ground Support / Product selection

Sino Swearingen Fixed Wing Towbar TY-TB75

Catalog ref: 4010



Material
ALUM. 3" I.D. TUBE
Color
YELLOW POWDER COAT

Material: ALUM. 3" I.D. TUBE; MATERIAL: ALUM. 3" I.D. TUBE.

[View specifications >](#)

Socata TB10 Universal Towbar TH-5

Catalog ref: 3985



Weight
4,000 lbs (1820 kg)

Weight: 4,000 lbs (1820 kg); TH-5B Tow bar with ball hitch.

[View specifications >](#)

Socata TB10 Universal Towbar TH-53

Catalog ref: 3981



Weight
7,000 lbs. (3,175 kg)

Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Socata TB10 Universal Towbar TR-34

Catalog ref: 3978



Weight
14,000 lbs (6,350 kg)

Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Aviation & Ground Support / Product selection

Socata TBM700 Fixed Wing Towbar Head T-451A

Catalog ref: 3989

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Socata TBM700 Fixed Wing Towbar Head T-451A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

[View specifications >](#)

Socata TBM700 Towbar Head (TOWHEAD-31U)

Catalog ref: 4274

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Socata TBM700 Universal Towbar TR-34

Catalog ref: 3993

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Socata Trinidad Fixed Wing Towbar Adapter T-375A

Catalog ref: 3996

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Socata Trinidad Fixed Wing Towbar Adapter T-375A - Aircraft Towbars. T-P228 A captures the strap for more security when towing the aircraft.

[View specifications >](#)

Aviation & Ground Support / Product selection

Socata Trinidad Universal Towbar TH-53

Catalog ref: 4003

Weight
7,000 lbs. (3,175 kg)



Weight: 7,000 lbs. (3,175 kg); Ring hitch: P.N. TH-53R.

[View specifications >](#)

Socata Trinidad Universal Towbar TR-34

Catalog ref: 3999

Weight
14,000 lbs (6,350 kg)



Weight: 14,000 lbs (6,350 kg); Ring hitch: P.N. TR-34R.

[View specifications >](#)

Sukhoi Superjet 100 Fly-Away Towbar (TOWRRJ-C-1+8)

Catalog ref: 4367

LISTED DETAILS



Tube made of high strength aluminium, can be splitted into 3 parts quick and simple / Rigid towbar eye diameter 3 inches (76,2 mm)

Tube made of high strength aluminium, can be splitted into 3 parts quick and simple; Rigid towbar eye diameter 3 inches (76,2 mm).

[View specifications >](#)

Sukhoi Superjet 100 Towbar (TOWRRJ-C-4)

Catalog ref: 4365

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm)

Rigid towbar eye with shock absorber diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

T-730A Towbar Adapter - Compatibility Confirmation Required

Catalog ref: 3766

Catalog Reference
T-730A

PHOTO PENDING

Exact model image
not available

T-730A towbar adapter quote reference. Aircraft compatibility and the exact adapter identity must be confirmed before selection.

[View specifications >](#)

Tupolev Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4497

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Tupolev TU-134 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4521

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Tupolev TU-154 Towbar (multiple application) (TOWMULTI-2)

Catalog ref: 4523

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Aviation & Ground Support / Product selection

Tupolev TU-204 Towbar Head (TOWHEAD-1G)

Catalog ref: 4658

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Tupolev TU-214 Towbar (multiple application) (TOWMULTI-1)

Catalog ref: 4495

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Tupolev TU-214 Towbar Head (TOWHEAD-1G)

Catalog ref: 4660

LISTED DETAILS



Only for use with TOWMULTI-1

Only for use with TOWMULTI-1; Towbar head (clamp type) with shear pins for push/pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Waco UPF-7 Fixed Wing Towbar TR-71

Catalog ref: 4012

Weight
22 lbs



Weight: 22 lbs; Length: 8' 4".

[View specifications >](#)

Aviation & Ground Support / Product selection

Yakovlev Yak-40 Towbar Head (TOWHEAD-31M)

Catalog ref: 4259

LISTED DETAILS



Only for use with TOWMULTI-3

Only for use with TOWMULTI-3; Towbar head with shear pins for push/ pull and torque and retaining pin for maximum safety.

[View specifications >](#)

Yakovlev Yak-42 Towbar (TOWYK42-L)

Catalog ref: 4235

LISTED DETAILS



Tube made of high strength steel / Rigid towbar eye diameter 3 inches (76,2 mm)

Rigid towbar eye diameter 3 inches (76,2 mm); The remaining parts are painted with Skydrol resistant colour: yellow RAL 1028.

[View specifications >](#)

Bell B206L-A Helicopter Maintenance Platform

Catalog ref: 5878

LISTED DETAILS

PHOTO PENDING

Exact model image not available

Fully welded, high strength, steel construction / Designed for easy maneuverability

Fully welded, high strength, steel construction; Designed for easy maneuverability.

[View specifications >](#)

Bell B206L-B Helicopter Maintenance Platform

Catalog ref: 5877

LISTED DETAILS

PHOTO PENDING

Exact model image not available

Deck height - 42" / Fully welded, high strength, steel construction

Deck height - 42"; Fully welded, high strength, steel construction.

[View specifications >](#)

Aviation & Ground Support / Product selection

Bell Boeing V-22 Osprey Helicopter Maintenance Platform

Catalog ref: 5023

LISTED DETAILS



Heavy duty casters for easy movability from job-to-job / Grip strut steps and platform stay parallel at any height position

500 lb capacity; Hydraulically elevates 10' to 19'. Hand actuated hydraulic pump with two 2" dia. x 35" stroke lift cylinders. Air over hydraulic system.

[View specifications >](#)

CH47 CH54 Helicopter Maintenance Platform

Catalog ref: 5963

LISTED DETAILS



Travel Speed Proportional 0 3 mph (0 4.83 k/hr) / Travel Speed at Elevation Proportional 0 0.5 mph (0 0.80k/hr)

Travel Speed Proportional 0 3 mph (0 4.83 k/hr); Travel Speed at Elevation Proportional 0 0.5 mph (0 0.80k/hr).

[View specifications >](#)

Heavy Duty Helicopter Dolly Handler

Catalog ref: 40876

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Heavy Duty Helicopter Dolly Handler - Aviation Solutions.
: Heavy Duty Helicopter Dolly Handler Heavy Duty Helicopter Dolly Handler weight capacity 9,500 Lbs.

[View specifications >](#)

Heavy Duty XL Helicopter Dolly Handler

Catalog ref: 40889

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Heavy Duty XL Helicopter Dolly Handler - Aviation Solutions.

[View specifications >](#)

Aviation & Ground Support / Product selection

Helicopter Maintenance Stand Extension

Catalog ref: 5889



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Helicopter Maintenance Stand Extension - Aviation Solutions.

[View specifications >](#)

LD3 Container Dolly IML-LD3-P011601

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

LD3 Container Dolly IML-LD3-P011601 - Aviation Solutions. LD3 Container Dolly Product name LD3 Container Dolly Item IML-LD3-P011601 Details Main Parameter: - Overall Dimension.

[View specifications >](#)

Mobile Belt Loader

Catalog ref: 5918



Weight
6,000 lbs
Color
Fleet white

Weight: 6,000 lbs; Transmission: Ford, C6, automatic.

[View specifications >](#)

S-76 Rotor and Tail Maintenance Stands

Catalog ref: 5976



Rotor Stand Model
SCS-8460
Tail Stand Model
SCS-9636
Material
Aluminum
Stairway Angle
45 degrees

S-76 maintenance stand family with separate SCS-8460 rotor and SCS-9636 tail configurations. Choose the service location before comparing platform layouts.

[View specifications >](#)

Aviation & Ground Support / Product selection

Standard Helicopter Dolly Handler

Catalog ref: 40872

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Standard Helicopter Dolly Handler - Aviation Solutions. Standard Helicopter Dolly Handler, weight capacity 3,800 Lbs.

[View specifications >](#)

Super Helicopter Dolly Handler

Catalog ref: 40894

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Super Helicopter Dolly Handler - Aviation Solutions. Super Helicopter Dolly Handler weight capacity 15,000 Lbs.

[View specifications >](#)

TC-888 Mobile Belt Loader

Catalog ref: 5919

LISTED DETAILS



All Aircraft having door sill heights ranging from 40.5" (1.03 m) to 168" (4.27 m). / Drive speed, gas/diesel....25 mph (40 kph) min

All Aircraft having door sill heights ranging from 40.5" (1.03 m) to 168" (4.27 m); Drive speed, gas/diesel....25 mph (40 kph) min.

[View specifications >](#)

Blackhawk Series Phase Maintenance Platform - Model ME-1001

LISTED DETAILS



S-70 Variants / Platform consists of two staircases; port, starboard, and forward decks

S-70 Variants; Platform consists of 5 main pieces, which are designed to form an "aircraft maintenance bay".

[View specifications >](#)

Aviation & Ground Support / Product selection

Gimbal Install Removal Device (G.I.R.D.)

Catalog ref: 41050

PHOTO PENDING

Exact model image not available

LISTED DETAILS

Tilt down push handle / X/Y
Tilt capable

The Gimbal Install Removal Device (G.I.R.D.) comes with x1 Lifting Jack and x1 Rotational Ride Plate and x2 Safety Straps; 360 rotating pump handle.

[View specifications >](#)

Cabinet Water Cart

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Cabinet Water Cart - Ground Support Equipment. CABINET: The cabinet utilizes a 2" X 2" stainless steel tube frame with an insulated double wall construction.

[View specifications >](#)

Lavatory Service Cart - 150 gal Waste / 100 gal Charge

LISTED DETAILS



galvanized towbar / 4"ball dump valve

4"ball dump valve; 1/2" exterior garde plywood tank cushion.

[View specifications >](#)

Lavatory Service Cart - 250 gal Waste / 150 gal Charge

LISTED DETAILS



Waste Tank: 250 Gallon / Charge Tank: 150 Gallon

Waste Tank: 250 Gallon; Charge Tank: 150 Gallon.

[View specifications >](#)

Aviation & Ground Support / Product selection

Lavatory Service Cart With 757 Platform

LISTED DETAILS



Waste Tank: 250 Gallon /
Charge: 150 Gallon

Waste Tank: 250 Gallon; Charge: 150 Gallon.

[View specifications >](#)

Low Profile Lavatory Service Cart - 150 / 100 gal

LISTED DETAILS



Waste Tank: 150 Gallon /
Charge: 100 Gallon

Waste Tank: 150 Gallon; Charge: 100 Gallon.

[View specifications >](#)

Low Profile Lavatory Service Cart - 50 / 50 gal

LISTED DETAILS



Waste: 50 Gallons / Charge:
50 Gallons

Waste: 50 Gallons; Charge: 50 Gallons.

[View specifications >](#)

Low Profile Lavatory Service Cart - 60 / 40 gal

LISTED DETAILS



Waste: 60 Gallons / Charge:
40 Gallons

Waste: 60 Gallons; Charge: 40 Gallons.

[View specifications >](#)

Aviation & Ground Support / Product selection

Low Profile Potable Water Cart 250 Gallon

LISTED DETAILS



Tanks: 250 Gallons / Low Profile Design

Tanks: 250 Gallons; 12" Hinged Inspection Cover.

[View specifications >](#)

Low Profile Potable Water Cart Fully Winterized

LISTED DETAILS



Tank: 100 Gallons / Removable spindles

Tank: 100 Gallons; Removable spindles.

[View specifications >](#)

Low Profile Potable Water Service Cart

LISTED DETAILS



Tank Volume: 100 Gallons / Stainless Steel Tank

Tank Volume: 100 Gallons; 10' Hose with Coupling.

[View specifications >](#)

M-602 Portable Inverter Water Cooling Fan



Weight
264lbs

Weight: 264lbs; Blade Size: 42".

[View specifications >](#)

Aviation & Ground Support / Product selection

M-702 Portable Inverter Water Cooling Fan



Weight
198lbs

Weight: 198lbs; Blade Size: 30".

[View specifications >](#)

M-703 Portable Inverter Water Cooling Fan



Weight
220lbs

Weight: 220lbs; Blade Size: 30".

[View specifications >](#)

M-802 Portable Inverter Water Cooling Fan



Weight
163lbs

Weight: 163lbs; Blade Size: 24".

[View specifications >](#)

M-902 Portable Inverter Water Cooling Fan



Weight
99lbs

Weight: 99lbs; Blade Size: 18".

[View specifications >](#)

Aviation & Ground Support / Product selection

Potable Water Service Cart - 250 gal

LISTED DETAILS



Tank: 250 Gallons /
Galvanized Towbar

Tank: 250 Gallons; 1/2 " exterior grade plywood tank cushion.

[View specifications >](#)

Potable Water Service Cart - 400 gal

LISTED DETAILS



Tank: 400 Gallons / Bronze
Water Pump

Tank: 400 Gallons; 12" hinged cleanout on top of tank.

[View specifications >](#)

Pratt & Whitney Governor Part #3039335 Propeller Overspeed

Catalog ref: 3039335

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

Propeller overspeed governor quote reference 3039335. Confirm application, part-number match, condition and required release documentation.

[View specifications >](#)

TL1000PL Lavatory Service Truck

SELECTION CHECKS



Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

TL1000PL Lavatory Service Truck - Ground Support Equipment. The TL1000PL Lavatory Service Truck is designed to service all sizes of commercial aircraft.

[View specifications >](#)

Aviation & Ground Support / Product selection

TL175 Lavatory Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

TL175 Lavatory Service Truck - Ground Support Equipment. TL175 lavatory service truck is designed to service commuter and narrow body, commercial aircraft.

[View specifications >](#)

TL600 Lavatory Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

TL600 Lavatory Service Truck - Ground Support Equipment. TL600 lavatory service truck is designed to service all sizes of commercial aircraft.

[View specifications >](#)

TL600-Military Lavatory Service Truck



LISTED DETAILS

Waste Tank: 360 Gallons /
Flush Tank: 125 Gallons

Waste Tank: 360 Gallons; Flush Tank: 125 Gallons.

[View specifications >](#)

TL600-Platform Lavatory Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

TL600-Platform Lavatory Service Truck - Ground Support Equipment. The TL600 lavatory service truck is designed to service all sizes of commercial aircraft.

[View specifications >](#)

Aviation & Ground Support / Product selection

TL700 Lavatory Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

TL700 Lavatory Service Truck - Ground Support Equipment. The TL700 lavatory service truck is designed to service all sizes of commercial aircraft.

[View specifications >](#)

WT450 Water Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

WT450 Water Service Truck - Ground Support Equipment. The WT450 water service truck is designed to service all sizes of commercial aircraft.

[View specifications >](#)

WT600 Water Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

WT600 Water Service Truck - Ground Support Equipment. The WT600 water service truck is designed to service all sizes of commercial aircraft.

[View specifications >](#)

WT700 Water Service Truck



SELECTION CHECKS

Confirm aircraft make, model and attachment interface; clearances around landing gear, wheel fairings and service points.

WT700 Water Service Truck - Ground Support Equipment. The WT700 water service truck is designed to service all sizes of commercial aircraft.

[View specifications >](#)

Aviation & Ground Support / Product selection

UH-60 Tail Rotor Work Platform - Model ME-1010

Catalog ref: ME-1010

LISTED DETAILS



Designed for easy access to T/R and G/B areas / Adjustable panels provide added safety for personnel & protect the aircraft

2 staircases provide contoured fit to the aircraft tail section; Designed for easy access to T/R and G/B areas.

[View specifications >](#)

Adjustable Pylon Stand

LISTED DETAILS



Lightweight construction / All weather tread

Lightweight construction; All weather tread.

[View specifications >](#)

Aircraft Pylon Access Ladder

LISTED DETAILS



Minimum height - 7'6" /
Maximum height - 9'6"

Minimum height - 7'6"; Maximum height - 9'6".

[View specifications >](#)

Alphabetical model index

115V Connector with LED Switch	21	Airbus A318 Towbar Head (TOWHEAD-2C)	38
12V Piper Plug	21	Airbus A318 Universal Towbar (TOWUNIV-3)	38
200 Series Helicopter Maintenance Platform	5	Airbus A319 Fly-Away Towbar (TOWA320-C-1+8)	39
28 VDC Connector with Double Inlet Cable	21	Airbus A319 Towbar (multiple application) (TOWMULTI-2)	39
28VDC 3 Pins Connectors	21	Airbus A319 Towbar (TOWA320-C)	39
3 Pole DC Connector	22	Airbus A319 Towbar Head (TOWHEAD-2C)	39
300 Series Helicopter Work Stand	5	Airbus A319 Universal Towbar (TOWUNIV-3)	40
400 Hz 115 Volt 6 Pins Receptable	22	Airbus A320 Fly-Away Towbar (TOWA320-C-1+8)	40
400 Hz Connector	22	Airbus A320 Towbar Head (TOWHEAD-2C)	40
400 HZ Receptable	22	Airbus A320 Universal Towbar (TOWUNIV-3)	40
450TB-Airbus A300 Tow Bar Assembly	34	Airbus A321 Fly-Away Towbar (TOWA320-C-1+8)	41
450TB-Airbus A310 Tow Bar Assembly	34	Airbus A321 Towbar (TOWA320-C)	41
6 Pins Rubber Connector 400 HZ 115 Volt	23	Airbus A321 Towbar Head (TOWHEAD-2C)	41
AC/DC Load Banks	23	Airbus A330 Towbar (multiple application) (TOWMULTI-1)	41
Adjustable Pylon Stand	163	Airbus A330 Towbar Head (TOWHEAD-1A)	42
Aerospatiale Fixed Wing Towbar	34	Airbus A330 Towbar Head (TOWHEAD-1B)	42
Aerospatiale Multi-Link Towbar TY-TB75-15	34	Airbus A330 Towbar Head (TOWHEAD-1I)	42
Aerostar Universal Towbar TH-5	35	Airbus A330-200 Fly-Away Towbar (TOWA330-C-8)	42
Aerostar Universal Towbar TH-53	35	Airbus A330-200 Towbar (TOWA330-C)	43
Aerostar Universal Towbar TR-34	35	Airbus A330-200 Universal Towbar (TOWUNIV-1)	43
AG-CAT Custom Towbar TR-6	35	Airbus A330-200 Universal Towbar (TOWUNIV-2)	43
Agusta/Westland Fixed Wing Towbar Multi-Link Head TY-CH149-S	36	Airbus A330-200F Fly-Away Towbar (TOWA330-C-8)	43
Agusta/Westland Multi-Link Towbar TY-TB75-15	36	Airbus A330-200F Towbar (TOWA330-C)	44
Air Tractor Custom Towbar TR-6	36	Airbus A330-200F Universal Towbar (TOWUNIV-1)	44
Airbus A300 Fly-Away Towbar (TOWA310-C-8)	36	Airbus A330-200F Universal Towbar (TOWUNIV-2)	44
Airbus A300 Towbar Head (TOWHEAD-1D)	37	Airbus A330-300 Fly-Away Towbar (TOWA330-C-8)	44
Airbus A310 Fly-Away Towbar (TOWA310-C-8)	37	Airbus A330-300 Towbar (TOWA330-C)	45
Airbus A310 Towbar Head (TOWHEAD-1D)	37	Airbus A330-300 Universal Towbar (TOWUNIV-1)	45
Airbus A318 Fly-Away Towbar (TOWA320-C-1+8)	37	Airbus A330-300 Universal Towbar (TOWUNIV-2)	45
Airbus A318 Towbar (multiple application) (TOWMULTI-2)	38	Airbus A340 Towbar Head (TOWHEAD-1B)	45
Airbus A318 Towbar (TOWA320-C)	38	Airbus A340-200 Fly-Away Towbar (TOWA330-C-8)	46

Alphabetical model index

Airbus A340-200 Towbar (TOWA330-C)	46	Antonov AN-124 Towbar (TOWAN124-L-6)	51
Airbus A340-200 Towbar Head (TOWHEAD-1I)	46	Antonov AN-148 Towbar (TOWAN148-C)	51
Airbus A340-200 Universal Towbar (TOWUNIV-2)	46	Antonov AN-24 Towbar (TOWAN26-L)	52
Airbus A340-300 Fly-Away Towbar (TOWA330-C-8)	47	Antonov AN-26 Towbar (TOWAN26-L)	52
Airbus A340-300 Towbar (TOWA330-C)	47	Antonov AN-70 Towbar (TOWAN74-L)	52
Airbus A340-300 Towbar Head (TOWHEAD-1I)	47	Antonov AN-72 Towbar (TOWAN74-L)	52
Airbus A340-300 Universal Towbar (TOWUNIV-2)	47	Antonov AN-74 Towbar (TOWAN74-L)	53
Airbus A340-500 Towbar Head (TOWHEAD-1K)	48	ATR ATR 42 Towbar (multiple application) (TOWMULTI-3-8)	53
Airbus A340-600 Fly-Away Towbar (TOWA345-C-8)	48	ATR ATR 42 Towbar (TOWATRA-C)	53
Airbus A340-600 Towbar Head (TOWHEAD-1K)	48	ATR ATR 72 Towbar (multiple application) (TOWMULTI-3-8)	53
Airbus A380 Fly-Away Towbar (TOWA380-C-1+4+8)	48	ATR ATR 72 Towbar (TOWATRA-C)	54
Airbus A380 Towbar (TOWA380-C)	49	AVCRAFT Fixed Wing Towbar Multi-Link Head TY-GAL2	54
Airbus Ladder ABL-8 Series	7	AVCRAFT Multi-Link Towbar TY-TB75	54
Aircraft Battery Quick-Disconnect Connectors	23	Aviat Universal Adapter TWA-10A	54
Aircraft Engine Access Maintenance Platform	10	Aviat Universal Towbar TH-5	55
Aircraft Pylon Access Ladder	163	Aviat Universal Towbar TH-53	55
Aircraft Utility Maintenance Platform	6	Aviat Universal Towbar TR-34	55
Aircraft Wing Access Stand	10	AW119 Helicopter Maintenance Platform	7
All-Purpose Aviation Maintenance Ladder	8	AW139 Helicopter Maintenance Platform 800 Series	7
Aluminum All-Purpose Aircraft Ladders	8	Ayres Thrush Custom Towbar TR-6	55
American Champion TWA-10-A Adapters	49	B-1 Maintenance Stand	6
American Champion Universal Towbar TH-5	49	B-1 Maintenance Stands	6
American Champion Universal Towbar TH-53	49	B1 Maintenance Stand NSN 1730-00-390-5618	10
American Champion Universal Towbar TR-34	50	B2 Maintenance Stand (NSN 1730-00-390-5620)	11
American General Universal Towbar TH-5	50	B300-2 Crew Access Stand	8
American General Universal Towbar TH-53	50	B4 Maintenance Platform NSN 1730-01-596-9017	11
American General Universal Towbar TR-34	50	B5 Maintenance Stand (NSN 1730-00-294-8884)	11
AN2551 Aircraft Plug	23	B7 Maintenance Platform NSN 1730-01-009-0446	6
AN2552 Receptable	24	B717 Tail Dock System	11
AN2552A-3A Receptable	24	B737 Fuselage Docking System	12
Antonov AN-12 Towbar (multiple application) (TOWMULTI-2)	51	B737 Nose Dock Platform	12
Antonov AN-12 Towbar Head (TOWHEAD-2G)	51		

Alphabetical model index

B737 Tail Dock	12	Beech-Hawker Premier Multi-Link Towbar TY-TB75	61
B757-767 Aircraft Maintenance Docking System	12	Beech-Hawker Queenair Fixed Wing Towbar Multi-Link Head TY-KQA1	62
B767 Cantilever Tail Dock System	13	Beech-Hawker Queenair Multi-Link Towbar TY-TB75	62
B767/B777 Fuselage and Wing Dock	13	Beech-Hawker Queenair Universal Towbar TR-34	62
BAe Jetstream J41 Towbar (multiple application) (TOWMULTI-3)	56	Beech-Hawker Starship Fixed Wing Towbar Multi-Link Head TY-KQA1	62
BAe Jetstream J41 Towbar Head (TOWHEAD-3Y)	56	Beech-Hawker Starship Multi-Link Towbar TY-TB75	63
BAe systems (HS) 748 Towbar (multiple application) (TOWMULTI-3)	56	Beech-Hawker Twin Beech Custom Towbar TR-6	63
BAe systems (HS) 748 Towbar (multiple application) (TOWMULTI-3-8)	56	Beechcraft Hawker Fixed Wing Towbar Multi-Link HeadTY-CRJ2	63
BAE Systems (HS) 748 Towbar (TOWHEAD-31G)	57	Beechcraft Hawker Multi-Link Towbar TY-TB75	63
Bae Systems HS 146 Towbar (TOWAVRO-C)	57	Bell 205 212 412 Helicopter Towbar	64
Bae Systems HS146 QT Towbar (TOWAVRO-C)	57	Bell AH-1 Helicopter Towbar	64
Bae Systems RJ-70 Towbar (TOWAVRO-C)	57	Bell B206L-A Helicopter Maintenance Platform	152
Bae Systems RJ100 Towbar (TOWAVRO-C)	58	Bell B206L-B Helicopter Maintenance Platform	152
Bae Systems RJ85 Towbar (TOWAVRO-C)	58	Bell Boeing V-22 Osprey Helicopter Maintenance Platform	153
Battery Connector	24	BELL UH-1 Towbar	64
Battery High Current Switch	24	Blackhawk Series Phase Maintenance Platform - Model ME-1001	155
Beech-Hawker (Duke) Universal Towbar TH-53	58	Boeing 737 Maintenance Tail Dock	13
Beech-Hawker (Raytheon) Universal Towbar TR-34	58	Boeing 737 Nose Gear Stand	13
Beech-Hawker Beechjet Fixed Wing Towbar Multi-Link Head TY-DBJ1	59	Boeing B707 Towbar (multiple application) (TOWMULTI-1)	64
Beech-Hawker Beechjet Multi-Link Towbar TY-TB75	59	Boeing B707 Towbar Head (TOWHEAD-1L)	65
Beech-Hawker Duchess Universal Adapter T-DEX	59	Boeing B717-200 Towbar (TOWHEAD-1C)	65
Beech-Hawker Duchess Universal Towbar TH-53	59	Boeing B717-200 Towbar (TOWMD80-L)	65
Beech-Hawker Duchess Universal Towbar TR-34	60	Boeing B727 Towbar (multiple application) (TOWMULTI-1)	65
Beech-Hawker Fixed Wing Towbar Multi-Link Head TY-HAW1	60	Boeing B737 Towbar (multiple application) (TOWMULTI-2)	66
Beech-Hawker HS-125,400 TO 1000 Multi-LinkTowbar TY-TB75	60	Boeing B737-300 Universal Towbar (TOWUNIV-3)	66
Beech-Hawker Musketeer Fixed Wing Towbar TH-53	60	Boeing B737-400 Universal Towbar (TOWUNIV-3)	66
Beech-Hawker Musketeer Universal Towbar TH-5	61	Boeing B737-500 Universal Towbar (TOWUNIV-3)	66
Beech-Hawker Musketeer Universal Towbar TR-34	61	Boeing B737-600 Universal Towbar (TOWUNIV-3)	67
Beech-Hawker Premier Fixed Wing Towbar Multi-Link Head TY-DBJ1	61	Boeing B737-700 Universal Towbar (TOWUNIV-3)	67

Alphabetical model index

Boeing B737-800 Universal Towbar (TOWUNIV-3)	67	Bombardier Dash8 Q400 Towbar (multiple application) (TOWMULTI-3)	74
Boeing B737-900 Universal Towbar (TOWUNIV-3)	67	Bombardier Dash8 Q400 Towbar (multiple application) (TOWMULTI-3-8)	74
Boeing B747 Fly-Away Towbar (TOWB747-C-8)	68	Bombardier Dash8 Q400 Towbar Head (TOWHEAD-3B)	75
Boeing B747 Towbar (TOWB747-L)	68	Bombardier Dash8 Towbar (multiple application) (TOWMULTI-3)	75
Boeing B747-300 Towbar Head (TOWHEAD-1E)	68	Bombardier Dash8 Towbar Head (TOWHEAD-3A)	75
Boeing B747-400 Towbar Head (TOWHEAD-1E)	68	Bombardier Global Express Towbar (TOWGLOB-L)	75
Boeing B747-800 Towbar Head (TOWHEAD-1E)	69	Bombardier LearJet Towbar (multiple application) (TOWMULTI-3)	76
Boeing B757 Fly-Away Towbar (TOWB757-C-8)	69	Bombardier LearJet Towbar (multiple application) (TOWMULTI-3-8)	76
Boeing B757 Towbar Head (TOWHEAD-1F)	69	Bombardier LearJet Towbar Head (TOWHEAD-3L)	76
Boeing B767 Fly-Away Towbar (TOWB767-C-8)	69	Bombardier(Canadair) 215 Multi-Link Towbar TY-TB75	76
Boeing B767 Towbar (multiple application) (TOWMULTI-1)	70	Bombardier(Canadair) Challenger 300 Fixed Wing Towbar Multi-Link Head TY-CON1	77
Boeing B767 Towbar Head (TOWHEAD-1I)	70	Bombardier(Canadair) Challenger 300 Multi-Link Towbar TY-TB75	77
Boeing B777 Towbar (multiple application) (TOWMULTI-1)	70	Bombardier(Canadair) Challenger 600 Fixed Wing Towbar Multi-Link Head TY-CHA1	77
Boeing B777 Towbar Head (TOWHEAD-1B)	70	Bombardier(Canadair) Challenger 600 Multi-Link Towbar TY-TB75	77
Boeing B787 Towbar (TOWB787-C)	71	Bombardier(Canadair) Challenger 850 Fixed Wing Towbar Multi-Link Head TY-CRJ2	78
Boeing IL-62 Towbar (multiple application) (TOWMULTI-1)	71	Bombardier(Canadair) Challenger 850 Multi-Link Towbar TY-TB75	78
Bombardier Challenger Towbar (multiple application) (TOWMULTI-3)	71	Bombardier(Canadair) Continental Fixed Wing Towbar Multi-Link HeadTY-CON1	78
Bombardier Challenger Towbar (multiple application) (TOWMULTI-3-8)	71	Bombardier(Canadair) Continental Multi-Link Towbar TY-TB75	78
Bombardier Challenger Towbar Head (TOWHEAD-31L)	72	Bombardier(Canadair) CRJ 700 Fixed Wing Towbar Multi-Link Head TY-CRJ1	79
Bombardier CRJ 100/200 Fly-Away Towbar (TOWREGI-L-1+8)	72	Bombardier(Canadair) CRJ700 Multi-Link Towbar TY-TB125	79
Bombardier CRJ 100/200 Towbar (TOWREGI-L)	72	Bombardier(Canadair) Dash 8 Multi-Link Towbar TY-TB75	79
Bombardier CRJ 700 Fly-Away Towbar (TOWREGI-L-1+8)	72	Bombardier(Canadair) Dash8 Fixed Wing Towbar Multi-Link Head TY-D8-4	79
Bombardier CRJ 700 Towbar (TOWREGI-L)	73	Bombardier(Canadair) Global Express Fixed Wing Towbar Multi-Link Head TY-GLO1	80
Bombardier CRJ 900 Fly-Away Towbar (TOWREGI-L-1+8)	73	Bombardier(Canadair) Lear Jet Multi-Link Towbar TY-TB75	80
Bombardier CRJ 900 Towbar (TOWREGI-L)	73		
Bombardier Dash7 Towbar (multiple application) (TOWMULTI-3)	73		
Bombardier Dash7 Towbar (multiple application) (TOWMULTI-3-8)	74		
Bombardier Dash7 Towbar Head (TOWHEAD-31J)	74		

Alphabetical model index

Bombardier(Canadair) Learjet Fixed Wing Towbar Multi-Link Head TY-CIT1	80	Cessna 140 Fixed Wing Towbar TH-5	84
Bombardier(Canadair) Multi-Link Towbar TY-TB125	80	Cessna 140 Fixed Wing Towbar TH-53	84
Bombardier(Canadair)215 Fixed Wing Towbar Multi-Link Head TY-CA415	81	Cessna 140 Universal Towbar Adapters	85
British Aerospace ATP Fixed Wing Towbar Multi-Link Head TY-ATP1	81	Cessna 140 Universal Towbar TR-34	85
British Aerospace ATP Universal Towbar TY-TB75	81	Cessna 195 Custom Towbar TR-73	85
British Aerospace BAE 146 Fixed Wing Towbar Multi-Link Head TY-B125	81	Cessna 300 Series Universal Towbar TH-53	85
British Aerospace BAE 146 Fixed Wing Towbar Multi-Link Head TY-B146	82	Cessna 300 Series Universal Towbar TR-34	86
British Aerospace Jet Stream31 Fixed Wing Towbar Multi-Link Head TY-BJS1	82	Cessna 400 Light Twin Series Universal Towbar TR-34	86
British Aerospace Jetstream 31 Multi-Link Towbar TY-TB75	82	Cessna 400 Universal Towbar TH-5	86
British Aerospace Jetstream 41 Fixed Wing Towbar Multi-Link Head TY-BJS2	82	Cessna 400 Universal Towbar TH-53	86
British Aerospace Jetstream 41 Multi-Link Towbar TY-TB75	83	Cessna 400 Universal Towbar TR-34	87
C-130 Aircraft Maintenance Exterior Access Stands	14	Cessna Caravan 208 Towbar (multiple application) (TOWMULTI-3)	87
C-130 Aircraft Maintenance Full Docking Platform System	14	Cessna Caravan 208 Towbar (multiple application) (TOWMULTI-3-8)	87
C-130 Aircraft Wing Stands	14	Cessna Caravan 208 Towbar Head (TOWHEAD-31S)	87
C1 Maintenance Platform NSN 1730-00-395-2781	9	Cessna Caravan 406 Towbar (multiple application) (TOWMULTI-3-8)	88
C5M Aircraft Engine Work Stand	14	Cessna Caravan 406 Towbar Head (TOWHEAD-31S)	88
Cabinet Water Cart	156	Cessna Caravan Universal Towbar TR-34	88
Cable Assembly Harnesses	25	Cessna Citation I Towbar (multiple application) (TOWMULTI-3)	88
Cable Assembly Sets	25	Cessna Citation II Towbar (multiple application) (TOWMULTI-3)	89
Cable Epoxy Adhesive Tape	25	Cessna Citation II Towbar Head (TOWHEAD-3L)	89
Cable Guidance	25	Cessna Citation III Towbar (multiple application) (TOWMULTI-3)	89
Cable Identification Labels	26	Cessna Citation III Towbar (multiple application) (TOWMULTI-3-8)	89
Casa 212 Multi-Link Head TY-CAS1	83	Cessna Citation Multi-Link Head TY-CIT1	90
Casa 212 Multi-Link Towbar TY-TB75	83	Cessna Citation Multi-Link Towbar TY-TB75	90
Casa 235 Aircraft Complete Maintenance Stand System	15	Cessna Citation VI Towbar (multiple application) (TOWMULTI-3-8)	90
Cessna 100 Fixed Wing Towbar TH-53	83	Cessna Citation VI Towbar Head (TOWHEAD-3M)	90
Cessna 100 Universal Towbar TH-5	84	Cessna Citation X Towbar (multiple application) (TOWMULTI-3-8)	91
Cessna 100 Universal Towbar TR-34	84	Cessna Citation X Towbar Head (TOWHEAD-3M)	91

Alphabetical model index

Cessna Citation XL Towbar Head (TOWHEAD-3M)	91	Dassault Falcon 200 Towbar Head (TOWHEAD-3R)	97
Cessna Citation2 Multi-Link Towbar TY-TB75	91	Dassault Falcon 2000 Towbar (multiple application) (TOWMULTI-3)	97
Cessna Citation2 Towbar Multi-Link Head TY-CIT2	92	Dassault Falcon 2000 Towbar (multiple application) (TOWMULTI-3-8)	97
Cessna CitationJet 525 Towbar (multiple application) (TOWMULTI-3)	92	Dassault Falcon 2000 Towbar Head (TOWHEAD-3S)	97
Cessna CitationJet 525 Towbar Head (TOWHEAD-3L)	92	Dassault Falcon 50 Towbar (multiple application) (TOWMULTI-3-8)	98
Cessna Fixed Wing Towbar TR-6	92	Dassault Falcon 50 Towbar Head (TOWHEAD-3S)	98
CH-47 Helicopter Towbar	93	Dassault Falcon 7X Towbar (multiple application) (TOWMULTI-3-8)	98
CH47 CH54 Helicopter Maintenance Platform	153	Dassault Falcon 900 Towbar (multiple application) (TOWMULTI-3-8)	98
Cirrus SR20 Fixed Wing Universal Towbar TH-5	93	Dassault Falcon 900 Towbar Head (TOWHEAD-3S)	99
Cirrus SR20 Fixed Wing Universal Towbar TH-53	93	DC Battery Connector	26
Cirrus SR20 Fixed Wing Universal Towbar TR-34	93	DC External Receptable	27
Cirrus SR20 Universal Adapter T-349A	94	deHavilland Twin Otter Fixed Wing Towbar Multi-Link Head TY-MIT1	99
Commander 112 Universal Adapter T-750A	94	deHavilland Twin Otter Universal Towbar TY-TB75	99
Commander 112 Universal Towbar TH-53	94	Detachable 400HZ Connector Head	27
Commander 114 Universal Adapter TR-34	94	Diamond DA20 Universal Adapter T-260A	99
Crew Access Stands	15	Diamond DA20 Universal Towbar TH-5	100
Crimb Tools	26	Diamond DA20 Universal Towbar TH-53	100
CRJ 200 Engine Maintenance Stand	15	Diamond DA20 Universal Towbar TR-34	100
CRJ 200 Tail Dock System	15	Diamond DA40 Universal Adapter T-1500A	100
CRJ700 Engine Maintenance Stand	16	Diamond DA40 Universal Towbar TH-5	101
Crocodile System	26	Diamond DA40 Universal Towbar TH-53	101
Dassault Falcon 10 Towbar (multiple application) (TOWMULTI-3)	95	Diamond DA40 Universal Towbar TR-34	101
Dassault Falcon 10 Towbar Head (TOWHEAD-3R)	95	Diamond DA42 Universal Adapter T-700A	101
Dassault Falcon 100 Towbar (multiple application) (TOWMULTI-3)	95	Diamond DA42 Universal Towbar TH-5	102
Dassault Falcon 100 Towbar (multiple application) (TOWMULTI-3-8)	95	Diamond DA42 Universal Towbar TH-53	102
Dassault Falcon 100 Towbar Head (TOWHEAD-3R)	96	Diamond DA42 Universal Towbar TR-34	102
Dassault Falcon 20 Towbar (multiple application) (TOWMULTI-3)	96	Digital Newton Pin Testers	27
Dassault Falcon 20 Towbar Head (TOWHEAD-3R)	96	Dust cover 28VDC - 400 Hz	27
Dassault Falcon 200 Towbar (multiple application) (TOWMULTI-3-8)	96	EADS CASA C-295 Towbar (TOWC295-L-001)	102

Alphabetical model index

EADS CASA CN-235 Towbar (TOWC235-L)	103	F-16 Aircraft Multi-Link Towbar TY-TB75	109
Eclipse 500 Fixed Wing Towbar TH-53	103	Fairchild Dornier Fixed Wing Towbar Multi-Link Head TY-GAL2	109
Eclipse 500 Universal Adapter T-750A	103	Fairchild Merlin Fixed Wing Towbar Multi-Link Head TY-KQA1	109
Eclipse 500 Universal Towbar TR-34	103	Fairchild/Swearingen Merlin Towbar Head (TOWHEAD-31H)	110
Electric Cable Ties	28	Fairchild/Swearingen Metro III Towbar Head (TOWHEAD-31H)	110
Electric Cables	28	Fairchild/Swearingen Metro IV Towbar Head (TOWHEAD-31H)	110
Embraer 120 Fixed Wing Towbar Multi-Link Head TY-EMB2	104	Falcon 10 Fixed Wing Towbar Multi-Link Head TY-FAL1	110
Embraer 120 Towbar Head (TOWHEAD-3K)	104	Falcon 50 Fixed Wing Towbar Multi-Link Head TY-FAL2	111
Embraer 125 Towbar (TOWE145-L)	104	Falcon 7x Fixed Wing Towbar Multi-Link Head TY-FAL3	111
Embraer 135 Fixed Wing Towbar Multi-Link Head TY-EMB1	104	Fixed Wing Towbar Multi-Link Head TY-CHA1	111
Embraer 170 Fixed Wing Towbar Multi-Link Head TY-EMB3	105	Fixed Wing Towbar Multi-Link Head TY-F-16	111
Embraer 170 Fly-Away Towbar (TOWE170-C-1+8)	105	Floor Cord Covers	28
Embraer 170 Towbar (TOWE170-C-4)	105	Fokker 100 Fixed Wing Towbar Multi-Link Head TY-FOK2	112
Embraer 175 Fly-Away Towbar (TOWE170-C-1+8)	105	Fokker 50 Fixed Wing Towbar Multi-Link Head TY-FOK1	112
Embraer 175 Towbar (TOWE170-C-4)	106	Fokker F-28 Towbar (TOWFO28-L)	112
Embraer 190 Fly-Away Towbar (TOWE170-C-1+8)	106	Fokker F-7 Towbar (TOWFO27-L)	112
Embraer 190 Towbar (TOWE170-C-4)	106	Fokker Fokker 50/60 Towbar (TOWFO50-C)	113
Embraer 195 Fly-Away Towbar (TOWE170-C-1+8)	106	Fokker Fokker 70/100 Fly-Away Towbar (TOWFO70-C-1+8)	113
Embraer 195 Towbar (TOWE170-C-4)	107	Fokker Towbar Head (TOWHEAD-3Q)	113
Embraer CN-235 Towbar Head (TOWHEAD-31E)	107	G450 Gulfstream Tail Dock System	16
Embraer ERJ-135 Towbar (TOWHEAD-3F)	107	GA Cable Set	29
Embraer ERJ-140 Towbar (TOWHEAD-3F)	107	Galaxy Aerospace Business Fixed Wing Towbar Multi-Link Head TY-GAL1	113
Embraer ERJ-145 Towbar (TOWHEAD-3F)	108	Galaxy Aerospace Business Fixed Wing Towbar Multi-Link Head TY-WES1	114
Embraer Legacy Towbar (TOWHEAD-3F)	108	Galaxy Aerospace Jet Commander Fixed Wing Towbar Multi-Link Head TY-WES1	114
Embraer Phenom 300 Fixed Wing Towbar Multi-Link Head TY-PHE3	108	Galaxy Aerospace Westwind Fixed Wing Towbar Multi-Link Head TY-WES1	114
Embraer Phenom Fixed Wing Towbar Multi-Link Head TY-PHE2	108	Galaxy Astra Fixed Wing Towbar Multi-Link Head TY-WES1	114
Embraer EMB-110 Towbar Head (TOWHEAD-31K)	109	Gate Boxes	29
Engine Access Maintenance Ladder	9		
Engine Access Work Platform	16		
External Cable Strap	28		

Alphabetical model index

Gimbal Install Removal Device (G.I.R.D.)	156	Hawker beechcraft Beech Premier Towbar Head (TOWHEAD-31X)	121
Global 5000 Engine Stand	16	Hawker Beechcraft Beechjet 400 Towbar Head (TOWHEAD-31N)	121
Grumman G-44 Fixed Wing Towbar Custom TR-14	115	Hawker Beechcraft C-12 Towbar Head (TOWHEAD-3T)	121
Gulfstream A4G400 Towbar (TOWHEAD-31B)	115	Hawker Beechcraft King Air Towbar Head (TOWHEAD-3T)	121
Gulfstream Aero Commander Towbar Head (TOWHEAD-3J)	115	Hawker Beechcraft Queen Air Towbar Head (TOWHEAD-3T)	122
Gulfstream Aerospace G1 Fixed Wing Towbar Multi-Link Head TY-GUL1	115	Hawker Beechcraft Starship Towbar Head (TOWHEAD-3T)	122
Gulfstream Aerospace G100 Fixed Wing Towbar Multi-Link Head TY-WES1	116	Hawker Beechcraft T-44 Towbar Head (TOWHEAD-3T)	122
Gulfstream Aerospace G150 Fixed Wing Towbar Multi-Link Head TY-GAL2	116	Heavy Cable Shrink Houses	29
Gulfstream Aerospace GII Fixed Wing Towbar Multi-Link Head TY-GUL1	116	Heavy Duty Helicopter Dolly Handler	153
Gulfstream Aerospace GII Fixed Wing Towbar Multi-Link Head TY-GUV1	116	Heavy Duty XL Helicopter Dolly Handler	153
Gulfstream Engine Stand	17	Helicopter Maintenance Canopy	8
Gulfstream Fuselage Ladder	9	Helicopter Maintenance Stand	7
Gulfstream G1 Towbar (TOWHEAD-31B)	117	Helicopter Maintenance Stand Extension	154
Gulfstream G11 Towbar (TOWHEAD-31B)	117	Hercules C-130 Aircraft Complete Maintenance Stand System	17
Gulfstream G111 Towbar (TOWHEAD-31B)	117	Honda R&D Fixed Wing Towbar Custom TR-HON	122
Gulfstream G200 Towbar Head (TOWHEAD-31P)	117	Ilyushin DC-10 Towbar (multiple application) (TOWMULTI-1)	123
Gulfstream G300 Towbar (TOWHEAD-31B)	118	Ilyushin IL-62 Towbar (TOWHEAD-1H)	123
Gulfstream G350 Towbar (TOWHEAD-31B)	118	Ilyushin IL-76 Towbar (TOWIL76-L)	123
Gulfstream G350 Towbar Head (TOWHEAD-3G)	118	Ilyushin IL-86 Towbar (TOWIL86-L)	123
Gulfstream G450 Towbar Head (TOWHEAD-3G)	118	Ilyushin IL-96 Towbar (multiple application) (TOWMULTI-1)	124
Gulfstream G500 Towbar Head (TOWHEAD-3G)	119	Ilyushin IL-96 Towbar (TOWIL96-C-8)	124
Gulfstream G550 Towbar Head (TOWHEAD-3G)	119	Ilyushin IL-96 Towbar Head (TOWHEAD-1B)	124
Gulfstream GIV Towbar (TOWHEAD-31B)	119	Ilyushin IL-96 Universal Towbar (TOWUNIV-2)	124
Gulfstream GIV-SP Towbar (TOWHEAD-31B)	119	Industrial Work Stand 3 Step 18 inch Platform	17
Gulfstream GV Towbar Head (TOWHEAD-3G)	120	Industrial Work Stand 3 Step 36 inch Platform	17
Gulfstream Turbo Commander Towbar Head (TOWHEAD-3J)	120	Industrial Work Stand 4 Step 18 inch Platform	18
Hawker Beechcraft 125 Towbar (TOWHEAD-31A)	120	Industrial Work Stand 4 Step 36 inch Platform	18
Hawker Beechcraft Beech 1900 Towbar Head (TOWHEAD-3T)	120	Industrial Work Stand 5 Step 18 inch Platform	18
		Industrial Work Stand 5 Step 36 inch Platform	18

Alphabetical model index

Industrial Work Stand 6 Step 18 inch Platform	19	MC Donnel Douglas DC-10 Towbar Head (TOWHEAD-1B)	128
Industrial Work Stand 6 Step 36 inch Platform	19	MC Donnel Douglas MD-11 Towbar Head (TOWHEAD-1B)	128
Isolated Battery Connectors	29	MC Donnell Douglas DC-10 Universal Towbar (TOWUNIV-2)	128
KC135 Aircraft Maintenance Platform Full Docking System	19	Mc Donnell Douglas DC-8 Towbar (TOWDC08-L)	128
L-1011 Aircraft Towbar Head (TOWHEAD-1A)	125	MC Donnell Douglas DC-9 Towbar (multiple application) (TOWMULTI-2)	129
L-1011 Aircraft Towbar Head (TOWHEAD-1B)	125	MC Donnell Douglas DC-9 Towbar (TOWMD80-L)	129
Lake LA-4 Multi-Link Towbar TR-34	125	MC Donnell Douglas DC-9 Towbar Head (TOWHEAD-2D)	129
Lancair IV Multi-Link Towbar TH-5	125	MC Donnell Douglas MD-11 Towbar (multiple application) (TOWMULTI-1)	129
Lavatory Service Cart - 150 gal Waste / 100 gal Charge	156	MC Donnell Douglas MD-11 Universal Towbar (TOWUNIV-2)	130
Lavatory Service Cart - 250 gal Waste / 150 gal Charge	156	MC Donnell Douglas MD-80 Towbar (multiple application) (TOWMULTI-2)	130
Lavatory Service Cart With 757 Platform	157	MC Donnell Douglas MD-80 Towbar (TOWMD80-L)	130
LD3 Container Dolly IML-LD3-P011601	154	MC Donnell Douglas MD-80 Towbar Head (TOWHEAD-2D)	130
Lear 23 Fixed Wing Towbar Multi-Link Head TY-CIT1	126	MC Donnell Douglas MD-90 Towbar (multiple application) (TOWMULTI-2)	131
Lear 23 Multi-Link Towbar TY-TB75	126	MC Donnell Douglas MD-90 Towbar Head (TOWHEAD-2D)	131
Lear 25 Fixed Wing Towbar Multi-Link Head TY-CIT1	126	MC Donnell Douglas MD90 Towbar (TOWMD80-L)	131
Lear 25 Multi-Link Towbar TY-TB75	126	MC Donnell Douglas TU-204 Towbar (multiple application) (TOWMULTI-1)	131
Loadbanks/Switch Boards	30	McDonnell Douglas MD-80 De-Icing Ladders	9
Low Profile Lavatory Service Cart - 150 / 100 gal	157	MD80 Cantilever Tail Dock	19
Low Profile Lavatory Service Cart - 50 / 50 gal	157	Micco 26 Custom Towbar TR-15	132
Low Profile Lavatory Service Cart - 60 / 40 gal	157	Military Aircraft Systems	20
Low Profile Potable Water Cart 250 Gallon	158	Military Derivative Circular Connectors	30
Low Profile Potable Water Cart Fully Winterized	158	Mitsubishi MU-2 Fixed Wing Towbar Multi-Link Head TY-MIT1	132
Low Profile Potable Water Service Cart	158	Mitsubishi MU-2 Multi-Link Towbar TY-TB75	132
M-602 Portable Inverter Water Cooling Fan	158	Mobile Belt Loader	154
M-702 Portable Inverter Water Cooling Fan	159	Mold on Type	30
M-703 Portable Inverter Water Cooling Fan	159	Mooney M20 Universal Towbar TH-5	132
M-802 Portable Inverter Water Cooling Fan	159	Mooney M20 Universal Towbar TH-53	133
M-902 Portable Inverter Water Cooling Fan	159		
Maule All Fixed Wing Towbar Adapter TY-MAULE1	127		
Maule All Universal Towbar TH-5	127		
Maule All Universal Towbar TH-53	127		
Maule All Universal Towbar TR-34	127		

Alphabetical model index

Mooney M20 Universal Towbar TR-34	133	Piper Malibu Fixed Wing Towbar Adapter T-820A	140
Multi-Link Aircraft Towbar TY-TB75	133	Piper Malibu Universal Towbar TR-34	140
NATO Aviation Battery Power Connectors	30	Piper Mojave Towbar Head (TOWHEAD-3J)	140
North American AT-6 Custom Towbar TR-6	133	Piper Navajo Towbar Head (TOWHEAD-3J)	141
North American Navion Universal Towbar TH-5	134	Piper Navajo Universal Towbar TR-34	141
North American Navion Universal Towbar TH-53	134	Piper PA-18 Fixed Wing Towbar Adapter TWA-10A	141
North American Navion Universal Towbar TR-34	134	Piper PA-18 Universal Towbar TR-34	141
North American Sabreliner Fixed Wing Towbar Multi-Link Head TY-SAB1	134	Piper PA-18 Universal Towbar TH-5	142
North American Sabreliner Multi-Link Towbar TY-TB75	135	Piper PA-18 Universal Towbar TH-53	142
Piaggio Avanti Fixed Wing Towbar Multi-Link Head TR-PIA	135	Piper PA-22 Fixed Wing Towbar Adapter T-P228A	142
Piaggio Avanti Fixed Wing Towbar Multi-Link Head TY-PIA	135	Piper PA-22 Universal Towbar TH-5	142
Piaggio Avanti Multi-Link Towbar TY-TB75	135	Piper PA-22 Universal Towbar TH-53	143
Piaggio P180 Towbar Head (TOWHEAD-31T)	136	Piper PA-22 Universal Towbar TR-34	143
Pilatus PC-12 Custom Towbar TR-PC	136	Piper PA-24 Fixed Wing Towbar Adapter T-795A	143
Pilatus PC-12 Custom Towbar TR-PCS	136	Piper PA-24 Universal Towbar TH-53	143
Pilatus PC-12 Fixed Wing Towbar Adapter T-451A	136	Piper PA-24 Universal Towbar TR-34	144
Pilatus PC-12 Fixed Wing Towbar Multi-Link Head TY-PIL1	137	Piper Seneca Universal Towbar TH-53	144
Pilatus PC-12 Multi-Link Towbar TY-TB75	137	Piper Seneca Universal Towbar TR-34	144
Pilatus PC-12 Towbar Head (TOWHEAD-3X)	137	Pop-Up Pits System	31
Pilatus PC-12 Universal Towbar TR-34L	137	Portable Helicopter Maintenance Deck - ME-251	5
Pin Tester	31	Portable Receptable	31
Piper Apache Universal Towbar TR-34	138	Portable Receptable 6 Poles	31
Piper Aztec Universal Towbar TH-53	138	Potable Water Service Cart - 250 gal	160
Piper Cheyenne 400LS Towbar Head (TOWHEAD-3J)	138	Potable Water Service Cart - 400 gal	160
Piper Cheyenne I Towbar Head (TOWHEAD-3J)	138	Power Units	32
Piper Cheyenne II Towbar Head (TOWHEAD-3J)	139	Pratt & Whitney Governor Part #3039335 Propeller Overspeed	160
Piper Cheyenne III Towbar Head (TOWHEAD-3J)	139	Protection Cable Rays	32
Piper Cheyenne IIIA Towbar Head (TOWHEAD-3J)	139	Receptable Housing	32
Piper Cheyenne Universal Towbar TR-34	139	Receptable Pin Tester	32
Piper Chieftan Towbar Head (TOWHEAD-3J)	140	Receptacle Battery Connector	33
		Republic RC3 Custom Towbar TR-14	144
		S-76 Rotor and Tail Maintenance Stands	154

Alphabetical model index

Saab 2000 Towbar Head (TOWHEAD-3D)	145	TL175 Lavatory Service Truck	161
Saab 340 Fixed Wing Towbar Multi-Link Head TY-SAA1	145	TL600 Lavatory Service Truck	161
Saab 340 Multi-Link Towbar TY-TB75	145	TL600-Military Lavatory Service Truck	161
Saab 340 Towbar Head (TOWHEAD-3D)	145	TL600-Platform Lavatory Service Truck	161
Scorpion Aircraft Tug	20	TL700 Lavatory Service Truck	162
Short Brothers 330 Towbar (TOWHEAD-31C)	146	Tupolev Towbar (multiple application) (TOWMULTI-1)	150
Short Brothers 360 Towbar (TOWHEAD-31C)	146	Tupolev TU-134 Towbar (multiple application) (TOWMULTI-2)	150
Short Brothers C23A Towbar (TOWHEAD-31C)	146	Tupolev TU-154 Towbar (multiple application) (TOWMULTI-2)	150
Single Pallet Aircraft Engine Maintenance Stand	20	Tupolev TU-204 Towbar Head (TOWHEAD-1G)	151
Sino Swearingen Fixed Wing Towbar Multi-Link Head TY-KQA1	146	Tupolev TU-214 Towbar (multiple application) (TOWMULTI-1)	151
Sino Swearingen Fixed Wing Towbar TY-TB75	147	Tupolev TU-214 Towbar Head (TOWHEAD-1G)	151
Socata TB10 Universal Towbar TH-5	147	UH-60 Tail Rotor Work Platform - Model ME-1010	163
Socata TB10 Universal Towbar TH-53	147	Universal B Maintenance Platform	20
Socata TB10 Universal Towbar TR-34	147	Universal Helicopter Maintenance Platform Model#: ME-201 Light/Medium Helicopter Types	5
Socata TBM700 Fixed Wing Towbar Head T-451A	148	Waco UPF-7 Fixed Wing Towbar TR-71	151
Socata TBM700 Towbar Head (TOWHEAD-31U)	148	WT450 Water Service Truck	162
Socata TBM700 Universal Towbar TR-34	148	WT600 Water Service Truck	162
Socata Trinidad Fixed Wing Towbar Adapter T-375A	148	WT700 Water Service Truck	162
Socata Trinidad Universal Towbar TH-53	149	Yakovlev Yak-40 Towbar Head (TOWHEAD-31M)	152
Socata Trinidad Universal Towbar TR-34	149	Yakovlev Yak-42 Towbar (TOWYK42-L)	152
Spare Parts Connectors	33		
Spare Parts Receptacles	33		
Special Connectors	33		
Standard Helicopter Dolly Handler	155		
Sukhoi Superjet 100 Fly-Away Towbar (TOWRRJ-C-1+8)	149		
Sukhoi Superjet 100 Towbar (TOWRRJ-C-4)	149		
Super Helicopter Dolly Handler	155		
T-730A Towbar Adapter - Compatibility Confirmation Required	150		
TC-888 Mobile Belt Loader	155		
Telescoping Ladder	10		
TL1000PL Lavatory Service Truck	160		