

INDUSTRIAL EQUIPMENT

Material Handling

Lift tables, cranes, stackers, carts and handling equipment.



A-Frame Gantry Crane



A/C Electric Stacker



Combination Hand Pump and Electric Stacker

584 products. One place to compare.

Browse models and key details, then open the linked product page for complete specifications and a tailored quote. No online checkout.

[REQUEST A QUOTE >](#)

industrialmanlifts.com

How to use this catalog

Find. Compare. Request a quote.

01 / Choose the equipment type

Use the department contents and PDF bookmarks to reach the right collection. Each canonical product is listed once; separate dimensions, materials and model families remain distinct.

02 / Check the exact configuration

Product cards show selected details from the current website catalog. Technical tables, documentation and configuration information remain on the linked product page. Some values vary by model or selected options.

03 / Share the application

Open a product page or request a quote. Include the model or catalog reference, quantity, intended task, relevant dimensions, delivery address and needed-by date.

About this edition

Prepared October 2026 from the website catalog. This is a product-selection reference, not a statement of stock, current pricing, certification or guaranteed compatibility. Confirm the final specification and operating documentation before purchase or use.

Photography and source notes

Equipment photos are shown for the identified catalog listing and may show optional configurations. Confirm what is included in the quoted equipment. Unavailable or uncertain model photos are labeled; review the exact product documentation before ordering.

Contents

Choose a department

Material Handling**4**

584 products / Lift tables, cranes, stackers, carts and handling equipment.

Alphabetical model index**151**

Material Handling

Material Handling

Lift tables, cranes, stackers, carts and handling equipment.

BEFORE YOU COMPARE

Include the complete load, center of gravity, transfer height and operating cycle. Confirm how the selected configuration interfaces with your handling process.



Deluxe Drywall/Panel Hoist

Equipment shown is a catalog example. Open the product page to confirm its exact configuration.

Material Handling / Product selection

A-Frame Gantry Crane

Catalog ref: 6170



LISTED DETAILS

Make it a mobile gantry crane with optional wheel package

Use as a portable gantry crane -- space savings for transportation and storage when not in use. Crane can be assembled in less than 15 minutes;

[View specifications >](#)

A/C Electric Stacker

Catalog ref: 5981



LISTED DETAILS

1000 lb capacity / 18" load centers

1000 lb capacity; 18" load centers.

[View specifications >](#)

Combination Hand Pump and Electric Stacker



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: SE/HP-63-AA, SE/HP-98-AA, SE/HP-118-AA, SE/HP-63 and additional configurations; SE/HP-63-AA Overall Fork Size (WxL): 26-3/4"x42".

[View specifications >](#)

Stacker with Powered Drive and Powered Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: S-62-FA, S-62-AA, S-118-AA, S-150-AA and additional configurations; S-62-FA Fork Size (O.D.) (WxL): 26-3/4"x42".

[View specifications >](#)

Material Handling / Product selection

Stacker with Powered Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: SL-63-AA, SL-118-AA, SL-137-AA, SL-150-AA and additional configurations; SL-63-AA Lowered Height: 2-1/8".

[View specifications >](#)

Tracked Hydraulic Stacker



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: THS-3500, THS-2600, THS-1800; THS-3500 Fork Length: 43".

[View specifications >](#)

Access & Inspection Platforms



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Access & Inspection Platforms - Access & Inspection Platforms. Description: With the lift in the down position entry into the platform is at finished floor level.

[View specifications >](#)

Adjustable Box Stackers



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: ABS-130; ABS-130 Fork Length: 19.5".

[View specifications >](#)

Material Handling / Product selection

Adjustable Work Platforms



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Adjustable Work Platforms - Adjustable Work Platforms. Description: Adjustable work platforms can be designed to fit your specific needs.

[View specifications >](#)

Large Adjustable Work Platforms



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Large Adjustable Work Platforms - Adjustable Work Platforms. Description: These units are suitable for industrial applications and can be powered by air or electric drive units.

[View specifications >](#)

Air Bag Scissor Lift Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ABLT-H-1-32, ABLT-H-2-32, ABLT-H-3-32, ABLT-H-4-32; ABLT-H-1-32 Capacity (lbs): 1,000.

[View specifications >](#)

Heavy Duty Air Bag Scissor Lift Tables



LISTED DETAILS

Maintenance Prop: Includes a maintenance prop for secure servicing. / Customization Available: Other sizes and custom configurations are available.

Listed models: ABLT-1000, ABLT-2000; ABLT-1000 Platform Size (WxL): 48"x32".

[View specifications >](#)

Material Handling / Product selection

Low Profile Air Bag Lift Table - Series ABLT-H-LP



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ABLT-H-LP-1-29, ABLT-H-LP-2-29, ABLT-H-LP-3-29, ABLT-H-LP-4-29 and additional configurations; ABLT-H-LP-1-29 Capacity: 1,000.

[View specifications >](#)

Articularm

Catalog ref: 6173



LISTED DETAILS

Available in 500, 1000, and 2000 pound capacities / Mini-Articularm available in 200 pound capacity

Available in 500, 1000, and 2000 pound capacities; Mini-Articularm available in 200 pound capacity.

[View specifications >](#)

Articulating Cranes 300 Series



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Articulating Cranes 300 Series - Articulating Cranes. Articulating Cranes 300 Series range from 9,000 FT/LBS up to 20,000 FT/LBS.

[View specifications >](#)

Articulating Cranes 500 Series



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Articulating Cranes 500 Series - Articulating Cranes. Articulating Cranes 500 Series range from 10,000 FT/LBS up to 43,000 FT/LBS.

[View specifications >](#)

Material Handling / Product selection

Articulating Cranes 700 Series



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Articulating Cranes 700 Series - Articulating Cranes. Articulating Cranes 700 Series range from 59,000 FT/LBS up to 323,000 FT/LBS.

[View specifications >](#)

Hydraulic Double Leaf Bascule Bridge



LISTED DETAILS

Chrome-plating improves rod durability and extends the life of cylinders and seals. / Maintenance-free bearings at pivot points require no lubrication

DBB-SPL Capacity (lbs#): 100000; DBB-SPL Maximum Platform Width: 240.

[View specifications >](#)

Mini Bascule Bridge




LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks.

Listed models: MBB-20; MBB-20 Capacity (lbs#): 2000.

[View specifications >](#)

Single Leaf Bascule Bridge



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks.

BB-SPL Capacity (lbs#): 100000; BB-SPL Maximum Platform Width: 240.

[View specifications >](#)

Material Handling / Product selection

Basket & Skid Stacker



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PMSS-50-DC, PMSS-50-AIR, PMSS-50-AC, PMSS-60-DC and additional configurations; PMSS-50-DC Capacity (lbs): 4,000.

[View specifications >](#)

Battery Stackers

Catalog ref: 5982



LISTED DETAILS

Capacities up to 2,000 lbs. / Lifting Heights from 52" - 78"

Capacities up to 2,000 lbs; Lifting Heights from 52" - 78".

[View specifications >](#)

Bench Top Tilters



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: BTT-6-36, BTT-6-46, BTT-5-36, BTT-5-46 and additional configurations; BTT-6-36 Platform: 36"x28"x2".

[View specifications >](#)

5-Gallon Paint Cart Hand Truck



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

5-Gallon Paint Cart Hand Truck - Carts. The New 5-Gallon Paint Cart Hand Truck makes transporting a 5 gallon container quicker and less stressful on your back and shoulders.

[View specifications >](#)

Material Handling / Product selection

Cantilever Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Cantilever Carts - Carts. Portable Cantilever Carts for storage of bar stock type items.

[View specifications >](#)

Hydraulic Elevating Carts



CART-1500-D-TS

SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Hydraulic Elevating Carts - Carts. Portable ergonomic elevating carts minimize worker bending and lifting.

[View specifications >](#)

Merchandise Ladder Cart



Model Number

BMLC

Overall Height

63"

Weight

108 lbs

Overall Height: 63"; Weight: 108 lbs.

[View specifications >](#)

Powered Portable Loading Dock



Model Number

PLD Plus

Platform Height

Ground Level to 55" high

Weight

2178 lbs

Platform Height: Ground Level to 55" high; Weight: 2178 lbs.

[View specifications >](#)

Material Handling / Product selection

Air Hydraulic Carts



AIR-800-D

SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: AIR-800-D, AIR-800-D-PSS, AIR-1000, AIR-1000-LD and additional configurations; AIR-800-D Platform Size (WxL): 20"x35-1/2".

[View specifications >](#)

Auto-Hite Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: SCSC-500-2040, SCSC-500-4242, SCSC-750-2040, SCSC-1000-4242 and additional configurations; SCSC-500-2040 Platform (WxL): 20-3/4"x40".

[View specifications >](#)

Auto-Shift Hydraulic Elevating Cart



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-550-AS; CART-550-AS Platform Size (WxL): 19-3/4"x32-3/4".

[View specifications >](#)

DC & Manual Scissor Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DC & Manual Scissor Carts - Carts & Transporters. Tables provide unparalleled ergonomic support in lifting, palletizing, loading, and unloading applications.

[View specifications >](#)

Material Handling / Product selection

Hydra Lift Carts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: HYDRA-2, HYDRA-4, HYDRA-HD, HYDRA-AF-18 and additional configurations; HYDRA-2 Platform (WxL): 20"x16-3/16".

[View specifications >](#)

Lift & Tilt Carts with Sequence Select



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: CART-500-LT, CART-400-LT, CART-1000-LT, CART-600-LT and additional configurations; CART-500-LT Platform Size (WxL): 21-1/2"x40".

[View specifications >](#)

Linear Actuated Elevating Cart



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-400-LA, CART-400-D-LA, CART-500-LA, CART-500-LA-PSS; CART-400-LA Platform Size (WxL): 23-5/8"x35-1/2".

[View specifications >](#)

Long Deck Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: LDLT-3060, LDLT-3072, LDLT-3096, LDLT-30120 and additional configurations; LDLT-3060 Platform Size (WxL): 30"x60".

[View specifications >](#)

Material Handling / Product selection

Mechanical Scissor Cart



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-660-M, CART-660-M-PSS; CART-660-M Platform Size (WxL): 23-1/2"x37".

[View specifications >](#)

Pallet Cart & Carousel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CC-48; CC-48 Carousel Dia.: 48".

[View specifications >](#)

Powered Drive and Powered Lift Hydraulic Scissor Carts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: CART-1000-DC-CTD, CART-1500-DC-CTD, CART-1000D-DC-CTD, CART-1500D-DC-CTD; CART-1000-DC-CTD Platform Size (WxL): 24"x40".

[View specifications >](#)

Premium Scissor Lift Carts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: CART-300-S-FR, CART-600-S-FR, CART-1000-S-FR, CART-300-D-FR and additional configurations; CART-300-S-FR Scissor Design: Single.

[View specifications >](#)

Material Handling / Product selection

Rough Terrain Elevating Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-PN-400, CART-PN-600, CART-PN-600-D, CART-PN-1000 and additional configurations; CART-PN-400 Platform Size (WxL): 27-1/2"x20-1/2".

[View specifications >](#)

Scissor Cart with Built-In Scale



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-500-SCL, CART-1000-SCL, CART-500-SCL-PSS; CART-500-SCL Platform Size (WxL): 19-1/2"x32".

[View specifications >](#)

Self-Elevating Lift Carts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ETS-230, ETS-460, ETS-840-30, ETS-1120-18 and additional configurations; ETS-230 Platform WxL: 20"x20".

[View specifications >](#)

Stainless Steel Hydraulic Elevating Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-200-D-PSS, CART-400-PSS, CART-750-PSS, CART-800-D-PSS and additional configurations; CART-200-D-PSS Platform Size (WxL): 17-1/2"x27-1/2".

[View specifications >](#)

Material Handling / Product selection

Stainless Steel Scissor Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: SSSC-200, SSSC-400, SSSC-1000, CART-550-SS and additional configurations; SSSC-200 Platform Size (WxL): 17-3/4"x27-1/2".

[View specifications >](#)

Tilt Master & Tilt Master Straddle



LISTED DETAILS

Tilts products from ground level to a comfortable operator working height / Doubles as a pallet truck and a portable tilt table

Tilts products from ground level to a comfortable operator working height; Doubles as a pallet truck and a portable tilt table.

[View specifications >](#)

Traction Drive Electric Hydraulic Elevating Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CART-DS-1000-CTD, CART-2000-CTD; CART-DS-1000-CTD Platform Size (WxL): 20-3/8"x33".

[View specifications >](#)

Double Stainless Steel Scissor Lift Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Lift Capacity: Designed to handle larger and heavier loads, improving productivity and efficiency in material handling;

[View specifications >](#)

Material Handling / Product selection

E-Low Profile Scissor Lift Table



LISTED DETAILS

"E" Shaped top platform / "E" Shaped table are specially for handling pallets, no need for a pit or load ramps

Listed models: SL HE500, SL HE1000, SL HE1500, SL HE2000; SL HE500 Capacity: 1102.

[View specifications >](#)

Push Around Stainless Steel Scissor Lift Tables



LISTED DETAILS

High quality 304L and 316L stainless steel / Capacities 150 kgs to 1,000 kgs

Listed models: SL B SS50 - SINGLE SCISSOR, SL B SS100 - SINGLE SCISSOR; SL B SS50 - SINGLE SCISSOR Capacity: 1102.

[View specifications >](#)

Stainless Steel Low Profile Scissor Lift Tables



LISTED DETAILS

Heavy Duty all welded frames / Delrin bushings

Listed models: SS SLLP 20, SS SLLP 40; SS SLLP 20 Capacity: 2000.

[View specifications >](#)

Stainless Steel Pneumatic Scissor Lift Table



LISTED DETAILS

Heavy Duty all welded frames / Delrin bushings

Heavy Duty all welded frames; Delrin bushings.

[View specifications >](#)

Material Handling / Product selection

Stainless Steel Scissor Lift & Tilt Table



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Hygienic Stainless Steel Construction: Built for environments that require the highest standards of cleanliness and durability;

[View specifications >](#)

Stainless Steel Scissor Lift Table



LISTED DETAILS

Ideal for food processing plants, pharmaceutical facilities, and clean rooms. / Value priced 2,000 and 2,500 lbs capacity

Listed models: SL SS30-20, SL SS30-25, SL SS30-40, SL SS30-60 and additional configurations; SL SS30-20 Capacity: 2000lbs.

[View specifications >](#)

Stainless Steel Single & Double Portable Scissor Lift Tables



LISTED DETAILS

High quality 304L and 316L stainless steel / Foot pump and powered lift available

High quality 304L and 316L stainless steel; Platform sizes to 48" x 72" (1,200mm x 1,600 mm).

[View specifications >](#)

Air Force Pneumatic Tilters



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication / Built-in fork truck pockets allow easy relocation and sharing between work stations.

Listed models: STA-4240-030; STA-4240-030 Capacity (lbs#): 3000.

[View specifications >](#)

Material Handling / Product selection

Fixed Height Tilters TT30-10



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT30-10 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Fixed Height Tilters TT30-15



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT30-15 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Fixed Height Tilters TT30-20



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT30-20 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Fixed Height Tilters TT30-40



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT30-40 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Material Handling / Product selection

Fixed Height Tilters TT30-60



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT30-60 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Fixed Height Tilters TT45-10



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT45-10 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Fixed Height Tilters TT45-15



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT45-15 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Fixed Height Tilters TT45-20



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT45-20 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Material Handling / Product selection

Fixed Height Tilters TT45-40



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT45-40 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Fixed Height Tilters TT45-60



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT45-60 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Fixed Height Tilters TT60-10



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT60-10 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Fixed Height Tilters TT60-15



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Fixed Height Tilters TT60-15 - Container Tilters. These fixed height tilters can be mounted on legs, workbenches or directly on the floor.

[View specifications >](#)

Material Handling / Product selection

Floor Level Container Tilters ZRT50-20

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Floor Level Container Tilters ZRT50-20 - Container Tilters. Tilt containers weighing up to 4,000 lbs.

[View specifications >](#)

Floor Level Container Tilters ZRT50-40

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Floor Level Container Tilters ZRT50-40 - Container Tilters. Tilt containers weighing up to 4,000 lbs.

[View specifications >](#)

Pneumatic Tilters AT10-3648

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT10-3648 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Pneumatic Tilters AT10-4848

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT10-4848 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Material Handling / Product selection

Pneumatic Tilters AT10-4856



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT10-4856 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Pneumatic Tilters AT10-4860



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT10-4860 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Pneumatic Tilters AT20-3648



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT20-3648 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Pneumatic Tilters AT20-4848



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT20-4848 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Material Handling / Product selection

Pneumatic Tilters AT20-4856



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT20-4856 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Pneumatic Tilters AT20-4860



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT20-4860 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Pneumatic Tilters AT40-4848



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT40-4848 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Pneumatic Tilters AT40-4856



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT40-4856 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Material Handling / Product selection

Pneumatic Tilters AT40-4860



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT40-4860 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Pneumatic Tilters AT60-4848



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT60-4848 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Pneumatic Tilters AT60-4856



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT60-4856 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Pneumatic Tilters AT60-4860



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pneumatic Tilters AT60-4860 - Container Tilters. Pneumatic Tilt Tables can be mounted directly to the floor or on an optional stand.

[View specifications >](#)

Material Handling / Product selection**Portable Container Tilters PT-20****SELECTION CHECKS**

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Container Tilters PT-20 - Container Tilters. These portable, battery powered container tilters go anywhere they are needed.

[View specifications >](#)**Portable Container Tilters PT-40****SELECTION CHECKS**

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Container Tilters PT-40 - Container Tilters. These portable, battery powered container tilters go anywhere they are needed.

[View specifications >](#)**Portable Container Tilters PTS50-20****SELECTION CHECKS**

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Container Tilters PTS50-20 - Container Tilters. These portable, battery powered container tilters go anywhere they are needed.

[View specifications >](#)**Portable Container Tilters PTS50-40****SELECTION CHECKS**

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Container Tilters PTS50-40 - Container Tilters. These portable, battery powered container tilters go anywhere they are needed.

[View specifications >](#)

Material Handling / Product selection

Tork Non-Intrusive Tilter



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Non-intrusive design minimizes floorspace requirements for the operator.

Listed models: TM1T-45-022, TM2T-45-044, TM3T-45-060; TM1T-45-022 Travel (inches): 0.

[View specifications >](#)

Conversion/Dump Hoists - VC416



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8" square shaft, 7 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8" square shaft, 7 qt. reservoir.

[View specifications >](#)

Conversion/Dump Hoists - VC516



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8" square shaft, 7 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8" square shaft, 7 qt. reservoir.

[View specifications >](#)

Conversion/Dump Hoists - VC520



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8" square shaft, 15 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8" square shaft, 15 qt. reservoir.

[View specifications >](#)

Material Handling / Product selection

Conversion/Dump Hoists - VC620



LISTED DETAILS

Electric double-acting, H.D. motor, 4 qt. reservoir / 8 piston PTO driven, 7/8" square shaft, 21 qt. reservoir

Electric double-acting, H.D. motor, 4 qt. reservoir; 8 piston PTO driven, 7/8" square shaft, 21 qt. reservoir.

[View specifications >](#)

Conversion/Dump Hoists - VC628



LISTED DETAILS

VC628: 825 lbs.

8 piston double-acting pump with 21 qt. reservoir. Direct-mount gear pump and electric pump also available; VC628: 825 lbs.

[View specifications >](#)

Conversion/Dump Hoists VC6620



LISTED DETAILS

8 piston double-acting pump with 21 qt. reservoir. / VC6620: 1,050 lbs

Direct-mount gear PTO driven, SAE "B" 2-bolt mounting flange, 7/8" - 13 spline shaft, 21 qt. reservoir; 8 piston double-acting pump with 21 qt. reservoir.

[View specifications >](#)

Conversion/Dump Hoists VC6628



LISTED DETAILS

VC6628: 1,300 lbs.

8 piston double-acting pump with 27 qt. reservoir. Direct-mount gear pump also available; VC6628: 1,300 lbs.

[View specifications >](#)

Material Handling / Product selection

Counter-Balanced Powered Drive Lift



model S-CB-118

SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: S-CB-62, S-CB-118, S-2CB-62*, S-2CB-118*; S-CB-62 Fork Size (WxL): 6-3/8 to 23-5/8"x30".

[View specifications >](#)

PowerStak Counterweight Stackers

Catalog ref: 5983



LISTED DETAILS

1100 lb capacity / 15" load center

1100 lb capacity; 15" load center.

[View specifications >](#)

HT25 Crane Service Body



LISTED DETAILS

Jet Kote ASTM A-60 steel construction / Dual weather stripping in protective door channels for added water protection

Listed models: HT25-107-FLT, HT25-107-TFC, HT25-131-FLT, HT25-131-TFC and additional configurations; HT25-107-FLT CA: 60".

[View specifications >](#)

HT40 Crane Service Body



LISTED DETAILS

Jet Kote ASTM A-60 steel construction / Dual weather stripping in protective door channels for added water protection

Listed models: HT40-131-FLT, HT40-131-TFC, HT40-131-DTF; HT40-131-FLT CA: 84".

[View specifications >](#)

Material Handling / Product selection

HT50 Crane Service Body

LISTED DETAILS



Jet Kote ASTM A-60 steel construction / Dual weather stripping in protective door channels for added water protection

Listed models: HT50-131-FLT, HT50-131-TFC, HT50-131-DTF; HT50-131-FLT CA: 84".

[View specifications >](#)

HT66 Crane Service Body

LISTED DETAILS



Jet Kote ASTM A-60 steel construction / Dual weather stripping in protective door channels for added water protection

Listed models: HT66-132-DTF-W88, HT66-163-DTF-W88; HT66-132-DTF-W88 CA: 84".

[View specifications >](#)

S135-155FT Cushion Tire Lift Truck

LISTED DETAILS



Productivity means moving more of your loads in less time with less cost.

Productivity means moving more of your loads in less time with less cost; CANbus communications network reduces wiring complexity, providing superior dependability.

[View specifications >](#)

S30-35FT & S40FTS Cushion Tire Lift Trucks

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

Pacesetter VSM™ continuously monitors fluid levels and powertrain, reducing daily service checks and preventing major repairs.

[View specifications >](#)

Material Handling / Product selection

S40-70FT Cushion Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Our Auto Deceleration System extends brake life by up to 60% by automatically slowing the truck when the accelerator pedal is released;

[View specifications >](#)

S50CT Cushion Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Lighter weight and more efficient engine means lower fuel costs - in a documented industry standard test cycle the CT used up to 14% less fuel than the leading competitors;

[View specifications >](#)

S80-120FT Cushion Tire Lift Truck



LISTED DETAILS

Powertrain combinations include the durable Kubota 3.8L spark-ignited LPG engine

Powertrain combinations include the durable Kubota 3.8L spark-ignited LPG engine;

[View specifications >](#)

DC Powered Mobile Scissor Lift Table



LISTED DETAILS

Exceptionally low lowered height allows on and off load flexibility. / Lockable casters add load stability

Listed models: 36SRV25, 36SRV40, 36SRV60, 48SRV25 and additional configurations; 36SRV25 Travel (inches): 36.

[View specifications >](#)

Material Handling / Product selection

Double Scissors Lift Tables

Catalog ref: 6143



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: DSL-51836E, DSL-12436E, DSL-13242E, DSL-23248E and additional configurations; DSL-51836E Capacity (lbs.): 500.

[View specifications >](#)

Ground Lift Scissor Table



LISTED DETAILS

Voltage - 208-230/460 Volt, 60 cycle, 3 phase / External Power Unit

Listed models: EHLTG-3850-2-36, EHLTG-3850-4-36, EHLTG-4450-2-36, EHLTG-4450-4-36 and additional configurations; EHLTG-3850-2-36 Platform Size (WxL): 38" x 51½".

[View specifications >](#)

Hydraulic Scissor Lift Table

Catalog ref: 6142



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Lifting, feeding, accumulating, aligning and many other production and assembly operations; Lift tables reduce worker fatigue and increase overall efficiency; also promotes worker safety.

[View specifications >](#)

Lift and Tilt Tables

Catalog ref: 6145



LISTED DETAILS

Larger retaining plates available. / Required on mobile tables with greater than 45° tilt.

90° tilt available as option for table use as coil or crate upender (capacity is derated on tilts greater than 45°); Required on mobile tables with greater than 45° tilt.

[View specifications >](#)

Material Handling / Product selection

Light Duty Electric Scissor Lift Table

Catalog ref: 5994

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

Light Duty Electric Scissor Lift Table - DC Powered Scissor Tables. Light Duty Electric Scissor Lifts for lifting and positioning of lighter loads, Light Duty Electric Scissor Lifts are the answer.

[View specifications >](#)

Low Profile "U" Type Electric Lift Tables

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: EHU-2, EHU-3, EHE-2, EHE-3; EHU-2 Platform Size (WxL): 52-1/2" x 55-3/4".

[View specifications >](#)

Low Profile Zero Low Lift Tables

Catalog ref: 6140

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ZLLPC-2648E, ZLLPC-3848E, ZLLPC-4448E, ZLLPC-5048E and additional configurations; ZLLPC-2648E Capacity (lb.): 1000.

[View specifications >](#)

Mechanical Lift Table

Catalog ref: 6147

LISTED DETAILS



Both butcher block and metal deck available

Lift tables are available powered electro-mechanically by 110 volts AC single-phase power providing effortless operation;

[View specifications >](#)

Material Handling / Product selection

Mechanical Post Table



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: MT-2436-LP, MT-2442-LP, MT-2448-LP, MT-2460-LP and additional configurations; MT-2436-LP Platform (WxL): 24"x36".

[View specifications >](#)

Mini Scissors Lift Table

Catalog ref: 6146



LISTED DETAILS

Available up to 250 pound capacities and up to 70" raised height / Light and portable for institutional, industrial, or laboratory applications

Available up to 250 pound capacities and up to 70" raised height; Electro-mechanically operated; no drift, no leakage(designed for intermittent usage, 25% duty cycle).

[View specifications >](#)

Post Lift Tables

Catalog ref: 6149



LISTED DETAILS

Capacity: Ranges from 500 to 1,000 lbs for versatile light-duty lifting. / Lift Height: Offers a maximum raised height of 49 inches.

Listed models: PT12-10, PT12-20, PT12-40, PT2436E*; PT12-10 Platform (WxL): 20"x30".

[View specifications >](#)

Serapid Mechanical Scissors Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Serapid actuator design is simple and easy to inspect and maintain.

Listed models: 24-SC-020, 24-SC-040, 24-SC-060, 24-SC-080 and additional configurations; 24-SC-020 Travel (inches): 24.

[View specifications >](#)

Material Handling / Product selection

Series 35 Extra Narrow Scissor Lift Table



LISTED DETAILS

Exceptionally low lowered height allows on and off load flexibility. / ASTM - A36 - Structural Steel Standard

Listed models: 24S25EXN, 24S40EXN, 24S60EXN, 36S25EXN and additional configurations; 24S25EXN Travel (inches): 24.

[View specifications >](#)

Series 35 Triple High Scissor Lift Tables



LISTED DETAILS

Lubricated-for-life composite bearings on all pivot points / Maintenance free bearings, no greasing required

Factory tested to 110% of capacity; Lubricated-for-life composite bearings on all pivot points.

[View specifications >](#)

Single Vertical Ram Lift



LISTED DETAILS

Non-skid surface minimizes slipping & loss of traction in wet conditions. / ASTM - A36 - Structural Steel Standard

Listed models: APE-0, APE-1, APE-2, APE-3 and additional configurations; APE-0 Travel (inches): 60.

[View specifications >](#)

Spiral Lift Mechanical Scissor Lifts



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Drive motors are rated for variable frequency drive control signals.

Listed models: 24-SL-020, 24-SL-040, 24-SL-060, 24-SL-080 and additional configurations; 24-SL-020 Travel (inches): 24.

[View specifications >](#)

Material Handling / Product selection

Stainless Steel Zero Low Scissor Lift Tables

Catalog ref: 6139



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Enhanced Safety: By eliminating the need to lift loads 8 to 10 inches, these tables reduce worker strain and minimize injury risk, improving workplace safety;

[View specifications >](#)

Tandem Scissor Lift Table

Catalog ref: 6144



LISTED DETAILS

2,000 to 50,000 lbs. capacities available. / Height up to 8 feet.

Listed models: SLTD-236120E, SLTD-248144E, SLTD-448144E, SLTD-460192E and additional configurations; SLTD-236120E Capacity (lbs.): 2,000.

[View specifications >](#)

Vertical Ball Screw Actuated Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Vertical ball screw actuator design is simple and easy to inspect and maintain.

Listed models: 24-VB-020, 24-VB-040, 24-VB-060, 24-VB-080 and additional configurations; 24-VB-020 Travel (inches): 24.

[View specifications >](#)

Work Positioners Low Mast Stacker

Catalog ref: 5986



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: WPS4236-20, WPS4248-20, WPS4260-20, WPS4236-30 and additional configurations; WPS4236-20 Load Capacity: 2000 lbs.

[View specifications >](#)

Material Handling / Product selection

Work Station Electric Hydraulic Scissor Tables



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: EHLT-WS-2436-1.5-31, EHLT-WS-2448-1.5-36, EHLT-WS-3248-1.5-36, EHLT-WS-4048-1.5-36 and additional configurations; EHLT-WS-2436-1.5-31 Platform Size (WxL): 24"x36".

[View specifications >](#)

Zero-Low Lift & Tilt Tables

Catalog ref: 6141



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ZLTTC-5048E, ZLTTD-5048E, ZLTTE-5048E, ZLTTD-5072E and additional configurations; ZLTTC-5048E Capacity (lb.): 1,000.

[View specifications >](#)

Zero-Low, 3-Point Entry Lift Table

Catalog ref: 6148



LISTED DETAILS

Decks available in 30x30, 36x36, 42x42, and 48x48 inch sizes.

Listed models: ZL3PC-3030E, ZL3PC-3636E, ZL3PC-4242E, ZL3PC-4848E and additional configurations; ZL3PC-3030E Capacity (lbs.): 1000.

[View specifications >](#)

Air Cargo Lift



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Manual pallet stops are easily engaged & disengaged.

Listed models: 49AC150-9, 49AC150-10, 49AC150-11, 49AC150-12 and additional configurations; 49AC150-9 Travel (inches): 49.

[View specifications >](#)

Material Handling / Product selection

CMD Dock Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient hydraulic power unit simplifies servicing.

Listed models: CMD-30, CMD-40; CMD-30 Travel (inches): 50.

[View specifications >](#)

PDQ Dock Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient hydraulic power unit simplifies servicing.

Listed models: PDQ 40, PDQ 50, PDQ 60; PDQ 40 Travel (inches): 55.5.

[View specifications >](#)

Pit Mounted Truck Leveler



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Efficient and highly serviceable hydraulic power unit reduces downtime.

Listed models: TL-1440, TL-1640, TL-1840, TL-2040 and additional configurations; TL-1440 Travel (inches): 36.

[View specifications >](#)

PLD Dock Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient hydraulic power unit simplifies servicing.

Listed models: PLD-20, PLD-30, PLD-50; PLD-20 Travel (inches): 55.5.

[View specifications >](#)

Material Handling / Product selection

Shallow Pit Mounted Truck Leveler

LISTED DETAILS



Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Efficient and highly serviceable hydraulic power unit reduces downtime.

Listed models: TL-TBDGL, TL-1440SPM, TL-1640SPM, TL-1840SPM and additional configurations; TL-TBDGL Travel (inches): 30.

[View specifications >](#)

Surface Mounted Truck Leveler

LISTED DETAILS



Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Efficient and highly serviceable hydraulic power unit reduces downtime.

Listed models: TL-1440SM, TL-1640SM, TL-2040SM, TL-1840SM and additional configurations; TL-1440SM Travel (inches): 30.

[View specifications >](#)

TSL Dock Lift

LISTED DETAILS



Maintenance-free bearings at pivot points require no lubrication. / Efficient hydraulic power unit simplifies servicing.

Joints, the most critical wear points in the lift, feature chrome-plated, 100,000-psi, Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry.

[View specifications >](#)

Automatic Eagle Beak Drum Lifters

LISTED DETAILS



Simple & Easy Operation / Low Maintenance Design

Listed models: FMDL-1, FMDL-2; FMDL-1 Number of Drums: 1.

[View specifications >](#)

Material Handling / Product selection

Economy Portable Drum Lifter/Rotator/Transporter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

DRUM-LRT-EC Overall Size (WxDxH): 33"x53"x78";
DRUM-LRT-EC Raised Height: 53".

[View specifications >](#)

Fork Mounted Drum Carrier/Rotator



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCR-205-8, DCR-205-15, DCR-205-20, DCR-205-8-DC and additional configurations; DCR-205-8 Drum Restraint Method: 36" Chain.

[View specifications >](#)

Hoist Mounted Drum Carrier/Rotator



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCT-75, DCT-85, DCT-2000; DCT-75 Drum Style: 55 gallon steel.

[View specifications >](#)

Hoist Mounted Pail Carrier/Rotator



LISTED DETAILS

For use with 5, 6, and 6-1/2 gallon pails / Capacity is 200 pounds

Listed models: PCT-5, FPA-450; PCT-5 Pail Type: 5, 6, 6-1/2 gallon plastic and metal pails.

[View specifications >](#)

Material Handling / Product selection

Manual Drum Carrier/Rotator



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCR-110-55, DCR-110-55-SS, DCR-110-55-FDA-250, DCR-110-55-FDC-30; DCR-110-55 Drum Style: 55 gallon steel.

[View specifications >](#)

Portable Hydraulic Drum Carrier/Rotator



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: HDC-305-60, HDC-305-72, HDC-305-84, HDC-305-96 and additional configurations; HDC-305-60 Rotation Method: Hand Crank.

[View specifications >](#)

Hydraulic Drum Crusher/Compactor



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: HDC-905-IDC/460V, HDC-905-HC/460V, HDC-905-IDC/230V, HDC-905-HC/230V and additional configurations; HDC-905-IDC/460V Description: Crusher/Compactor (460V, 3 Phase).

[View specifications >](#)

Adjustable Drum/Crate Dolly



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

DRUM-X-H Approx. Height: 5-5/16"; DRUM-X-H Capacity (lbs): 1000.

[View specifications >](#)

Material Handling / Product selection

Mobile Drum Dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DDO-P103-HT3, DDO-P103-SS3, DRUM-DRH-HR, DRUM-SS-55-H; DDO-P103-HT3
Description: Cast Iron.

[View specifications >](#)

Multi-Level Plastic Drum Dolly



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-PDD Acceptable Drum Styles: 30 & 55 Gallon;
DRUM-PDD Overall Size (DxH): 24-1/4"x7".

[View specifications >](#)

Multi-Pail Dolly



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: MPD-5; MPD-5 Accommodates Pail Types: 5 Gallon.

[View specifications >](#)

Multi-Purpose Dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-QUAD-H Capacity (lbs): 900; Listed models: DRUM-QUAD-H, DRUM-QUAD-C, DRUM-QUAD-CS-SS, DRUM-TRI-H and additional configurations.

[View specifications >](#)

Material Handling / Product selection

Octo & Heavy Duty Drum Dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: OCTO-55, DRUM-HD; OCTO-55
Acceptable Drum Types: 55 gallon.

[View specifications >](#)

Overpack Drum Dollies & Containers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRUM-SP-28-12-C, DRUM-SP-28-9-H,
DRUM-SP-32-12-C, DRUM-SP-32-9-H; DRUM-SP-28-12-C
Outside Diameter: 28-3/8".

[View specifications >](#)

Polyethylene Drum Dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRUM-DP-30-BK, DRUM-DP-30-BU,
DRUM-DP-55-BK, DRUM-DP-55-BU; DRUM-DP-30-BK
Acceptable Drum Styles: 5 & 30 Gallon.

[View specifications >](#)

Tilting Drum Dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-QUAD-H-TLT Tilt Capacity (lbs): 200;
DRUM-QUAD-H-TLT Uniform Capacity (lbs): 900.

[View specifications >](#)

Material Handling / Product selection

Lift-and-Dump Hydraulic Drum Dumpers



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Lift-and-Dump Hydraulic Drum Dumpers - Drum Dumpers. The Lift-and-Dump Hydraulic Drum Dumper is what you need to dump drums at variable heights.

[View specifications >](#)

Stationary Hydraulic Drum Dumpers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: HDD-36-7-S, HDD-48-7-S, HDD-60-7-S, HDD-72-7-S and additional configurations; HDD-36-7-S Dump Height: 36".

[View specifications >](#)

Aerosol Can Recycling System



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

CAN-RECY Overall Size (HxD): 14-5/8"x5-13/16";
CAN-RECY Handle Length: 11".

[View specifications >](#)

Automatic Plastic Drum Lifter



DH214474

SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: FMDL-1, FMDL-2; FMDL-1 Number of Drums: 1.

[View specifications >](#)

Material Handling / Product selection

Barrel/Drum Trucks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DBT-1200, DBT-1200-P, DBT-RED; DBT-1200 Overall Size (WxH): 29"x60".

[View specifications >](#)

Brass Drum Vent Adaptor



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DVA-B Wt. (lbs): 3; Listed models: DVA-B.

[View specifications >](#)

Chain Drum Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: CHDL-1620, CHDL-2025; CHDL-1620 Accommodates Drum Diameter: 16" TO 20".

[View specifications >](#)

Crane/Hoist Drum Lifters



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: CHDL-1620, CHDL-2025; CHDL-1620 Accommodates Drum Diameter: 16" TO 20".

[View specifications >](#)

Material Handling / Product selection

Deluxe Combination Fork Mounted Drum Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: DFDL-3; DFDL-3 Description: Deluxe Combo Drum Lifter.

[View specifications >](#)

Deluxe Rotating Drum Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: RDC-1000-5PU, RDC-1000-5PO, RDC-1000-5SS; RDC-1000-5PU Capacity (lbs): 1,000.

[View specifications >](#)

Deluxe Tilt Back Drum Trucks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DBT-1000, DBT-1000-PN; DBT-1000 Overall Size (WxDxH): 22-1/2"x24-3/8"x59".

[View specifications >](#)

Dispensing Bottles



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Dispensing Bottles - Drum Handling Equipment. Translucent bottles allow easy viewing of contents.

[View specifications >](#)

Material Handling / Product selection

Dispensing Containment Cart



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DHDC-66; DHDC-66 Overall Size (WxDxH): 32"x72-1/4"x27".

[View specifications >](#)

Drum Caddies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

LO-DC-MR Straddle (WxD): 28-1/8"x21-5/8"; LO-DC-MR Capacity (lbs): 1,000.

[View specifications >](#)

Drum Clutchers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCL-550, DCL-1000; DCL-550 Acceptable Drum style: 30 gallon steel.

[View specifications >](#)

Drum Controller



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DC-550; DC-550 Overall Size: 33"x33-3/4"x63".

[View specifications >](#)

Material Handling / Product selection

Drum Dispensing Equipment



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

PAIL-PST Displacement Per Stroke: 8 oz; Listed models: PAIL-PST, PAIL-PST-SS.

[View specifications >](#)

Drum Faucets



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: VDFT-6PKG, JDFT-B, DFT-SS, DFT-AL and additional configurations; VDFT-6PKG Description: Polyethylene Drum Faucet 6 Pack.

[View specifications >](#)

Drum Grab



LISTED DETAILS

Design feature three ductile-iron arms for maximum strength / The three-arm design allows for centering the drum under the lifter

DRUM-GRAB Lifting Capacity: 2,200 lbs; DRUM-GRAB Wt. (lbs): 20.

[View specifications >](#)

Drum Grippers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DGS-A, DGD-A, DGS-55-D, DGD-55-D and additional configurations; DGS-A Drum Style: (1) 30 or 55 gallon steel.

[View specifications >](#)

Material Handling / Product selection

Drum Jacks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRUM-55-36, DRUM-55FP, DRUM-55S, DRUM-55-FSP; DRUM-55-36 Overall Size (W x D): 30-1/2" x 27-13/16".

[View specifications >](#)

Drum Lid Tool



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-PLB Wrench Opening: 1"; DRUM-PLB Net Wt. (lbs): 2.

[View specifications >](#)

Drum Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: FDT-22, DL-31; FDT-22 Acceptable Drum Types: 55 & 30 Gallon Steel.

[View specifications >](#)

Drum Liners



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Drum Liners - Drum Handling Equipment.

[View specifications >](#)

Material Handling / Product selection

Drum Lock



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: BLD-80, DTL-22; BLD-80 Description: Brass drum lock.

[View specifications >](#)

Drum Slings



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCS-750-B, DCS-1000-I, DCS-1000-B, DCS-2000-G; DCS-750-B Acceptable Drum Type: 55 & 30 gallon steel.

[View specifications >](#)

Drum Stacker



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: HDC-450-60, HDC-450-72, HDC-450-84, HDC-450-96; HDC-450-60 Rotation Method: Hand Crank.

[View specifications >](#)

Drum Stands



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-ST Acceptable Drum Types: 30 & 55 Gal. Plastic, Steel & Fiber Drums; DRUM-ST Capacity (lbs): 1,500.

[View specifications >](#)

Material Handling / Product selection

Drum Stik



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-STIK Drum Type: 30 & 55 Gallon; DRUM-STIK Overall Width: 18-3/4".

[View specifications >](#)

Drum Storage Hard Top Container



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: DSHRT-2, DSHRT-4; DSHRT-2 Description: 2 drum container.

[View specifications >](#)

Drum Tiers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DTR-20, DTR-24, DTR-28; DTR-20 Acceptable Drum Types: 30 Gallon Steel.

[View specifications >](#)

Drum Tops



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DC-TP Diameter: 25"; DC-TP Qty. Per Package: 5.

[View specifications >](#)

Material Handling / Product selection

Drum Truck with Spring Assist



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DBT-SA-MR Overall (WxLxH): 23-1/2"x14-5/16"x60-5/8";
Listed models: DBT-SA-MR, DBT-SA-PO, DBT-P-SA-MR, DBT-P-SA-PO.

[View specifications >](#)

Drum Vent & Indicator



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

VENT-H Displacement: Fits 2" Openings; VENT-H Wt. (lbs): 1.

[View specifications >](#)

Drum Wedge



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-WEDGE Overall Size (WxH): 11-1/2"x6";
DRUM-WEDGE Net Weight (lbs): 2.

[View specifications >](#)

Drum Wheel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DRUM-WHEEL Acceptable Drum Types: 55 Gallon Steel;
DRUM-WHEEL Dimensions: 25" Diameter 6-1/2" Height.

[View specifications >](#)

Material Handling / Product selection

Economical Mechanical Drum Transporter



model DCR-880-M

LISTED DETAILS

Simple Design / Completely Mechanical Operation

Listed models: DCR-880-M, DCR-880-H, DCR-880-H-HP, DCR-880-H-DC and additional configurations; DCR-880-M Description: Hand Ratchet.

[View specifications >](#)

Economy Drum Positioners



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: VEDP-55; VEDP-55 Description: Lift 55-Gallon Steel Drums.

[View specifications >](#)

Economy Rotating Drum Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: RDC-60-NC, RDC-60-5-PU, RDC-60-5-PO, RDC-60-5-SS; RDC-60-NC Capacity (lbs): 800.

[View specifications >](#)

Elastic Drum Covers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DCVR-30-E, DCVR-55-E, DCVR-30-E-AS, DCVR-55-E-AS and additional configurations; DCVR-30-E Acceptable Drum Types: 30-Gal.

[View specifications >](#)

Material Handling / Product selection

Electric Drum Pumps



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

FHL-PUMP Description/Speed: Flammables, Hazardous Locations-115VFHL-PUMP, Class I Group C & D, Class II Group F & G (Explosion Proof); FHL-PUMP Max Viscosity: 500 CPS.

[View specifications >](#)

Ergonomic Drum Truck with Scale



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRUM-55-SCL; DRUM-55-SCL Overall Size (WxLxH): 31"x43"x41".

[View specifications >](#)

Fork Mounted Drum Grippers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: FDG-55, FDG-30; FDG-55 Acceptable Drum Sizes: 55 Gallon.

[View specifications >](#)

Fork Mounted Drum Lifters



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: FMDL-850, FMDL-1500, FMDL-2000, FMDDL-1700 and additional configurations; FMDL-850 Acceptable Drum Types: (1) Steel, Poly or Fiber.

[View specifications >](#)

Material Handling / Product selection

Fork Mounted Hydraulic Drum Grippers

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRUM-HYD-1; DRUM-HYD-1 Acceptable Drum Types: 55 & 30 Gallon Steel, Plastic, and Fiber Drums.

[View specifications >](#)

Fork Mounted Poly Drum Handlers

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: FPD-8-L, FPD-11-H; FPD-8-L Description: Bottom Grip.

[View specifications >](#)

Heavy Duty Vertical Drum Lifter

LISTED DETAILS



Designed for lifting 55-gallon closed-head steel drums in the vertical position / Industrial ratchet load-binder is used to clamp the unit to the top of the drum

Listed models: HDDL-55; HDDL-55 Description: For lifting 55 gal. closed-head steel drums in the vertical position.

[View specifications >](#)

High Capacity Powered Turntable

LISTED DETAILS



Maintenance-free bearings at pivot points require no lubrication / Lag-down holes in the base allow for easier relocation.

Minimum 1/2" thick steel platform minimizes deck deflection and maximizes load stability; Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry.

[View specifications >](#)

Material Handling / Product selection

Horizontal Drum Cradle



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: HORIZ-70; HORIZ-70 Acceptable Drum Styles: Open or closed 55 gallon steel drums.

[View specifications >](#)

Horizontal Drum Positioner



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: HDT-500; HDT-500 Acceptable Drum Size: 55-Gal. Drums.

[View specifications >](#)

Horizontal Drum Tap



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: TAP-3; TAP-3 Description: Horizontal Drum Tap.

[View specifications >](#)

Horizontal Semi-Automatic Drum Tong



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DTH-1000; DTH-1000 Acceptable Drum style: 55 Gal. Steel & Fiber.

[View specifications >](#)

Material Handling / Product selection

Lever Action Drum Pumps



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: LDP-ST, LDP-POLY-304, LDP-POLY, LDP-RYT and additional configurations; LDP-ST Displacement Per Stroke: 12 oz.

[View specifications >](#)

Lift and Tilt Table



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / Non-intrusive design minimizes floor space requirements for the operator

Listed models: PT-45-020, PT-45-060, PT-45-040; PT-45-020 Travel (inches): 17.

[View specifications >](#)

Light Bulb Crusher



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: LBR-55, LBR-55-UC; LBR-55 Includes: T12 Entry Tube, combo kit of filters, and entry tube storage rack.

[View specifications >](#)

Linear Actuated Pail Dumper



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PAIL/D-5; PAIL/D-5 Operation: Linear Actuated.

[View specifications >](#)

Material Handling / Product selection

Manual & Electric Drum Deheader



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Manual & Electric Drum Deheader - Drum Handling Equipment. Convert your closed head steel drums into storage containers with our Drum Deheaders.

[View specifications >](#)

Manual Drum Upender



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DTP-11; DTP-11 Description: Upender for horizontal drums.

[View specifications >](#)

Manual Pail Tippers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

CAN-A Dispensing Height: 10"; CAN-A Capacity (lbs): 70.

[View specifications >](#)

Manual Trash Compactor



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: MTC-55, MTC-30; MTC-55 Drum Type (gallons): 55.

[View specifications >](#)

Material Handling / Product selection

Multi-Purpose Overhead Drum Lifter/Wrench



LISTED DETAILS

Simple Design is Easy to Use

Listed models: PDL-800-M, PDL-800-M-BR; PDL-800-M
Construction: Steel.

[View specifications >](#)

Oil Filter Crusher



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CM-1, CM-2, CM-T, CM-D; CM-1
Description: Air Operated, 100-180 PSI.

[View specifications >](#)

Oval Tank Containment with Drain



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: IML-275, IML-550; IML-275 Dimensions (WxDxH): 84-1/2"x43-3/4"x29".

[View specifications >](#)

Pail dollies



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: MPD-5; MPD-5 Accommodates Pail Types: 5 Gallon.

[View specifications >](#)

Material Handling / Product selection

Pail Hand Truck



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

PAIL-T Nose Plate (WxL): 10-3/4"x7-1/2"; PAIL-T Overall Size (WxDxH): 20-9/16"x 16-11/16" x 55-3/4".

[View specifications >](#)

Pail Lid Closing Press



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

PLC-P-FM Accommodates Pail Sizes: 2-7 Gallons; PLC-P-FM Overall Size (W x L x H): 29-7/8" x 36-13/16" x 96-3/16".

[View specifications >](#)

Pallet Rack Drum Cradle



model PRDC-42-R
shown with PRD-DPN Optional Drip Pan
and JDFT Drum Faucet

SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PRDC-42, PRDC-42-R; PRDC-42
Description: Pallet Rack Drum Cradle.

[View specifications >](#)

Plastic Pallets & Drum Spill Containers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: VLPUT-2448, VLPUT-4848, DR-1-UT, DR-2-UT and additional configurations; VLPUT-2448
Drums Accepted: 2.

[View specifications >](#)

Material Handling / Product selection

Pocket Bung



LISTED DETAILS

Small versatile bung nut wrench / Small size to fit in your pocket

BNW-PKT-SS Wt. (lbs): 3.6 oz; Listed models: BNW-PKT-SS.

[View specifications >](#)

Poly Drum Heaters



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRH-P-5, DRH-P-55; DRH-P-5 Drum Capacity: 5 Gallon.

[View specifications >](#)

Poly Drum Heaters (CSA APPROVED-for use in Canada Only)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRH-P-5, DRH-P-55; DRH-P-5 Drum Capacity: 5 Gallon.

[View specifications >](#)

Polyethylene Drum Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PDR-2, PDR-4, PDR-SHF; PDR-2 Description: 2 Drum System.

[View specifications >](#)

Material Handling / Product selection

Portable Drum Lifter/Rotator/Transporter



DRUM-LRT-DC

SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

DRUM-LRT *Raised Height: 62"; DRUM-LRT Overall Size (WxDxH): 33"x52"x85-7/16".

[View specifications >](#)

Recycling Lid



CAN-CAP-P

SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CAN-CAP-P, DC-P-55-CAN-BK, DC-P-55-CAN-BU, DC-P-55-CANF-BK and additional configurations; CAN-CAP-P Center Opening: 7".

[View specifications >](#)

Revolving Drum Cart



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: RDC-100, RDC-100-10; RDC-100 Number of Rollers: 4 Dual Rollers.

[View specifications >](#)

Rotary Drum Pumps



model RDP-55

SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: RDP-55, ADP-55, RP-90R, RP-90RT and additional configurations; RDP-55 Description: Rotary Drum Pump.

[View specifications >](#)

Material Handling / Product selection

Round Metal Can With Lid



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: MRC-4, MRC-8, MRC-16, MRC-32 and additional configurations; MRC-4 Description: Tin.

[View specifications >](#)

Self-Venting Drum Pumps



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Self-Venting Drum Pumps - Drum Handling Equipment. Designed for dispensing and transferring liquids out of 55-gallon drums and 5- and 15-gallon pails.

[View specifications >](#)

Series 35 Electrical Powered Turntable



LISTED DETAILS

1/2-inch-thick steel platform minimizes deck deflection and maximizes load stability. / Maintenance-free bearings at pivot points require no lubrication.

Listed models: SRP-3625, SRP-4225, SRP-4248-25, SRP-4825 and additional configurations; SRP-3625 Capacity (lbs#): 2500.

[View specifications >](#)

Specialty Covers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Specialty Covers - Drum Handling Equipment. Protect your drums from bung seepage and unprotected outdoor storage situations.

[View specifications >](#)

Material Handling / Product selection

Specialty Drum Adaptors



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: FDA-800; FDA-800 Description: Fiber Drum Adapter (includes adjusting arm & nylon strap).

[View specifications >](#)

Stackable Drum Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: DRUM-RACK-2, DRUM-RACK-3, DRUM-RACK-2-G, DRUM-RACK-3-G and additional configurations; DRUM-RACK-2 Drum Capacity: (2) 55 Gal. Steel.

[View specifications >](#)

Standard Steel Drums



Open Head
Steel Drum

SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Standard Steel Drums - Drum Handling Equipment. Standard Steel Drums Quality cold rolled drums meet most U.N.

[View specifications >](#)

Steel Drum Funnel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DF-S Drum Size: 55 Gallon; DF-S Fits Drum Bungs: 2".

[View specifications >](#)

Material Handling / Product selection

Steel Drum Heaters



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRH-S-5, DRH-S-15, DRH-S-30, DRH-S-55 and additional configurations; DRH-S-5 Drum Capacity: 5 Gallon.

[View specifications >](#)

Steel Drum Heaters (CSA APPROVED-for use in Canada Only)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DRH-S-5, DRH-S-15, DRH-S-30, DRH-S-55 and additional configurations; DRH-S-5 Drum Capacity: 5 Gallon.

[View specifications >](#)

Steel Pail Lid Closing Tool



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PLC-5; PLC-5 Acceptable Drum style: 5-gallon steel.

[View specifications >](#)

Tilting Drum Rings



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: TDR-30, TDR-55, TDR-30-G, TDR-55-G and additional configurations; TDR-30 Acceptable Drum Types: 30 Gallon Steel.

[View specifications >](#)

Material Handling / Product selection

Trash Cans



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Trash Cans - Drum Handling Equipment. Durable polyethylene construction with stands subzero cold and extreme summer heat.

[View specifications >](#)

Utility Trays



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: UT-TRAY-2436, UT-TRAY-2448, UT-TRAY-3048, UT-TRAY-4048; UT-TRAY-2436 Capacity (Gallons): 18.

[View specifications >](#)

Vertical Drum Clamp



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: VDC-1000; VDC-1000 Acceptable Drum style: Steel, Plastic & Fiber.

[View specifications >](#)

Vertical Drum Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: VDL-22.5; VDL-22.5 Acceptable Drum Types: 55 Gallon Steel.

[View specifications >](#)

Material Handling / Product selection

Drum Stackers

Catalog ref: 5988



LISTED DETAILS

1000 lb. capacity / 18" load centers

1000 lb. capacity; 18" load centers.

[View specifications >](#)

Dual Mast Work Platform



LISTED DETAILS

Platform capacity 1500# Max.
300# maximum on rollouts /
Travel speed 8-15 F.P.M.

Platform capacity 1500# Max. 300# maximum on rollouts; Travel speed 8-15 F.P.M.

[View specifications >](#)

Pick Up Hoists VP/VC 6600



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pick Up Hoists VP/VC 6600 - Dump Hoists. The Pick Up Hoists VP/VC 6600 is for 2011 - 2014 Chevrolet Silverado and GMC Sierra pickup models.

[View specifications >](#)

Pick Up Hoists VP6F



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pick Up Hoists VP6F - Dump Hoists. The VP6F Dump Hoist is designed for the Ford Superduty F-Series 1999-2015 models.

[View specifications >](#)

Material Handling / Product selection

Pick Up Hoists VP6S



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pick Up Hoists VP6S - Dump Hoists. These hoists are custom designed to fit your 1999-2010 Gas model Chevy Silverado/GMC Sierra 8-foot box pickup truck.

[View specifications >](#)

Universal Subframe Hoists - 416



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8" square shaft, 7 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8" square shaft, 7 qt. reservoir.

[View specifications >](#)

Universal Subframe Hoists - 516



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8" square shaft, 7 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8" square shaft, 7 qt. reservoir.

[View specifications >](#)

Universal Subframe Hoists - 520



LISTED DETAILS

Electric double-acting, 4 qt. reservoir / 4 piston PTO driven, 7/8" square shaft, 15 qt. reservoir

Electric double-acting, 4 qt. reservoir; 4 piston PTO driven, 7/8" square shaft, 15 qt. reservoir.

[View specifications >](#)

Material Handling / Product selection

Universal Subframe Hoists - 620



LISTED DETAILS

Electric double-acting, H.D. motor, 4 qt. reservoir / 8 piston PTO driven, 7/8" square shaft, 21 qt. reservoir

Electric double-acting, H.D. motor, 4 qt. reservoir; 8 piston PTO driven, 7/8" square shaft, 21 qt. reservoir.

[View specifications >](#)

Econo-Master Mobile Hydraulic Floor Cranes

Catalog ref: 6167



LISTED DETAILS

Has heavy-duty lifting cylinder; built with quality materials and workmanship. / Electric, either battery or 110 volt a.c., and air power are optional.

Overall width of only 34 in. enables crane to pass through doorways and work in aisles; Electric, either battery or 110 volt a.c., and air power are optional.

[View specifications >](#)

DT7K Truck-Mounted Electric Crane 2200lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

DT7K Truck-Mounted Electric Crane 2200lbs Lifting Capacity - Electric Cranes. The DT7K Truck-Mounted Electric Crane 2200lbs Lifting Capacity is a 7,000 ft.-lbs.

[View specifications >](#)

ET12K Truck-Mounted Electric Crane 3500lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

[View specifications >](#)

Material Handling / Product selection

ET12KX Truck-Mounted Electric Crane 3500lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

[View specifications >](#)

ET16KX Truck-Mounted Electric Crane 4000lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

[View specifications >](#)

ET18KX Truck-Mounted Electric Crane 4500lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

[View specifications >](#)

ET25KX Truck-Mounted Electric Crane 5000lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

[View specifications >](#)

Material Handling / Product selection

ET30KX Truck-Mounted Electric Crane 5000lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

[View specifications >](#)

ET36KX Truck-Mounted Electric Crane 6000lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

[View specifications >](#)

ET6K Truck-Mounted Electric Crane 2000lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

ET6K Truck-Mounted Electric Crane 2000lbs Lifting Capacity - Electric Cranes.

[View specifications >](#)

ET8K Truck-Mounted Electric Crane 2700lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

[View specifications >](#)

Material Handling / Product selection

ET8KX Truck-Mounted Electric Crane 2700lbs Lifting Capacity



Power Source
12V DC

Power Source: 12V DC.

[View specifications >](#)

CE1500FB Truck-Mounted Electric Mast Crane 1500lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

CE1500FB Truck-Mounted Electric Mast Crane 1500lbs Lifting Capacity - Electric Mast Cranes.

[View specifications >](#)

CE6K Truck-Mounted Electric Mast Crane 2000lbs Lifting Capacity



Weight
247 lbs. (3-5 Ft. boom)

Weight: 247 lbs. (3-5 Ft. boom).

[View specifications >](#)

CT2003FB Truck-Mounted Electric Mast Crane



Model Number
CT2003FB

CT2003FB truck-mounted electric mast-crane reference. Confirm the load chart, boom length and mounting arrangement for the quoted configuration.

[View specifications >](#)

Material Handling / Product selection

CT2004FB Truck-Mounted Electric Mast Crane



Model Number
CT2004FB

CT2004FB truck-mounted electric mast-crane reference. Confirm the load chart, boom length and mounting arrangement for the quoted configuration.

[View specifications >](#)

CT2005 Truck-Mounted Electric Mast Crane



Model Number
CT2005

CT2005 truck-mounted electric mast-crane reference. Confirm the load chart, boom length and mounting arrangement for the quoted configuration.

[View specifications >](#)

CT310KX Truck-Mounted Electric Mast Crane 1900lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

CT310KX Truck-Mounted Electric Mast Crane 1900lbs Lifting Capacity - Electric Mast Cranes.

[View specifications >](#)

Electric Pallet Truck with Scale



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: EPT-2547-30-SCL, EPT-2748-45-SCL, EPT-2748-45-SCL-RP; EPT-2547-30-SCL Overall Size (WxLxH): 28-1/2"x 66 "x 49".

[View specifications >](#)

Material Handling / Product selection

Fully Powered Electric Pallet Trucks with Lead Acid Batteries



model EPT-2547-30

SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: EPT-2047-30, EPT-2547-30, EPT-2547-30-E, EPT-2048-45 and additional configurations; EPT-2047-30 Overall Size (WxLxH): 28-1/4"x64"x48".

[View specifications >](#)

Accordion Skirts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Accordion Skirts - Ergonomic Equipment. Accordion Skirts have a functional purpose as well as a safety purpose.

[View specifications >](#)

Add-A-Level Work Platforms



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: P-2436-2.625, P-2436-2.625-A, P-2448-2.625, P-2448-2.625-A and additional configurations; P-2436-2.625 Description: Base.

[View specifications >](#)

Adjustable Ergonomic Work Benches



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: EAH-3672-PT, EAH-3696-PT, EAH-3672-MT, EAH-3696-MT and additional configurations; EAH-3672-PT Platform Size (WxL): 36"x72".

[View specifications >](#)

Material Handling / Product selection

Adjustable Height Step Stands with Handrails




SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Adjustable Height Step Stands with Handrails - Ergonomic Equipment. The Adjustable Step-Mate Stand can be used as either a comfortable worker platform or a semi-permanent step.

[View specifications >](#)

Adjustable Pallet Stands



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PS-4045, PS-4045/CA, PS-4045/CA-CK, PS-4045-CK; PS-4045 Platform (WxL): 40"x42-1/4".

[View specifications >](#)

Air Bag Pneumatic Scissor Lift Table



LISTED DETAILS

Direct acting air bags deliver more power than air actuators. / Maintenance-free bearings at pivot points require no lubrication

Listed models: 5ABS20, 5ABS40, 5ABS60, 7ABS20 and additional configurations; 5ABS20 Travel (inches): 5.

[View specifications >](#)

Air Corner Tilter



LISTED DETAILS

Base Size 71"W x 52"D / Multi-ply air bag

AIR-THL Description: 44"Wx44"L hand lever operated; AIR-THL Capacity (lbs): 1,500.

[View specifications >](#)

Material Handling / Product selection

Air Powered Lift & Tilt Table



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Air bag actuators and lift rollers are easily replaced, minimizing downtime.

Listed models: 24AFT30; 24AFT30 Travel (inches): 24.

[View specifications >](#)

Aluminum DC Powered Quick-Lift



LISTED DETAILS

All Lift Components Concealed in Lift Column, No Dangerous Pinch Points / Efficient and Quiet Ball Screw Design Uses Less Power Per Pound to Lift

Listed models: PEL-88-A, PEL-100-A; PEL-88-A Platform: 23-1/2"x18-1/2".

[View specifications >](#)

Aluminum Mini Carousels



CA-5-14

SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CA-5-12, CA-5-14, CA-5-24; CA-5-12 Diameter: 12".

[View specifications >](#)

Back Support Cushions



BACK-COMBO

SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

BACK-COMBO Overall Size (WxDxH): 19"x8"x22"; BACK-COMBO Wt. (lbs): 2.

[View specifications >](#)

Material Handling / Product selection

Battery Transfer Cart for use with Pallet Truck



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

BTC-PJ Overall Size (WxLxH): 33-1/4"x 41-1/8"x 16-1/8";
BTC-PJ Cart Capacity (lbs): 4,000.

[View specifications >](#)

Counter-Balanced Pallet Master/Servers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CB-PMPS-6-50-DC, CB-PMPS-6-50-AC, CB-PMPS-10-50-DC, CB-PMPS-10-50-AC and additional configurations; CB-PMPS-6-50-DC Uniform Capacity (lbs): 600.

[View specifications >](#)

Counter-Balanced Stackers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: S-CB-62, S-CB-118, S-2CB-62*, S-2CB-118*; S-CB-62 Fork Size (WxL): 6-3/8 to 23-5/8"x30".

[View specifications >](#)

DC Powered Quick-Lift - PEL Model Range



LISTED DETAILS

All Lift Components Concealed in Lift Column, No Dangerous Pinch Points / Efficient and Quiet Ball Screw Design Uses Less Power Per Pound to Lift

Listed models: PEL-88, PEL-100, PEL-400-57, PEL-400-72 and additional configurations; PEL-88 Platform: 23.5"x18.5".

[View specifications >](#)

Material Handling / Product selection

Deluxe Drywall/Panel Hoist



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: DPH-X-11; DPH-X-11 Sheet Size Capacity: 4'x16'.

[View specifications >](#)

Deluxe Roller Stands



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

STAND-H Description: 14" Horizontal Roller; STAND-H Service Range: 23" to 38-1/2".

[View specifications >](#)

Desk Mover



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

DESK-M Lowered Height: 4-3/4"; DESK-M Raised Height: 10-1/4".

[View specifications >](#)

Die Table



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: DIE-2430-36, DIE-2430-48, DIE-2430-60, DIE-2430-36-C and additional configurations; DIE-2430-36 Platform Size (WxL): 24"x30".

[View specifications >](#)

Material Handling / Product selection

Double Pantograph High Travel Scissor Lift



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication / Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks.

Compare the listed model details and configuration options on the product page. Request a quote for your application.

[View specifications >](#)

Double Scissor Lift Table



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Double Scissor Lift Table - Ergonomic Equipment. Achieve the extra reach you're looking for with our Double Scissor Lift Tables.

[View specifications >](#)

Economy Pallet Truck



LISTED DETAILS

Powder Coat Finish / Quality Built

Listed models: PM5-2748-Y, PM5-2748-Y-6PKG;
PM5-2748-Y Description: Pallet Truck.

[View specifications >](#)

Economy Transporter / Tilter



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: ETT-254; ETT-254 Platform Size: 40" x 42-1/4".

[View specifications >](#)

Material Handling / Product selection

Electric Adjustable Height Work Bench



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: EAH-3672-PT, EAH-3696-PT, EAH-3672-MT, EAH-3696-MT and additional configurations; EAH-3672-PT Platform Size (WxL): 36"x72".

[View specifications >](#)

Electric Hydraulic Scissor Lift Table - Series EHLT



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Electric Hydraulic Scissor Lift Table - Series EHLT - Ergonomic Equipment. Full featured electric hydraulic scissor lift tables are used by all types of manufacturing and warehouse facilities.

[View specifications >](#)

Electric Order Picker



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: EOP-440, EOP-500; EOP-440 Overall Size: 23"x41-1/2"x48-3/4".

[View specifications >](#)

Ergonomic Matting



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CK-35, CK-310, MAT-EZ-23, MAT-EZ-35 and additional configurations; CK-35 Color: Blue.

[View specifications >](#)

Material Handling / Product selection

Ergonomic Worker Chairs



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CPRO-200, CPRO-600, CPRO-600S, CPRO-800LP and additional configurations; CPRO-200 Base Size (WxD): 14"x21".

[View specifications >](#)

Fork Truck Jacks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

FORK-J Service: 2-1/4"to16"; FORK-J Capacity: 8,000.

[View specifications >](#)

Full Featured Deluxe Pallet Truck



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Full Featured Deluxe Pallet Truck - Ergonomic Equipment. An economical way for one person to move heavy pallet loads without the use of a fork truck!

[View specifications >](#)

Gas Powered All Terrain Pallet Truck



LISTED DETAILS

Handle with variable speed forward / reverse control and safety kill switch / Hydrostatic transmission with hand-operated, Forward and Reverse control

Listed models: ALL-T-2-GPT, ALL-T-2-GPT-L, ALL-T-4-GPT, ALL-T-4-GPT-L and additional configurations; ALL-T-2-GPT Overall size (W x L): 79" x 78".

[View specifications >](#)

Material Handling / Product selection

Ground Lift Tilter



LISTED DETAILS

Fused 24V, NEMA-4 hand control with two buttons / Electric pinch point guards on lip edge and sides of platform protect personnel.

Listed models: GLT-4000; GLT-4000 Platform Size (WxL): 50"x48".

[View specifications >](#)

H135-155FT Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

CANbus communications network reduces wiring complexity, providing superior dependability.

[View specifications >](#)

H170-190FT Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Superior ergonomic design allows for easy driver access, excellent visibility and a choice of two choices of hydraulic controls enable your operator to maximize productivity.

[View specifications >](#)

H30-35FT H40FTS Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Proven tough, Pacesetter VSM industrial onboard computer manages truck operation to maintain world-class dependability and maximize uptime.

[View specifications >](#)

Material Handling / Product selection

H40-70FT Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

CANbus communications, non-mechanical sensors and switches and IP66 sealed automotive style electrical connectors simplify truck wiring and enhance truck dependability;

[View specifications >](#)

H50CT Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Lighter weight and more efficient engine means lower fuel costs - in a documented industry standard test cycle the CT used up to 10% less fuel than the leading competitors;

[View specifications >](#)

H80-120FT Pneumatic Tire Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Powertrain combinations include GM 4.3L V6 and Kubota 3.8L LPG or turbo diesel engines;

[View specifications >](#)

Hand Winch Lift Trucks



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

A-LIFT-R Capacity (lbs): 500; A-LIFT-R Lowered Height: 3½"/23½".

[View specifications >](#)

Material Handling / Product selection

Heavy Duty Precision Turret Bearings

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PTB-19, PTB-24, PTB-32, PTB-40 and additional configurations; PTB-19 Diameter: 19".

[View specifications >](#)

Heavy-Duty King Pin Carousel

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CA-KP-3636-4, CA-KP-3636-6, CA-KP-4848-4, CA-KP-4848-6 and additional configurations; CA-KP-3636-4 Size (WxL): 36"x36".

[View specifications >](#)

Heavy-Duty Power Pack (hydraulic maintenance sets)

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: H-4, H-10; H-4 Case Size (WxLxH): 23"x13"x7".

[View specifications >](#)

Hefti-Lift

LISTED DETAILS



Chrome plated handle and supports / Removable solid platform

Listed models: HYD-3, HYD-5, HYD-10, HYD-15 and additional configurations; HYD-3 Platform: 23"x24".

[View specifications >](#)

Material Handling / Product selection

High Rise Lift Truck



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: HIPM-2772-DC, HIPM-2748-DC, HIPM-2048-DC, HIPM-2772-AC and additional configurations; HIPM-2772-DC Capacity: 2,500.

[View specifications >](#)

High Speed Strapping Machine



LISTED DETAILS

Dispenses 3/8" or 1/2" polypropylene strapping / Automatic strapping operation

Dispenses 3/8" or 1/2" polypropylene strapping; Up to 30 cycles per minute.

[View specifications >](#)

High Travel Double Pantograph Scissor Lift



LISTED DETAILS

ASTM - A36 - Structural Steel Standard / AWS D.1 - Welding Standards

Listed models: 54Q15, 54Q35, 54Q50, 62QS15 and additional configurations; 54Q15 Travel (inches): 54.

[View specifications >](#)

Hinge Tilt Model: EHTT



Model

EHTT Hinge Tilt

EHTT-L Platform Size (WxL): 48"x48"; EHTT-L Capacity (lbs.): 4,000.

[View specifications >](#)

Material Handling / Product selection

Hydraulic Box Dumper



LISTED DETAILS

Voltage - 208-230/460 Volt, 60 cycle, 3 phase. / 24 Volt, fused control circuit to protect operator.

Listed models: HBD-2-36, HBD-2-48, HBD-2-60, HBD-4-36 and additional configurations; HBD-2-36 Dump Height: 36".

[View specifications >](#)

Hydraulic Corner Tilters



LISTED DETAILS

Smaller items tend to move to corner / Makes many Packing jobs easier/faster

Listed models: EMC-4242-2, EMC-4242-4, EMC-4848-2, EMC-4848-4; EMC-4242-2 Description: Push Button Control.

[View specifications >](#)

Hydraulic Motorcycle Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: MOTO-LIFT-1100; MOTO-LIFT-1100 Overall Size (WxL): 35" x 108".

[View specifications >](#)

Hydraulic Post Tables



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Hydraulic Post Tables - Ergonomic Equipment.

[View specifications >](#)

Material Handling / Product selection

Hydraulic Stackers



model VWS-770-AA

SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: VWS-770-AA, VWS-770-FF, VHPS-2000-AA, VHPS-2000-AA-17 and additional configurations; VWS-770-AA Fork Length: 30".

[View specifications >](#)

Hydraulic Work Positioner - WT-2016-FP



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Hydraulic Work Positioner - WT-2016-FP - Ergonomic Equipment. Ideal for either sitting or standing applications at work assembly areas.

[View specifications >](#)

Lift & Tilt Scissor Tables



LISTED DETAILS

Steel Cradle is 12" high, open design allows loading/unloading from three sides. / Brass Velocity fuse in cylinder prevents drop of table in event of hydraulic failure.

Listed models: EHLTT-3648-1-47, EHLTT-4848-1-47, EHLTT-3648-2-47, EHLTT-4848-2-47 and additional configurations; EHLTT-3648-1-47 Platform size: 36"x48".

[View specifications >](#)

Lift & Tilt Workstation Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models:

[View specifications >](#)

Material Handling / Product selection

Light Duty Ergonomic Stand - WT-2221



LISTED DETAILS

Capacity 150 lbs. / Overall height 30"

Capacity 150 lbs; Overall height 30".

[View specifications >](#)

Light Load Lifts



LLW-202058-FW

SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: LLW-202058-FW*, LLW-242060-4SFL, LLH-202053-FW*, LLH-242056-4SFL and additional configurations; LLW-202058-FW* Platform Size (WxL): 20"x20".

[View specifications >](#)

Linear Actuated Adjustable Height Workstation



Linear Actuated

Model LAW-3636

SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Linear Actuated Adjustable Height Workstation - Ergonomic Equipment. Increase productivity by allowing the body to reposition.

[View specifications >](#)

Linearizer



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: WP-400-AC, WP-400-DC, WP-400-AIR; WP-400-AC Platform (WxL): 36"x24".

[View specifications >](#)

Material Handling / Product selection

Low Profile Pallet Trucks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM4-2048-LP*, PM4-2748-LP, PM4-3348-LP, PM4-2048-LP-6PKG* and additional configurations; PM4-2048-LP* Description: Low Profile.

[View specifications >](#)

Manual Carousels



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Manual Carousels - Ergonomic Equipment. The Manual Carousels rotate materials with the assistance of an operator.

[View specifications >](#)

Manual Tilt Master



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Manual Tilt Master - Ergonomic Equipment. Lift, tilt and transport crates, boxes and pallets with an open bottom.

[View specifications >](#)

Manual Trailer Movers



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Manual Trailer Movers - Ergonomic Equipment. Perfect for boat utility, cargo, jet ski, or other small trailers.

[View specifications >](#)

Material Handling / Product selection

Manual Work Positioners



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: MWP-220, MWP-440; MWP-220 Platform Size (WxL): 23-3/4" x 18-1/2".

[View specifications >](#)

Massage & Heat Cushion



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

CUSH-M Seat Size (WxL): 20"x18"; CUSH-M Back Size (WxH): 20"x29".

[View specifications >](#)

Mechanically Actuated Horizontal Ball Screw Lift Table



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication / Ball screw actuator design is simple and easy to inspect and maintain.

Compare the listed model details and configuration options on the product page. Request a quote for your application.

[View specifications >](#)

Mobile Tilting Work Tables



Platform Size
24" wide x 24" long
Weight
88 lbs

Platform Size: 24" wide x 24" long; Weight: 88 lbs.

[View specifications >](#)

Material Handling / Product selection

Narrow Scissor Lift Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: EHLT-N-1648-1-32, EHLT-N-1648-2-32; EHLT-N-1648-1-32 Platform Size: 16" x 48".

[View specifications >](#)

Opti Bench (Mechanical Work Tables)



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: ERG-3048-M, ERG-3060-M, ERG-3660-M, ERG-3672-M and additional configurations; ERG-3048-M Platform (WxL): 30"x48".

[View specifications >](#)

Pallet Inverter - PI-51 and PI-61 Models



LISTED DETAILS

Safety rails and guards standard / Control options range from standard pendant controls to fully automated systems.

Listed models: PI-51, PI-51-L, PI-61, PI-61-L; PI-51 Max. Load Size (WxL): 50"x50".

[View specifications >](#)

Pallet Server



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PMPS-50M, PMPS-50-AC, PMPS-50-AIR, PMPS-50-DC and additional configurations; PMPS-50M Capacity: 2,500.

[View specifications >](#)

Material Handling / Product selection

Pallet Truck with Hand Brake



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM5-2748-HB, PM5-2748-DMHB; PM5-2748-HB Capacity (lbs): 5,500.

[View specifications >](#)

Pallet Trucks for Corrosive & Sanitary Environments



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM5-2048-SS, PM5-2748-SS, PM5-2748-SFF, PM5-2748-S-Z and additional configurations; PM5-2048-SS Description: 304 Stainless Steel.

[View specifications >](#)

Plastic Floor Grid



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

F-GRID Overall Size (WxLxH): 11.8"23.6"x1"; F-GRID Capacity (lbs): 1,100.

[View specifications >](#)

Pneumatic Scissor Lift Table



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: AT-10; AT-10 Platform Size (WxL): 19-1/2"x39-1/2".

[View specifications >](#)

Material Handling / Product selection

Portable Aluminum Load Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: PALL-200; PALL-200 Platform Size: 17"x14".

[View specifications >](#)

Portable Hand Winch Lifter



LISTED DETAILS

Model: HWL-330 / Overall Size (WxH): 22½"x 58-1/2"

Listed models: HWL-330, HWL-260; HWL-330 Overall Size: 22-1/4"x 58-1/2".

[View specifications >](#)

Portable Pallet Inverter



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PPI-90, PPI-150; PPI-90 Capacity (lbs): 2,000.

[View specifications >](#)

Portable Scissor Table



LISTED DETAILS

Electric pinch point guards / Upward travel limit switch

Heavy duty 12V DC power unit provides maximum torque for faster lift speeds and minimum amp draw; NEMA-4 pendant hand control has 8' coil cord.

[View specifications >](#)

Material Handling / Product selection

Portable Uni-Tilt



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: UNI-P-4848-4, UNI-P-5448-4; UNI-P-4848-4 Platform Size (WxL): 48"x48".

[View specifications >](#)

Posi-Crank



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: POS-3636, POS-3648, POS-3672, POS-3636-MAT and additional configurations; POS-3636 Platform (WxL): 36"x36".

[View specifications >](#)

Power Traction Drive System




SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

PTDS-E Description: Power Traction Drive System, 24V DC; PTDS-E Wt. (lbs): 600.

[View specifications >](#)

Powered Carousel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: POW-CAR-50, POW-CAR-LP; POW-CAR-50 Carousel Diam: 50".

[View specifications >](#)

Material Handling / Product selection

Powered Turntables



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PT-100, PT-250, PT-750; PT-100
Diameter: 12".

[View specifications >](#)

PR4500 Rider Lift Truck



Capacity
3000 kg

Capacity: 3000 kg; Capacity: 3000 kg.

[View specifications >](#)

Quick Lift Pallet Trucks



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: PM5-2048-QL, PM5-2748-QL;
PM5-2048-QL Uniform Capacity (lbs): 5,500.

[View specifications >](#)

Rotary Air/Hydraulic Scissor Lift Tables



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: AHLT-2448-3-43, AHLT-3060-3-43, AHLT-4048-3-43, AHLT-4848-3-43 and additional configurations; AHLT-2448-3-43 Platform Size (WxL): 24"x48".

[View specifications >](#)

Material Handling / Product selection

RT4000 Rider Lift Truck



Capacity
2000 kg

Capacity: 2000 kg; Capacity: 2000 kg.

[View specifications >](#)

Semi-Automatic Pallet Probe Strapping Machine



LISTED DETAILS

User Friendly / Tension up to 175lbs.

Listed models: S-2001; S-2001 Overall Dimensions: 35-1/2"Wx23"Lx30"H.

[View specifications >](#)

Series 200 (45° Tilt)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: EM1-200-4250-2, EM1-200-4848-2, EM1-200-6050-2, EM1-200-4250-4 and additional configurations; EM1-200-4250-2 Platform (WxL): 42"x50".

[View specifications >](#)

Series 35 Double High Scissor Lift Tables



LISTED DETAILS

Double set of scissors legs provides added load stability and worker safety. / ASTM - A36 - Structural Steel Standard

Listed models: 24S25DH, 24S40DH, 24S60DH, 24S80DH and additional configurations; 24S25DH Travel (inches): 48.

[View specifications >](#)

Material Handling / Product selection

Series 35 Extra Wide Scissor Lift Table

LISTED DETAILS



Lubricated-for-life composite bearings on all pivot points / Maintenance free bearings, no greasing required

Factory tested to 110% of capacity; Lubricated-for-life composite bearings on all pivot points.

[View specifications >](#)

Series 35 Low Profile Work Station Scissors Lift Table

LISTED DETAILS



Lubricated-for-life composite bearings on all pivot points / Maintenance free bearings, no greasing required

Factory tested to 110% of capacity; Lubricated-for-life composite bearings on all pivot points.

[View specifications >](#)

Series 500 (90° Tilt)

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: EM1-500-4250-2, EM1-500-4848-2, EM1-500-6050-2, EM1-500-4250-4 and additional configurations; EM1-500-4250-2 Useable Size (WxL): 42"x50".

[View specifications >](#)

Shorty Scissor Lift Tables

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

Shorty Scissor Lift Tables - Ergonomic Equipment. Shorty Scissor Lift Shorty Scissor Lift Tables Built with the same quality as all our lift tables, the EHLTS and EHLTSD maximize safety and durability.

[View specifications >](#)

Material Handling / Product selection

Single Arm Scissors Lift Table



Lift Travel
36 in
Lowered Height
8 in
Raised Height
44 in

S-36-040 and S-36-060 single-arm scissor-lift table models with 36-inch travel and listed capacities of 4,000 and 6,000 lb respectively. Compare each model separately.

[View specifications >](#)

Single Scissor Lift & Tilt Table



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: UNI-2448-2, UNI-3648-2, UNI-4048-2, UNI-4848-2 and additional configurations; UNI-2448-2 Platform size (WxL): 24"x48".

[View specifications >](#)

Skid Adaptor for Pallet Trucks



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM5-20SA, PM5-27SA; PM5-20SA Accommodates Fork Dimensions: 20"W x 48"L.

[View specifications >](#)

Sliding Tilt Model: EHTT-L



Model
EHTT-L Sliding Tilt

EHTT-L Platform Size (WxL): 48"x48"; EHTT-L Capacity (lbs.): 4,000.

[View specifications >](#)

Material Handling / Product selection

Spring Self-Elevating Table



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: ETS-230, ETS-460, ETS-840-30, ETS-1120-18 and additional configurations; ETS-230 Platform WxL: 20"x20".

[View specifications >](#)

Steel Quick-Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: PEL-88, PEL-100, PEL-400-57, PEL-400-72; PEL-88 Platform: 23.5"x18.5".

[View specifications >](#)

Super Titan Double Long Heavy Duty Scissor Lifts



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient and highly serviceable hydraulic power unit.

Joints, the most critical wear points in the lift, feature chrome-plated, 100,000 psi, Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry.

[View specifications >](#)

Super Titan Double Wide Heavy Duty Scissor Lifts



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient and highly serviceable hydraulic power unit.

Joints, the most critical wear points in the lift, feature chrome-plated, 100,000 psi, Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry.

[View specifications >](#)

Material Handling / Product selection

Super Titan Quad Heavy Duty Scissor Lifts



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient and highly serviceable hydraulic power unit.

Joints, the most critical wear points in the lift, feature chrome-plated, 100,000 psi, Minimum 3:1 structural factor of safety makes these lifts the most structurally sound lift in the industry.

[View specifications >](#)

Thin Spin Carousel



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: LP-4000T, LP-4000T-45, LP-4000T-39, LP-4000T-SS and additional configurations; LP-4000T Description: 51" Usable Diameter (59-11/16" Overall Diameter).

[View specifications >](#)

Tiller®



Lift Capacity

165 lbs

Overall Height

61"

Overall Width

20-1/2"

Overall Depth

24-3/4"

Listed models: TILL-43; TILL-43 Overall Size (WxDxH): 20-1/2"x24-3/4"x61".

[View specifications >](#)

Tilt Trucks



LISTED DETAILS

Strong one-piece molded polyethylene body / Easy-to-clean interior that will not dent or corrode

Listed models: TDT-50-LD-(Color), TDT-100-LD-(Color), TDT-50-MD-(Color), TDT-100-MD-(Color) and additional configurations; TDT-50-LD-(Color) Overall Size (LxWxH): 62"x40"x35".

[View specifications >](#)

Material Handling / Product selection

Tork Heavy Duty Scissor Lift Table

LISTED DETAILS



Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / ASTM - A36 - Structural Steel Standard

Compare the listed model details and configuration options on the product page. Request a quote for your application.

[View specifications >](#)

TorkLift T2 Heavy Duty Scissor Lift

LISTED DETAILS



Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / ASTM - A36 - Structural Steel Standard

Listed models: T2-036-020, T2-060-020, T2-060-040, T2-072-020 and additional configurations; T2-036-020 Travel (inches): 36.

[View specifications >](#)

TorkLift T3 Heavy Duty Scissors Lift

LISTED DETAILS



Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / ASTM - A36 - Structural Steel Standard

Compare the listed model details and configuration options on the product page. Request a quote for your application.

[View specifications >](#)

Tote Lifters

SELECTION CHECKS



L-270-HD

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: L-220-HD, L-270-HD, L-270-HD-SS, L-270-DP-HD and additional configurations; L-220-HD Operation: Hand Pump.

[View specifications >](#)

Material Handling / Product selection

Tote-A-Load



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: TAL-220-HD, TAL-260-HD, TAL-220-DC, TAL-260-DC and additional configurations; TAL-220-HD Description: Foot Pump.

[View specifications >](#)

Turntables with Powered Height Adjustment



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: TT-18-LA, TT-N-24-LA, TT-N-30-LA; TT-18-LA Diameter: 18".

[View specifications >](#)

Versatile Quicklifts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: PEL-33, PEL-S, PEL-DS; PEL-33 Platform: 20-1/2"x17-5/8".

[View specifications >](#)

XLR Hydraulic Scissor Lift Table



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Vertically-mounted cylinders are easily accessed for inspection and maintenance.

Listed models: 36XLR5248-20, 36XLR5248-40, 48XLR5264-20, 48XLR5264-40; 36XLR5248-20 Travel (inches): 36.

[View specifications >](#)

Material Handling / Product selection

Zero Lift & Tilt Table



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: ZLTT-4452-2-36, ZLTT-4452-4-36, ZLTT-5252-2-36, ZLTT-5252-4-36 and additional configurations; ZLTT-4452-2-36 Platform size: 44"x52".

[View specifications >](#)

Flammable Safety Cabinets



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Flammable Safety Cabinets - Flammable Safety Cabinets. All welded double wall 18 gauge inside construction, 14 gauge outside construction with 1½" insulating air space.

[View specifications >](#)

Floor-Mounted Jib Crane

Catalog ref: 6168



LISTED DETAILS

Ideal when overhead cranes are not practical

Ideal when overhead cranes are not practical.

[View specifications >](#)

Folding Container



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Folding Container - Folding Container. Folding Container requires minimum storage space when not in use.

[View specifications >](#)

Material Handling / Product selection

Folding Security Carts



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Folding Security Carts - Folding Container. This portable cart is designed to safely hold your valuable equipment.

[View specifications >](#)

Adjustable Height Aluminum Gantry Cranes



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Adjustable Height Aluminum Gantry Cranes - Gantry Cranes & Jibs. The Adjustable Height Aluminum Gantry Crane combines lightweight and rigid, sturdy construction into one unit.

[View specifications >](#)

Air Balance Jib Lifter



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Listed models: DSJ-300, DSL-300, DSC-300, DSJ-300-P and additional configurations; DSJ-300 Stroke: 57'-1/2".

[View specifications >](#)

Counter Balanced Floor Cranes



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CBFC-500, CBFC-1000, CBFC-2000, CBFC-500-DC and additional configurations; CBFC-500 Max. Uniform: 500lbs.

[View specifications >](#)

Material Handling / Product selection

Electric Powered Floor Cranes



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: EPFC-25, EPFC-25-AA, EPFC-CB-15, EPFC-HC; EPFC-25 Capacity: 600.

[View specifications >](#)

Extra Travel Tri-Post Jibs



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: TJIB-3, TJIB-6, TJIB-10, TJIB-20; TJIB-3 Under I-Beam To Ground: 76-1/2".

[View specifications >](#)

Floor Mounted Jibs



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: JIB-FM-3, JIB-FM-6, JIB-FM-10, JIB-FM-20 and additional configurations; JIB-FM-3 Under I-Beam Floor: 99-1/4".

[View specifications >](#)

Hitch Mounted Truck Jib Crane



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

WTJ-HITCH Max. Boom: 84-5/8"; WTJ-HITCH Boom: 47-1/2".

[View specifications >](#)

Material Handling / Product selection

Lifter Jibs



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

VAN-J Overall Cable: 10'; VAN-J Capacity: 400.

[View specifications >](#)

Mini Overhead Cantilever Jibs



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CJIB-3, CJIB-6, CJIB-10, CJIB-20; CJIB-3 Under: 84".

[View specifications >](#)

Multi-Station Transportable Jib Cranes



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: JIB-P-10-6-6, JIB-P-10-6-8, JIB-P-10-6-10, JIB-P-10-8-6 and additional configurations; JIB-P-10-6-6 Overall: 72".

[View specifications >](#)

Portable Jib Crane



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: JIB-CB-25-8-10, JIB-CB-25-10-10, JIB-CB-50-8-10, JIB-CB-50-10-10 and additional configurations; JIB-CB-25-8-10 I-Beam: 4".

[View specifications >](#)

Material Handling / Product selection

Portable Offset Jib Cranes



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: JIB-CBX-25-8-10, JIB-CBX-25-10-10, JIB-CBX-50-8-10, JIB-CBX-50-10-10 and additional configurations; JIB-CBX-25-8-10 Uniform: 250.

[View specifications >](#)

Power Lift Jib Cranes



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Power Lift Jib Cranes - Gantry Cranes & Jibs. The Power Lift Jib Cranes are designed for material handling applications on docks, in warehouses or in truck beds.

[View specifications >](#)

Self Supporting Bridge Cranes



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: B1020-(capacity), B1030-(capacity), B1520-(capacity), B1530-(capacity) and additional configurations; B1020-(capacity) Runway: 20.

[View specifications >](#)

Steel Gantry Crane



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Steel Gantry Crane - Gantry Cranes & Jibs. Industrial Steel Gantry Cranes are designed for transporting and positioning materials along the beam's length.

[View specifications >](#)

Material Handling / Product selection

Tie Rod Jibs (for high ceilings)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: JIB-HC-3, JIB-HC-6, JIB-HC-10, JIB-HC-20; JIB-HC-3 Overall Length: 86".

[View specifications >](#)

Wall Jibs (for low ceilings)



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: JIB-LC-3, JIB-LC-6, JIB-LC-10, JIB-LC-20; JIB-LC-3 Under I-Beam: 57".

[View specifications >](#)

Winch Operated Truck Jib Crane



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Winch Operated Truck Jib Crane - Gantry Cranes & Jibs. Installed in your pick-up truck bed, this winch operated jib crane will help lift loads up to 1,000 pounds.

[View specifications >](#)

Work Area Portable Gantry Cranes



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: FPG-3, FPG-6, FPG-10, FPG-20; FPG-3 Under I-Beam: 90".

[View specifications >](#)

Material Handling / Product selection

Compressed Gas Security Cage

Catalog ref: 40704



Weight
470 lbs
Capacity
16 ea

Weight: 470 lbs; Capacity: 16 ea.

[View specifications >](#)

Cylinder Storage Pallet Box

Catalog ref: 40710



Weight
618 lbs

Weight: 618 lbs; Weight: 618 lbs.

[View specifications >](#)

Gas Cylinder Caged Cabinet

Catalog ref: 5888



LISTED DETAILS

12 gauge steel construction /
Expanded metal see-through
sides

12 gauge steel construction; Expanded metal
see-through sides.

[View specifications >](#)

Propane Cages

Catalog ref: 40715



Weight
135 lbs
Capacity
4 ea

Weight: 135 lbs; Capacity: 4 ea.

[View specifications >](#)

Material Handling / Product selection

Propane Island Cage

Catalog ref: 40707



Weight
230 lbs
Capacity
12 ea

Weight: 230 lbs; Capacity: 12 ea.

[View specifications >](#)

STS-12 Cylinder Cage

Catalog ref: 40690



Weight
494 lbs
Capacity
12 ea

Weight: 494 lbs; Capacity: 12 ea.

[View specifications >](#)

STS-12-FW-2 Cylinder Cage

Catalog ref: 40693



Weight
663 lbs. Cylinder

Weight: 663 lbs. Cylinder.

[View specifications >](#)

STS-20 Cylinder Cage

Catalog ref: 40697



Weight
692 lbs
Capacity
20 ea

Weight: 692 lbs; Capacity: 20 ea.

[View specifications >](#)

Material Handling / Product selection

STS-20-FW-2 Cylinder Cage

Catalog ref: 40700



Weight
950 lbs

Weight: 950 lbs; Weight: 950 lbs.

[View specifications >](#)

STS-9 Cylinder Cage

Catalog ref: 40684



Weight
429 lbs
Capacity
9 ea

Weight: 429 lbs; Capacity: 9 ea.

[View specifications >](#)

All Terrain Gas Powered Traction Drive Pallet Truck

Catalog ref: 5938



LISTED DETAILS

Handle with variable speed forward / reverse control and safety kill switch / Hydrostatic transmission with hand-operated, Forward and Reverse control

Listed models: ALL-T-2-GPT, ALL-T-2-GPT-L, ALL-T-4-GPT, ALL-T-4-GPT-L; ALL-T-2-GPT Overall Length: 78".

[View specifications >](#)

All Terrain Pallet Truck

Catalog ref: 5930



ALL-T-2

SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: ALL-T-2, ALL-T-2-48, ALL-T-HD; ALL-T-2 Overall Size (WxLxH): 63-3/4"x49"x51".

[View specifications >](#)

Material Handling / Product selection

Big Wheel Pallet Truck

Catalog ref: 5929



LISTED DETAILS

77/8" x 2" Poly-on-Steel /
Load Rollers are 3" x 3."

BW-PJ Overall Fork Size (WxL): 26-3/4"x51-1/2"; BW-PJ
Service Range: 5-1/2" to 15-1/4".

[View specifications >](#)

Ergonomic Pallet Truck with Power Assist

Catalog ref: 5933



SELECTION CHECKS

Confirm the intended task
and equipment interfaces;
load, dimensions and
available operating space.

Ergonomic Pallet Truck with Power Assist - Hand Pallet
Trucks. Anyone who has operated a fully loaded pallet
truck knows the most strenuous part is starting the
wheels rolling.

[View specifications >](#)

Full Featured Ergonomic Pallet Truck

Catalog ref: 5927



LISTED DETAILS

Sloped and rounded fork nose
design / User friendly entry
and exit rollers

Listed models: PM5-2748, PM5-2048, PM5-2036,
PM6-2748 and additional configurations; PM5-2748
Capacity (lbs): 5,500.

[View specifications >](#)

Fully Powered Electric Pallet Truck

Catalog ref: 5939



LISTED DETAILS

Units run off 24V batteries
with battery charger
standard. / The 3,000 pound
capacity models use two 12V
batteries with 70Ah rating.

Units run off 24V batteries with battery charger
standard; The 3,000 pound capacity models use two 12V
batteries with 70Ah rating.

[View specifications >](#)

Material Handling / Product selection

Low Profile Pallet Truck

Catalog ref: 5928



LISTED DETAILS

These pallet trucks are ideal for skids and low profile pallets.

Listed models: PM4-2048-LP, PM4-2748-LP, PM4-3348-LP, PM2-2044-SLP and additional configurations; PM4-2048-LP Description: Low Profile.

[View specifications >](#)

Pallet Truck with Scale

Catalog ref: 5932



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Pallet Truck with Scale - Hand Pallet Trucks. The Pallet Truck with Digital Scale allows you to weigh your load on the spot for maximum efficiency.

[View specifications >](#)

Roll Pallet Truck

Catalog ref: 5937



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM4-3348-RL, PM4-4048-RL, PM4-4548-RL; PM4-3348-RL Fork Size (WxL): 33"x48".

[View specifications >](#)

Side Winder Pallet Truck

Catalog ref: 5935



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

SW-PJ Capacity (lbs): 3,000; SW-PJ Fork Dim.: 27"Wx48"L.

[View specifications >](#)

Material Handling / Product selection

Standard Pallet Truck

Catalog ref: 5936



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Standard Pallet Truck - Hand Pallet Trucks. The Standard Pallet Truck has a proven ergonomic design has been time-tested for providing years of reliable usable.

[View specifications >](#)

Wheel Nose Pallet Truck

Catalog ref: 5934



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM5-2038-WN, PM5-2738-WN; PM5-2038-WN Description: Wheel Nose.

[View specifications >](#)

Heavy Duty Manual Turntables



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Heavy Duty Manual Turntables - Heavy Duty Manual Turntables. The Heavy-Duty Manual Turntable maximizes workspace and minimizes wasteful motion.

[View specifications >](#)

Heavy Duty Reversible Boom Crane

Catalog ref: 6175



LISTED DETAILS

Manual hydraulic lifting cylinder is standard. / Electric, either battery (battery not included) or 110 volt a.c.

Electric, either battery (battery not included) or 110 volt a.c; Manual hydraulic lifting cylinder is standard.

[View specifications >](#)

Material Handling / Product selection

HT25KX Truck-Mounted Cranes 5,000lbs Lifting Capacity

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

HT25KX Truck-Mounted Cranes 5,000lbs Lifting Capacity - Hydraulic Cranes.

[View specifications >](#)

HT30KX Truck-Mounted Crane 5000lbs Lifting Capacity

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

HT30KX Truck-Mounted Crane 5000lbs Lifting Capacity - Hydraulic Cranes.

[View specifications >](#)

HT40KX Truck-Mounted Crane 6000lbs Lifting Capacity

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

HT40KX Truck-Mounted Crane 6000lbs Lifting Capacity - Hydraulic Cranes.

[View specifications >](#)

HT40KX-25 Truck-Mounted Crane 6000lbs Lifting Capacity

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

HT40KX-25 Truck-Mounted Crane 6000lbs Lifting Capacity - Hydraulic Cranes.

[View specifications >](#)

Material Handling / Product selection

HT50KX Truck-Mounted Crane 8000lbs Lifting Capacity

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

HT50KX Truck-Mounted Crane 8000lbs Lifting Capacity - Hydraulic Cranes.

[View specifications >](#)

HT50KX-25 Truck-Mounted Crane 8000lbs Lifting Capacity

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

HT50KX-25 Truck-Mounted Crane 8000lbs Lifting Capacity - Hydraulic Cranes.

[View specifications >](#)

HT66KX Truck-Mounted Crane 11000lbs Lifting Capacity

SELECTION CHECKS



Confirm required working position and equipment reach; combined operator, tool and material load.

HT66KX Truck-Mounted Crane 11000lbs Lifting Capacity - Hydraulic Cranes. HT66KX Truck-Mounted Crane 11000lbs Lifting Capacity is one of the largest telescopic crane.

[View specifications >](#)

2006 Kenworth T300 HT50KX Service Crane & Body

LISTED DETAILS



Vanair I300 All In One Compressor, / Generator, Welder, Hydraulic Pump,

Vanair I300 All In One Compressor,; Caterpillar C7 Turbo Diesel Engine With 250HP,.

[View specifications >](#)

Material Handling / Product selection

2015 F-750 Service Truck HT66KX

LISTED DETAILS



11,000 lbs. lifting capacity from planetary winch / 66,000 ft.-lbs. crane moment rating

11,000 lbs. lifting capacity from planetary winch; 66,000 ft.-lbs. crane moment rating.

[View specifications >](#)

2016 F-350 Truck Mounted Electric Crane ET8KX

LISTED DETAILS



2016 Ford F350 Super cab 4x4 XL trim / 6.2L v8 Gas Automatic / White / Power windows/locks/mirrors

2016 Ford F350 Super cab 4x4 XL trim / 6.2L v8 Gas Automatic; Reading CM-3 98FALS Utility bed w/ headache rack/work lights/Hose reel/wired for a compressor/additional leaf springs.

[View specifications >](#)

Crane Body Accessories

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Crane Body Accessories - Industrial Cranes. : We offer a variety of accessories for our crane bodies.

[View specifications >](#)

Crane Mounting Pedestals

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Crane Mounting Pedestals - Industrial Cranes.

[View specifications >](#)

Material Handling / Product selection

Drawer Units



LISTED DETAILS

Drawer Sub-Divider System
(For 3" & 5" Drawers) / Riser
Channels

Drawer Sub-Divider System (For 3" & 5" Drawers); Riser Channels.

[View specifications >](#)

Fast Assemble Tower Crane



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Tower-crane quotation reference for site-specific lifting plans. Specify the required load at radius, operating height and available installation space.

[View specifications >](#)

Fast Assemble Tower Crane IMLTC20



LISTED DETAILS

Overall haulage with only a 5 ton vehicle for whole machine transportation. / Haulage size can smoothly pass all standard bridge and culvert.

Overall haulage with only a 5 ton vehicle for whole machine transportation; Overall haulage bridge can be easily altered into a transport tow (10t).

[View specifications >](#)

Husky-Master Mobile Hydraulic Floor Cranes

Catalog ref: 6161



LISTED DETAILS

Ruggedly-constructed; will give dependable, long-lasting use. / Standard hand-pump hydraulic lift cylinder


Electric (either battery or 110 volt AC) and air power cylinder lift are available; Ruggedly-constructed; will give dependable, long-lasting use.

[View specifications >](#)

Material Handling / Product selection

Jib-Master Forklift Cranes

Catalog ref: 6172



LISTED DETAILS

Can be permanently or temporarily mounted with a pedestal on truck bed.

Listed models: JB-1, JB-2, JB-4, JB-PB6 and additional configurations; JB-1 Description: 3,000 lbs. cap. 144" reach, telescopic boom action, no boom lift.

[View specifications >](#)

Port-O-Giant Hydraulic Floor Crane

Catalog ref: 6165



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

80 in. width provides maximum stability; 60 in. intermediate width; 34 in. minimum width enables crane to pass through doorways or move material down narrow aisles.

[View specifications >](#)

Reversible Boom Crane

Catalog ref: 6159



LISTED DETAILS

Manual hydraulic lifting cylinder is standard. / Electric, either battery (battery not included) or 110 volt a.c.

Electric, either battery (battery not included) or 110 volt a.c; Manual hydraulic lifting cylinder is standard.

[View specifications >](#)

Service Cranes Radio Remotes



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Service Cranes Radio Remotes - Industrial Cranes.

[View specifications >](#)

Material Handling / Product selection

Super-Master Mobile Hydraulic Floor Cranes

Catalog ref: 6160



LISTED DETAILS

(standard controls are mast-mounted hand valves)

The heavy-duty hydraulic lifting cylinder on a standard Super-Master is hand-pump operated. Optional battery or 110 volt AC power is available;

[View specifications >](#)

Tele-Mast Straddle Crane

Catalog ref: 6171



LISTED DETAILS

Handling shipping containers / Loading and unloading trucks

Handling shipping containers; Loading and unloading trucks.

[View specifications >](#)

Telescopic Mast Jib Crane

Catalog ref: 6169



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Unit can rotate under obstructions or reach into a cavity to pick up the load, then rotate and raise to a higher level over the obstruction below.

[View specifications >](#)

Truck-Mounted Crane Boom Rests



Part References

20381-1 / 20381-2

Listed Adjustment Range

18-26 in

Adjustable truck-mounted crane boom-rest references 20381-1 and 20381-2, listed with an 18-26-inch adjustment range. Confirm the crane and vehicle-body configuration.

[View specifications >](#)

Material Handling / Product selection

Truck-Mounted Foldable Hydraulic Crane

Catalog ref: 6164



LISTED DETAILS

Can be powered either by battery or plug-in 110 volt AC

Can be powered either by battery or plug-in 110 volt AC; Boom lowers to vertical position enabling crane to be carried by two people; has built-in carrying handles.

[View specifications >](#)

Truck-Mounted Knuckle Crane

Catalog ref: 6162



LISTED DETAILS

2,000, 4,000, & 6,000 lbs. capacities. / Lift height up to 18 feet

2,000, 4,000, & 6,000 lbs. capacities; Lift height up to 18 feet.

[View specifications >](#)

Truck-Mounted Pick-Up Cranes

Catalog ref: 6163



LISTED DETAILS

Same crane can be easily used in various locations.

Crane includes boom, manual winch, and mast insert assembly. Ideal for mounting on pick-up truck or as a portable shop crane; Same crane can be easily used in various locations.

[View specifications >](#)

Universal-Lift

Catalog ref: 6174



LISTED DETAILS

Hydraulic system is equipped with a pressure relief valve to prevent overloading / Remote control available so operator can control safely from various locations

Hydraulic system is equipped with a pressure relief valve to prevent overloading; Remote control available so operator can control safely from various locations.

[View specifications >](#)

Material Handling / Product selection

V-Master Mobile Hydraulic Floor Cranes

Catalog ref: 6166



LISTED DETAILS

Wide-Legged Wheelbase / 54 in. wide ideal when wide loads must be straddled; also good for added stability.

54 in. wide ideal when wide loads must be straddled; also good for added stability; 32 in. wide design for travel in narrow aisles, passageways and through standard doorways.

[View specifications >](#)

VC500FB Van Service Crane 500lbs Lifting Capacity



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

VC500FB Van Service Crane 500lbs Lifting Capacity - Industrial Cranes. The VC500FB van crane includes a 2 ft, 6 in boom length with a maximum capacity of 500 lbs.

[View specifications >](#)

Aluminum Storage Cases



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Aluminum Storage Cases - Industrial Storage Solutions. These nestable Aluminum Storage Cases keeps the contents clean and dry.

[View specifications >](#)

Aluminum Tool Case



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: CASE-1814, CASE-1814-FM; CASE-1814
Description: Aluminum tool case.

[View specifications >](#)

Material Handling / Product selection

Bicycle Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Bicycle Racks - Industrial Storage Solutions. Our Bike Racks make it easy to store bikes where space is at a premium.

[View specifications >](#)

Bin Storage Cabinets



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Bin Storage Cabinets - Industrial Storage Solutions. The Bin Storage Cabinets are designed for high density storage and organization of parts.

[View specifications >](#)

Carton Flow Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: FLOW-3-3, FLOW-3-4, FLOW-3-5, FLOW-4-3 and additional configurations; FLOW-3-3 Width of: 96".

[View specifications >](#)

Coil Racks

Catalog ref: 41027



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Coil Racks - Industrial Storage Solutions. Description: IML Coil Racks ensure easy and economical storage & handling of strip coil and wire, no matter what the size.

[View specifications >](#)

Material Handling / Product selection

Collapsible Bulk Storage Containers




SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Collapsible Bulk Storage Containers - Industrial Storage Solutions. These rugged containers will fold flat for storage when not needed.

[View specifications >](#)

Crown Pallet Rack Decking



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: SWMD-4246, SWMD-4252, SWMD-4258; SWMD-4246 Decking Depth: 42".

[View specifications >](#)

Cylinder Storage Cabinet

Catalog ref: 6094



LISTED DETAILS

HCC models provide horizontal storage for 4 to 16 tanks weighing up to 46 lbs. each. / Painted Safety Yellow with NO SMOKING warnings, per regulations.

Listed models: HCC04, HCC08, HCC12, HCC16 and additional configurations; HCC04 W: 30.

[View specifications >](#)

Cylinder Storage Cabinets



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Cylinder Storage Cabinets - Industrial Storage Solutions. Steel cabinets for storage of cylinders.

[View specifications >](#)

Material Handling / Product selection

Deluxe Smoking Shelters



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: SSH-7939-80; SSH-7939-80 Usable Size (W x D x H): 69-3/4"x37-1/2"x77-9/16".

[View specifications >](#)

Die Shelves for Pallet Rack Beams

Catalog ref: 41030



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Die Shelves for Pallet Rack Beams - Industrial Storage Solutions. Description: IML Die Shelves feature solid sheet steel decks that increase the strength and utility of your existing pallet rack locations.

[View specifications >](#)

Double-Sided Horizontal Bar Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: DSHZ-4; DSHZ-4 Overall Width: 30".

[View specifications >](#)

Dunnage Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: DRP-V-3624, DRP-V-3636, DRP-V-4824, DRP-V-6624 and additional configurations; DRP-V-3624 Description: Vented Top.

[View specifications >](#)

Material Handling / Product selection

Economic Material Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Economic Material Racks - Industrial Storage Solutions. Wall mounted unit with dual 60" high supports.

[View specifications >](#)

Expandable Vertical Bar Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Expandable Vertical Bar Rack - Industrial Storage Solutions. Designed to be placed up against a wall.

[View specifications >](#)

Fiberglass Storage Cases



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Fiberglass Storage Cases - Industrial Storage Solutions. These lockable Fiberglass Storage Cases are constructed of heavy-duty white fiberglass with an off-white interior finish.

[View specifications >](#)

Foldable/Nestable Roller Containers



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: ROL-1834-3, ROL-3143-2, ROL-3143-1, ROL-55 and additional configurations; ROL-1834-3 # Of Shelves: 3.

[View specifications >](#)

Material Handling / Product selection

Fork Extension Storage Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Fork Extension Storage Rack - Industrial Storage Solutions. Install or remove fork extensions without lifting, pushing or getting off the fork truck.

[View specifications >](#)

Galvanized Storage Cabinets




SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Galvanized Storage Cabinets - Industrial Storage Solutions. Galvanized Storage Cabinets are manufactured from high-quality galvanized steel.

[View specifications >](#)

Heavy-Duty Cantilever Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Heavy-Duty Cantilever Racks - Industrial Storage Solutions. Heavy-Duty Cantilever Racks are completely adjustable cantilever rack eliminates storage problems.

[View specifications >](#)

Horizontal Sheet Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Horizontal Sheet Rack - Industrial Storage Solutions. Designed for storage of sheet goods and similar materials.

[View specifications >](#)

Material Handling / Product selection

Internestable Portable Stackable Rack Systems



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Internestable Portable Stackable Rack Systems - Industrial Storage Solutions. Unique transport and storage racks will stack and nest for maximum versatility.

[View specifications >](#)

Internestable Stackable Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Internestable Stackable Racks - Industrial Storage Solutions. Space saving storage is what this rack is all about.

[View specifications >](#)

Long Bar Pigeon Hole Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Long Bar Pigeon Hole Rack - Industrial Storage Solutions. Ideal for mixed storage of long items.

[View specifications >](#)

Medium-Duty Cantilever Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Medium-Duty Cantilever Racks - Industrial Storage Solutions. Cantilever Rack Systems offer flexibility to custom-fit individual applications.

[View specifications >](#)

Material Handling / Product selection

Modular Storage Buildings



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: STOR-96-G-W-1RH, STOR-912-G-W-1RH;
STOR-96-G-W-1RH Description: Single Depth.

[View specifications >](#)

Molded Bulk Containers - MHBC Series



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Molded Bulk Containers - MHBC Series - Industrial Storage Solutions. Bulk Containers Bulk Containers This rugged container maximizes shipping, handling and storage efficiencies.

[View specifications >](#)

Multi-Duty Sheds



LISTED DETAILS

Steel construction for maximum protection and strength / Each shed is 9ft wide x 6ft deep x 88" high overall

Listed models: MDS-96-DR, MDS-96-SM, MDS-96-BK, AS-125 and additional configurations; MDS-96-DR
Description: Shelter with doors.

[View specifications >](#)

Multi-Duty Storage Buildings



MDS-96-DR

SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Multi-Duty Storage Buildings - Industrial Storage Solutions. Constructed of heavy duty steel these Multi-Duty Storage Buildings stand up in multiple weather conditions; rain, sleet and snow.

[View specifications >](#)

Material Handling / Product selection

Multi-Height Container



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Multi-Height Container - Industrial Storage Solutions. Increase flexibility and accessibility with Multi-Height Container.

[View specifications >](#)

Nylon Pallet Rack Netting



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Nylon Pallet Rack Netting - Industrial Storage Solutions. Minimize the potential of racked products falling off the back of pallet racks.

[View specifications >](#)

Open Area Rack Decking



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PCH-96, PCH-108, PCH-120; PCH-96 Beam Length: 96".

[View specifications >](#)

Pallet Rack and Flow Rack Label Holders



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: RPI-1-5, RPE-1-5, RPI-1-25, RPE-1-25 and additional configurations; RPI-1-5 Specs: 1"x100' roll.

[View specifications >](#)

Material Handling / Product selection

Pallet Rack Back Guards



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Pallet Rack Back Guards - Industrial Storage Solutions. Contain and minimize the potential hazard of falling items with Pallet Rack Back Guards.

[View specifications >](#)

Pallet Rack Bay Dividers

Catalog ref: 6096



LISTED DETAILS

Available for 36-, 42-, and 48-inch deep pallet racks. / Fastens to back beams on 54" centers.

Listed models: B054-36, B054-42, B054-48; B054-36
Dimensions: 36x54BD.

[View specifications >](#)

Pallet Rack Lifting Dolly



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Pallet Rack Lifting Dolly - Industrial Storage Solutions. Designed for moving empty fully-assembled pallet racking.

[View specifications >](#)

Pallet Rack Sump



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Pallet Rack Sump - Industrial Storage Solutions. Polyethylene Pallet Rack containment sump keeps dangerous and costly spills off floors, equipment and inventory.

[View specifications >](#)

Material Handling / Product selection

Pallet Rack Wire Decking



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Pallet Rack Wire Decking - Industrial Storage Solutions. Provide maximum support at minimum cost.

[View specifications >](#)

Pallet Racking



LISTED DETAILS

Scratch and Rust Resistance / Surface Features Powder Coat Finish

Listed models: PRTD-10-42-19, PRTD-10-42-24, PRTD-12-42-19, PRTD-12-42-24 and additional configurations; PRTD-10-42-19 Frame Height: 120".

[View specifications >](#)

Pallet Racking Trash Bags



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PRTD-TB-BK, PRTD-TB-BK-5PK; PRTD-TB-BK Bag Size At Top (WxH): 37"x40".

[View specifications >](#)

Pallet Support Bar



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PSB-42, SSB-42; PSB-42 Width: 3".

[View specifications >](#)

Material Handling / Product selection

Plastic Bulk Shelving & Storage



PBSS-36-24-3

SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Plastic Bulk Shelving & Storage - Industrial Storage Solutions. Largest all-purpose industrial-grade plastic shelving system in the industry.

[View specifications >](#)

Portable Parts Bin



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: PBIN-19; PBIN-19 Diameter: 19-1/2".

[View specifications >](#)

Portable Stackable Vertical Sheet Rack



SELECTION CHECKS


Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Stackable Vertical Sheet Rack - Industrial Storage Solutions.

[View specifications >](#)

Portable Stacking Racks

Catalog ref: 6098



LISTED DETAILS

Standard target is 4" square tube and mounted on removable stacking posts. / Standard plug is base mounted.

Welded tubular and structural steel construction provides superior load-carrying strength, up to 2,000 lbs. (standard duty) or 4,000 lbs. (heavy-duty);

[View specifications >](#)

Material Handling / Product selection

Portable Storage U-Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Portable Storage U-Rack - Industrial Storage Solutions. These Storage Racks can be stacked up to four units high.

[View specifications >](#)

PVC Plywood Storage Cases



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

PVC Plywood Storage Cases - Industrial Storage Solutions. These dark blue Storage Cases are constructed from PVC laminated plywood for strength and durability, with aluminum edging.

[View specifications >](#)

Rugged Aluminum Storage Container



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Rugged Aluminum Storage Container - Industrial Storage Solutions. Rugged aluminum storage containers are constructed out of 100% aluminum.

[View specifications >](#)

Security Cabinets



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: VLPSC-4030-6, VLPSC-4030-8, VLPSC-8030-6, VLPSC-8030-8 and additional configurations; VLPSC-4030-6 Description: Hinge Single Door.

[View specifications >](#)

Material Handling / Product selection

Shop Desks




SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

SHOP-DO Overall Size (WxDxH): 36-7/8"x 29-15/16"x 54-3/4"; SHOP-DO Wt. (lbs): 120.

[View specifications >](#)

Single Dual Sided Bar Stock Trees



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: BAR-R-84-S, BAR-R-84-D, BAR-A-84-S, BAR-A-84-D; BAR-R-84-S Style: Single Sided.

[View specifications >](#)

Smoking Shelter/ Bus Stop



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Smoking Shelter/ Bus Stop - Industrial Storage Solutions. Shelters feature rugged welded steel construction for strength and durability.

[View specifications >](#)

Stackable Steel Bulk Containers

Catalog ref: 41009



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Stackable Steel Bulk Containers - Industrial Storage Solutions. Bulk Containers Bulk Containers Description: No more looking up at racks and trying to guess what's inside.

[View specifications >](#)

Material Handling / Product selection

Stainless Steel Shelving



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Stainless Steel Shelving - Industrial Storage Solutions. Provide easy access to stored items from all sides.

[View specifications >](#)

Stainless Steel Solid Rivet Shelving



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: LWSS-1836, LWSS-1848, LWSS-2436, LWSS-2448; LWSS-1836 Shelf Size: 18" x 36".

[View specifications >](#)

Standard Sheet Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Standard Sheet Rack - Industrial Storage Solutions. Designed for the vertical storage of sheet goods.

[View specifications >](#)

Steel Bulk Containers

Catalog ref: 6099



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Steel Bulk Containers - Industrial Storage Solutions.

[View specifications >](#)

Material Handling / Product selection

Steel Storage Sheds



LISTED DETAILS

Utility steel storage shed for holding all kinds of things / Hinged door provides access to shed

Listed models: SHED-5932, SHED-5932-F, SHED-118; SHED-5932 Overall Size (WxDxH): 59"x32"x75".

[View specifications >](#)

Storage Cases



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Storage Cases - Industrial Storage Solutions. These Storage Cases are ideal for a variety of applications.

[View specifications >](#)

Storage Lockers



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Storage Lockers - Industrial Storage Solutions.

[View specifications >](#)

Structural Cantilever Racking



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Structural Cantilever Racking - Industrial Storage Solutions. Cantilever Rack Systems offer flexibility to custom-fit individual applications.

[View specifications >](#)

Material Handling / Product selection

Variable Height Sheet Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Variable Height Sheet Rack - Industrial Storage Solutions. Store various sizes of sheet goods in the vertical position for easy viewing of stock.

[View specifications >](#)

Versa Racks



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Listed models: V-1, V-2, V-3, V-4 and additional configurations; V-1 Description: Base W/Non-removable Posts.

[View specifications >](#)

Vertical Bar Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Vertical Bar Rack - Industrial Storage Solutions. Designed for storage of long parts close to the worksite.

[View specifications >](#)

Vertical Storage Rack



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Vertical Storage Rack - Industrial Storage Solutions. Designed for vertical storage of tubing, pipe, and other types of similar materials.

[View specifications >](#)

Material Handling / Product selection

Visibility Storage Lockers



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Visibility Storage Lockers - Industrial Storage Solutions. Visibility lockers provide secure and visible storage for equipment, tools, and other valuable items.

[View specifications >](#)

Toyota Forklift 3000 lbs Capacity 8FGCU15

Catalog ref: 4352



LISTED DETAILS

Dash mounted instrument display / 11.8" diameter two-spoke steering wheel

11.8" diameter two-spoke steering wheel; 12" long dual operator assist grips.

[View specifications >](#)

Toyota Forklift 3500 lbs Capacity 8FGCU18

Catalog ref: 4364



LISTED DETAILS

Dash mounted instrument display / 11.8" diameter two-spoke steering wheel

11.8" diameter two-spoke steering wheel; 12" long dual operator assist grips.

[View specifications >](#)

Toyota Lift Truck 10000 lbs Capacity 8FGC45U

Catalog ref: 4181



LISTED DETAILS

11.8 diameter two spoke steering wheel provides greater legroom for operator / Diesel engine based cylinder block provides thicker walls to increase durability

11.8 diameter two spoke steering wheel provides greater legroom for operator; 12-inch long dual operator assist grips have been designed to meet the needs of varying operator sizes.

[View specifications >](#)

Material Handling / Product selection

Toyota Lift Truck 12000 lbs Capacity 8FGC55U

Catalog ref: 4187

LISTED DETAILS



11.8 diameter two spoke steering wheel provides greater legroom for operator / Diesel engine based cylinder block provides thicker walls to increase durability

11.8 diameter two spoke steering wheel provides greater legroom for operator; 12-inch long dual operator assist grips have been designed to meet the needs of varying operator sizes.

[View specifications >](#)

Toyota Lift Truck 13500 lbs Capacity 8FGC60U

Catalog ref: 4190

LISTED DETAILS



11.8 diameter two spoke steering wheel provides greater legroom for operator / Diesel engine based cylinder block provides thicker walls to increase durability

11.8 diameter two spoke steering wheel provides greater legroom for operator; 12-inch long dual operator assist grips have been designed to meet the needs of varying operator sizes.

[View specifications >](#)

Toyota Lift Truck 15500 lbs Capacity 8FGC70U

Catalog ref: 4195

LISTED DETAILS



11.8 diameter two spoke steering wheel provides greater legroom for operator / Diesel engine based cylinder block provides thicker walls to increase durability

11.8 diameter two spoke steering wheel provides greater legroom for operator; 12-inch long dual operator assist grips have been designed to meet the needs of varying operator sizes.

[View specifications >](#)

Toyota Lift Truck 8000 lbs Capacity 8FGC35U

Catalog ref: 4176

LISTED DETAILS



11.8 diameter two spoke steering wheel provides greater legroom for operator / Diesel engine based cylinder block provides thicker walls to increase durability

11.8 diameter two spoke steering wheel provides greater legroom for operator; 12-inch long dual operator assist grips have been designed to meet the needs of varying operator sizes.

[View specifications >](#)

Material Handling / Product selection

Manual Stackers

Catalog ref: 5987



LISTED DETAILS

Capacities up to 2,000 lbs. /
Lifting Heights from 50" - 78"

Capacities up to 2,000 lbs; Lifting Heights from 50" - 78".

[View specifications >](#)

Super Titan Heavy Duty Scissor Lift Tables



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient and highly serviceable hydraulic power unit.

Listed models: 12K18, 12L23, 12M27, 12K28 and additional configurations; 12K18 Travel (inches): 12.

[View specifications >](#)

Titan Heavy Duty Scissor Lift Tables



LISTED DETAILS

Maintenance-free bearings at pivot points require no lubrication. / Efficient and highly serviceable hydraulic power unit.

Listed models: 13A3E15, 13A2D25, 13B3E30EXW, 13B3E35 and additional configurations; 13A3E15 Travel (inches): 13.

[View specifications >](#)

Compact Scissor Lift Table - Captured-Roller Design



LISTED DETAILS

Double wire braided Parker hydraulic hoses resist wear, abrasion, and leaks. / ASTM - A36 - Structural Steel Standard

Compare the listed model details and configuration options on the product page. Request a quote for your application.

[View specifications >](#)

Material Handling / Product selection

Corrosive & Sanitary Environment Pallet Truck

Catalog ref: 5931



LISTED DETAILS

Corrosive Material Handling / Adjustable Solid Push Rods

Listed models: PM5-2048-SS, PM5-2748-SS, PM5-2748-SFF, PM5-2748-S-Z and additional configurations; PM5-2048-SS Description: 304 Stainless Steel.

[View specifications >](#)

Ergonomic Power Assist Pallet Truck



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: PM5-2748-PA-Y, PM5-2748-ER-Y; PM5-2748-PA-Y Capacity (lbs): 5,000.

[View specifications >](#)

Material Handler-Track Guided 3-Axis



SELECTION CHECKS

Confirm usable space and overall installation dimensions; the size and weight of the items to be supported or stored.

Material Handler-Track Guided 3-Axis - Material Handling Equipment. Description: For dedicated stock picking applications we have designed and manufactured a 3-Axis material picking system.

[View specifications >](#)

Material Handling / Material Picking Lifts



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Material Handling / Material Picking Lifts - Material Handling Equipment.

[View specifications >](#)

Material Handling / Product selection

Pallet Inverter - PI-E Models

Catalog ref: 6154



LISTED DETAILS

Also used to invert stacks of sheets, paper boards and rolls rather than one by one.

Listed models: PI-23636E, PI-24242E, PI-24848E, PI-44848E and additional configurations; PI-23636E Capacity lb.: 2,000.

[View specifications >](#)

Pallet Stackers

Catalog ref: 5985



LISTED DETAILS

1,500 and 2,700 pound capacities / 24" load centers

Listed models: PS262, PS274, PS286, PS2762 and additional configurations; PS262 Load Capacity: 2000 lbs.

[View specifications >](#)

PowerStak Stacker

Catalog ref: 5980



LISTED DETAILS

Loading Docks / Light Assembly Work Cells

Loading Docks; Light Assembly Work Cells.

[View specifications >](#)

Straddle Stackers

Catalog ref: 5984



LISTED DETAILS

20" load centers / Solid steel, adjustable width forks

20" load centers; 5" per second lifting speed.

[View specifications >](#)

Material Handling / Product selection

Trucks Dollies Carts

Catalog ref: 6100



LISTED DETAILS

1,000, 2,500, and 3,200 lbs. capacities. / 14 gauge deck and shelving standard.

1,000, 2,500, and 3,200 lbs. capacities; 14 gauge deck and shelving standard.

[View specifications >](#)

Uppender Inverter

Catalog ref: 6155



LISTED DETAILS

Driven by a powered gearbox for reduced speed / Comes standard with a 3HP 220/440V 3-phase power system (upgrades available).

Listed models: UI-24848E, UI-24872E, UI-25496E, UI-44848E and additional configurations; UI-24848E Capacity (lbs.): 2,000.

[View specifications >](#)

V10 HYDRAULIC TOE JACK

Catalog ref: 10182



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

V10 HYDRAULIC TOE JACK - Material Handling Equipment.

[View specifications >](#)

V15 HYDRAULIC TOE JACK

Catalog ref: 10183



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

V15 HYDRAULIC TOE JACK - Material Handling Equipment. PRODUCT DESCRIPTION: Factories and workshops with heavy lifting needs require extremely sturdy, heavy-duty floor jacks.

[View specifications >](#)

Material Handling / Product selection

V20 HYDRAULIC TOE JACK

Catalog ref: 10184



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

V20 HYDRAULIC TOE JACK - Material Handling Equipment.

[View specifications >](#)

V5 HYDRAULIC TOE JACK

Catalog ref: 10181



LISTED DETAILS

The original adjustable toe jack / Simplified Design-less parts means less problems

The original adjustable toe jack; Simplified Design-less parts means less problems.

[View specifications >](#)

Vertical Reciprocating Conveyor



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Vertical Reciprocating Conveyor - Material Handling Equipment. Description: The Vertical Reciprocating Conveyor provides a means of transporting material to a second floor storage location.

[View specifications >](#)

Warehouse Material Handling Lift



SELECTION CHECKS

Confirm required working position and equipment reach; combined operator, tool and material load.

Heavy-Duty Construction: Built with robust materials to handle heavy loads, ensuring long-term durability and consistent operation;

[View specifications >](#)

Material Handling / Product selection

Wide Base Standard Duty Scissor Lift Table

Catalog ref: 5989



liftTableColor

Red

liftTableVerticalTravelOptions

24", 36", 48", 60"

liftTableMaterial

Steel

liftTableVerticalTravelOptions: 24", 36", 48", 60"; Wide Base Design: Offers a full 12 inches of extra width at the base, making it extremely stable even with oversized platforms.

[View specifications >](#)

Castor Oil Cake Extraction Machine



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Castor Oil Cake Extraction Machine - Oil Extraction.

[View specifications >](#)

Coconut Oil Cake Extraction Machine



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Coconut Oil Cake Extraction Machine - Oil Extraction. Oil extraction plant designed by Our Company mainly contains Rotocel extractor, Loop type extractor and Twoline extractor.

[View specifications >](#)

DTDC Steamed Off-line



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

DTDC Steamed Off-line - Oil Extraction. Passivation and broken the urease, trypsin and other anti nutrition ingredients,etc.

[View specifications >](#)

Material Handling / Product selection

Fodder Expander

LISTED DETAILS



Main bearing box structure adopts special technical design, with SKF bearing inside. / Electric cabinet equipped.

The pellet size is about $\Phi 0.6-16\text{MM}$; Suitable for extruding of submersible/float aquatic feed, pet feed, ornamental fish feed and so on. The pellet size is about $\Phi 0.6-16\text{MM}$.

[View specifications >](#)

Miscella Distillation

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

The purpose of distillation is to thermally separate the miscella into a liquid oil fraction and solvent vapour fraction.

[View specifications >](#)

Miscella Vacuum Evaporation

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Miscella Vacuum Evaporation - Oil Extraction. The liquid from the extractor is the miscella containing grease and oil, which can be separated out according their different vaporization temperatures.

[View specifications >](#)

Paraffin Oil Recovery Machinery - Efficient Industrial Oil Purification System

SELECTION CHECKS



Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Paraffin Oil Recovery Machinery - Efficient Industrial Oil Purification System - Oil Extraction.

[View specifications >](#)

Material Handling / Product selection

Peanut Oil Cake Extraction Machine



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Peanut Oil Cake Extraction Machine - Oil Extraction.

[View specifications >](#)

Plate Dryer



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

After extrusion, usually the oilseeds contain massive moisture. So there must be certain method for drying, so as to make it reach the optimal moisture content before goes to solvent extraction process.

[View specifications >](#)

Rapeseed Oil Cake Extraction



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Rapeseed Oil Cake Extraction - Oil Extraction.

[View specifications >](#)

RotoCel Extraction System - High-Efficiency Continuous Oil Extraction



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

RotoCel Extraction System - High-Efficiency Continuous Oil Extraction - Oil Extraction.

[View specifications >](#)

Material Handling / Product selection

Solvent Condensation & Recovery



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Solvent Condensation & Recovery - Oil Extraction.

[View specifications >](#)

Wet Extruder HP162



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Wet Extruder HP162 - Oil Extraction.

[View specifications >](#)

Wet Meal Desolventizing



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Wet Meal Desolventizing - Oil Extraction. Our company adopts the new high efficiency DTDC series desolventizer toaster.

[View specifications >](#)

Plastic Work Bench



WBT-S-4824

SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Listed models: WBT-S-3624, WBT-S-4824, WBT-S-6624, WBT-S-9624 and additional configurations; WBT-S-3624 Description: Solid Top/Solid Lower.

[View specifications >](#)

Material Handling / Product selection

Powder Coated Boltless Shelving



LISTED DETAILS

Each model includes five adjustable shelves / Capacity is 600 lbs. / shelf on 18" wide models & 450 lbs. / shelf on 24" wide models

Listed models: PCBS-1836, PCBS-1848, PCBS-2436, PCBS2448; PCBS-1836 Shelf Size (WxL): 18"x36".

[View specifications >](#)

Self Propelled Zero-Low Scissors Lift Table

Catalog ref: 6158



LISTED DETAILS

Load at ground level and transport effortlessly to anywhere in your plant.

Listed models: OZLC-5048SPB, OZLC-3466SPB, OZLC-5072SPB, OZLD-5048SPB and additional configurations; OZLC-5048SPB Capacity (lbs): 1000.

[View specifications >](#)

Warehouse Dollies, Trucks and Carts

Catalog ref: 41016



SELECTION CHECKS

Confirm the intended task and equipment interfaces; load, dimensions and available operating space.

Warehouse Dollies, Trucks and Carts - Stackers.

[View specifications >](#)

Series 35 Manual Turntable



LISTED DETAILS

1/2-inch-thick steel platform minimizes deck deflection and maximizes load stability. / Maintenance-free bearings at pivot points require no lubrication.

Listed models: SR4-3636-025, SR4-4242-025, SR4-4248-025, SR4-4848-025 and additional configurations; SR4-3636-025 Capacity (lbs#): 2500.

[View specifications >](#)

Alphabetical model index

2006 Kenworth T300 HT50KX Service Crane & Body	116	Articulating Cranes 300 Series	8
2015 F-750 Service Truck HT66KX	117	Articulating Cranes 500 Series	8
2016 F-350 Truck Mounted Electric Crane ET8KX	117	Articulating Cranes 700 Series	9
5-Gallon Paint Cart Hand Truck	10	Auto-Hite Carts	12
A-Frame Gantry Crane	5	Auto-Shift Hydraulic Elevating Cart	12
A/C Electric Stacker	5	Automatic Eagle Beak Drum Lifters	39
Access & Inspection Platforms	6	Automatic Plastic Drum Lifter	44
Accordion Skirts	74	Back Support Cushions	76
Add-A-Level Work Platforms	74	Barrel/Drum Trucks	45
Adjustable Box Stackers	6	Basket & Skid Stacker	10
Adjustable Drum/Crate Dolly	41	Battery Stackers	10
Adjustable Ergonomic Work Benches	74	Battery Transfer Cart for use with Pallet Truck	77
Adjustable Height Aluminum Gantry Cranes	104	Bench Top Tilters	10
Adjustable Height Step Stands with Handrails	75	Bicycle Racks	123
Adjustable Pallet Stands	75	Big Wheel Pallet Truck	112
Adjustable Work Platforms	7	Bin Storage Cabinets	123
Aerosol Can Recycling System	44	Brass Drum Vent Adaptor	45
Air Bag Pneumatic Scissor Lift Table	75	Cantilever Carts	11
Air Bag Scissor Lift Tables	7	Carton Flow Rack	123
Air Balance Jib Lifter	104	Castor Oil Cake Extraction Machine	146
Air Cargo Lift	37	CE1500FB Truck-Mounted Electric Mast Crane 1500lbs Lifting Capacity	72
Air Corner Tilter	75	CE6K Truck-Mounted Electric Mast Crane 2000lbs Lifting Capacity	72
Air Force Pneumatic Tilters	18	Chain Drum Lifter	45
Air Hydraulic Carts	12	CMD Dock Lift	38
Air Powered Lift & Tilt Table	76	Coconut Oil Cake Extraction Machine	146
All Terrain Gas Powered Traction Drive Pallet Truck	111	Coil Racks	123
All Terrain Pallet Truck	111	Collapsible Bulk Storage Containers	124
Aluminum DC Powered Quick-Lift	76	Combination Hand Pump and Electric Stacker	5
Aluminum Mini Carousels	76	Compact Scissor Lift Table - Captured-Roller Design	141
Aluminum Storage Cases	122	Compressed Gas Security Cage	109
Aluminum Tool Case	122	Conversion/Dump Hoists - VC416	27
Articularm	8		

Alphabetical model index

Conversion/Dump Hoists - VC516	27	Die Shelves for Pallet Rack Beams	125
Conversion/Dump Hoists - VC520	27	Die Table	78
Conversion/Dump Hoists - VC620	28	Dispensing Bottles	46
Conversion/Dump Hoists - VC628	28	Dispensing Containment Cart	47
Conversion/Dump Hoists VC6620	28	Double Pantograph High Travel Scissor Lift	79
Conversion/Dump Hoists VC6628	28	Double Scissor Lift Table	79
Corrosive & Sanitary Environment Pallet Truck	142	Double Scissors Lift Tables	32
Counter Balanced Floor Cranes	104	Double Stainless Steel Scissor Lift Tables	16
Counter-Balanced Pallet Master/Servers	77	Double-Sided Horizontal Bar Rack	125
Counter-Balanced Powered Drive Lift	29	Drawer Units	118
Counter-Balanced Stackers	77	Drum Caddies	47
Crane Body Accessories	117	Drum Clutchers	47
Crane Mounting Pedestals	117	Drum Controller	47
Crane/Hoist Drum Lifters	45	Drum Dispensing Equipment	48
Crown Pallet Rack Decking	124	Drum Faucets	48
CT2003FB Truck-Mounted Electric Mast Crane	72	Drum Grab	48
CT2004FB Truck-Mounted Electric Mast Crane	73	Drum Grippers	48
CT2005 Truck-Mounted Electric Mast Crane	73	Drum Jacks	49
CT310KX Truck-Mounted Electric Mast Crane 1900lbs Lifting Capacity	73	Drum Lid Tool	49
Cylinder Storage Cabinet	124	Drum Lifter	49
Cylinder Storage Cabinets	124	Drum Liners	49
Cylinder Storage Pallet Box	109	Drum Lock	50
DC & Manual Scissor Carts	12	Drum Slings	50
DC Powered Mobile Scissor Lift Table	31	Drum Stacker	50
DC Powered Quick-Lift - PEL Model Range	77	Drum Stackers	67
Deluxe Combination Fork Mounted Drum Lifter	46	Drum Stands	50
Deluxe Drywall/Panel Hoist	78	Drum Stik	51
Deluxe Roller Stands	78	Drum Storage Hard Top Container	51
Deluxe Rotating Drum Carts	46	Drum Tiers	51
Deluxe Smoking Shelters	125	Drum Tops	51
Deluxe Tilt Back Drum Trucks	46	Drum Truck with Spring Assist	52
Desk Mover	78	Drum Vent & Indicator	52

Alphabetical model index

Drum Wedge	52	ET18KX Truck-Mounted Electric Crane 4500lbs Lifting Capacity	70
Drum Wheel	52	ET25KX Truck-Mounted Electric Crane 5000lbs Lifting Capacity	70
DT7K Truck-Mounted Electric Crane 2200lbs Lifting Capacity	69	ET30KX Truck-Mounted Electric Crane 5000lbs Lifting Capacity	71
DTDC Steamed Off-line	146	ET36KX Truck-Mounted Electric Crane 6000lbs Lifting Capacity	71
Dual Mast Work Platform	67	ET6K Truck-Mounted Electric Crane 2000lbs Lifting Capacity	71
Dunnage Racks	125	ET8K Truck-Mounted Electric Crane 2700lbs Lifting Capacity	71
E-Low Profile Scissor Lift Table	17	ET8KX Truck-Mounted Electric Crane 2700lbs Lifting Capacity	72
Econo-Master Mobile Hydraulic Floor Cranes	69	Expandable Vertical Bar Rack	126
Economic Material Racks	126	Extra Travel Tri-Post Jibs	105
Economical Mechanical Drum Transporter	53	Fast Assemble Tower Crane	118
Economy Drum Positioners	53	Fast Assemble Tower Crane IMLTC20	118
Economy Pallet Truck	79	Fiberglass Storage Cases	126
Economy Portable Drum Lifter/Rotator/Transporter	40	Fixed Height Tilters TT30-10	19
Economy Rotating Drum Carts	53	Fixed Height Tilters TT30-15	19
Economy Transporter / Tilter	79	Fixed Height Tilters TT30-20	19
Elastic Drum Covers	53	Fixed Height Tilters TT30-40	19
Electric Adjustable Height Work Bench	80	Fixed Height Tilters TT30-60	20
Electric Drum Pumps	54	Fixed Height Tilters TT45-10	20
Electric Hydraulic Scissor Lift Table - Series EHLT	80	Fixed Height Tilters TT45-15	20
Electric Order Picker	80	Fixed Height Tilters TT45-20	20
Electric Pallet Truck with Scale	73	Fixed Height Tilters TT45-40	21
Electric Powered Floor Cranes	105	Fixed Height Tilters TT45-60	21
Ergonomic Drum Truck with Scale	54	Fixed Height Tilters TT60-10	21
Ergonomic Matting	80	Fixed Height Tilters TT60-15	21
Ergonomic Pallet Truck with Power Assist	112	Flammable Safety Cabinets	103
Ergonomic Power Assist Pallet Truck	142	Floor Level Container Tilters ZRT50-20	22
Ergonomic Worker Chairs	81	Floor Level Container Tilters ZRT50-40	22
ET12K Truck-Mounted Electric Crane 3500lbs Lifting Capacity	69	Floor Mounted Jibs	105
ET12KX Truck-Mounted Electric Crane 3500lbs Lifting Capacity	70	Floor-Mounted Jib Crane	103
ET16KX Truck-Mounted Electric Crane 4000lbs Lifting Capacity	70		

Alphabetical model index

Fodder Expander	147	Heavy-Duty Cantilever Racks	127
Foldable/Nestable Roller Containers	126	Heavy-Duty King Pin Carousel	84
Folding Container	103	Heavy-Duty Power Pack (hydraulic maintenance sets)	84
Folding Security Carts	104	Hefti-Lift	84
Fork Extension Storage Rack	127	High Capacity Powered Turntable	55
Fork Mounted Drum Carrier/Rotator	40	High Rise Lift Truck	85
Fork Mounted Drum Grippers	54	High Speed Strapping Machine	85
Fork Mounted Drum Lifters	54	High Travel Double Pantograph Scissor Lift	85
Fork Mounted Hydraulic Drum Grippers	55	Hinge Tilt Model: EHTT	85
Fork Mounted Poly Drum Handlers	55	Hitch Mounted Truck Jib Crane	105
Fork Truck Jacks	81	Hoist Mounted Drum Carrier/Rotator	40
Full Featured Deluxe Pallet Truck	81	Hoist Mounted Pail Carrier/Rotator	40
Full Featured Ergonomic Pallet Truck	112	Horizontal Drum Cradle	56
Fully Powered Electric Pallet Truck	112	Horizontal Drum Positioner	56
Fully Powered Electric Pallet Trucks with Lead Acid Batteries	74	Horizontal Drum Tap	56
Galvanized Storage Cabinets	127	Horizontal Semi-Automatic Drum Tong	56
Gas Cylinder Caged Cabinet	109	Horizontal Sheet Rack	127
Gas Powered All Terrain Pallet Truck	81	HT25 Crane Service Body	29
Ground Lift Scissor Table	32	HT25KX Truck-Mounted Cranes 5,000lbs Lifting Capacity	115
Ground Lift Tilter	82	HT30KX Truck-Mounted Crane 5000lbs Lifting Capacity	115
H135-155FT Pneumatic Tire Lift Truck	82	HT40 Crane Service Body	29
H170-190FT Pneumatic Tire Lift Truck	82	HT40KX Truck-Mounted Crane 6000lbs Lifting Capacity	115
H30-35FT H40FTS Pneumatic Tire Lift Truck	82	HT40KX-25 Truck-Mounted Crane 6000lbs Lifting Capacity	115
H40-70FT Pneumatic Tire Lift Truck	83	HT50 Crane Service Body	30
H50CT Pneumatic Tire Lift Truck	83	HT50KX Truck-Mounted Crane 8000lbs Lifting Capacity	116
H80-120FT Pneumatic Tire Lift Truck	83	HT50KX-25 Truck-Mounted Crane 8000lbs Lifting Capacity	116
Hand Winch Lift Trucks	83	HT66 Crane Service Body	30
Heavy Duty Air Bag Scissor Lift Tables	7	HT66KX Truck-Mounted Crane 11000lbs Lifting Capacity	116
Heavy Duty Manual Turntables	114	Husky-Master Mobile Hydraulic Floor Cranes	118
Heavy Duty Precision Turret Bearings	84	Hydra Lift Carts	13
Heavy Duty Reversible Boom Crane	114		
Heavy Duty Vertical Drum Lifter	55		

Alphabetical model index

Hydraulic Box Dumper	86	Low Profile "U" Type Electric Lift Tables	33
Hydraulic Corner Tilters	86	Low Profile Air Bag Lift Table - Series ABLT-H-LP	8
Hydraulic Double Leaf Bascule Bridge	9	Low Profile Pallet Truck	113
Hydraulic Drum Crusher/Compactor	41	Low Profile Pallet Trucks	89
Hydraulic Elevating Carts	11	Low Profile Zero Low Lift Tables	33
Hydraulic Motorcycle Lift	86	Manual & Electric Drum Deheader	58
Hydraulic Post Tables	86	Manual Carousels	89
Hydraulic Scissor Lift Table	32	Manual Drum Carrier/Rotator	41
Hydraulic Stackers	87	Manual Drum Upender	58
Hydraulic Work Positioner - WT-2016-FP	87	Manual Pail Tippers	58
Internestable Portable Stackable Rack Systems	128	Manual Stackers	141
Internestable Stackable Racks	128	Manual Tilt Master	89
Jib-Master Forklift Cranes	119	Manual Trailer Movers	89
Large Adjustable Work Platforms	7	Manual Trash Compactor	58
Lever Action Drum Pumps	57	Manual Work Positioners	90
Lift & Tilt Carts with Sequence Select	13	Massage & Heat Cushion	90
Lift & Tilt Scissor Tables	87	Material Handler-Track Guided 3-Axis	142
Lift & Tilt Workstation Tables	87	Material Handling / Material Picking Lifts	142
Lift and Tilt Table	57	Mechanical Lift Table	33
Lift and Tilt Tables	32	Mechanical Post Table	34
Lift-and-Dump Hydraulic Drum Dumpers	44	Mechanical Scissor Cart	14
Lifter Jibs	106	Mechanically Actuated Horizontal Ball Screw Lift Table	90
Light Bulb Crusher	57	Medium-Duty Cantilever Racks	128
Light Duty Electric Scissor Lift Table	33	Merchandise Ladder Cart	11
Light Duty Ergonomic Stand - WT-2221	88	Mini Bascule Bridge	9
Light Load Lifts	88	Mini Overhead Cantilever Jibs	106
Linear Actuated Adjustable Height Workstation	88	Mini Scissors Lift Table	34
Linear Actuated Elevating Cart	13	Miscella Distillation	147
Linear Actuated Pail Dumper	57	Miscella Vacuum Evaporation	147
Linearizer	88	Mobile Drum Dollies	42
Long Bar Pigeon Hole Rack	128	Mobile Tilting Work Tables	90
Long Deck Carts	13	Modular Storage Buildings	129

Alphabetical model index

Molded Bulk Containers - MHBC Series	129	Pallet Server	91
Multi-Duty Sheds	129	Pallet Stackers	143
Multi-Duty Storage Buildings	129	Pallet Support Bar	132
Multi-Height Container	130	Pallet Truck with Hand Brake	92
Multi-Level Plastic Drum Dolly	42	Pallet Truck with Scale	113
Multi-Pail Dolly	42	Pallet Trucks for Corrosive & Sanitary Environments	92
Multi-Purpose Dollies	42	Paraffin Oil Recovery Machinery - Efficient Industrial Oil Purification System	147
Multi-Purpose Overhead Drum Lifter/Wrench	59	PDQ Dock Lift	38
Multi-Station Transportable Jib Cranes	106	Peanut Oil Cake Extraction Machine	148
Narrow Scissor Lift Tables	91	Pick Up Hoists VP/VC 6600	67
Nylon Pallet Rack Netting	130	Pick Up Hoists VP6F	67
Octo & Heavy Duty Drum Dollies	43	Pick Up Hoists VP6S	68
Oil Filter Crusher	59	Pit Mounted Truck Leveler	38
Open Area Rack Decking	130	Plastic Bulk Shelving & Storage	133
Opti Bench (Mechanical Work Tables)	91	Plastic Floor Grid	92
Oval Tank Containment with Drain	59	Plastic Pallets & Drum Spill Containers	60
Overpack Drum Dollies & Containers	43	Plastic Work Bench	149
Pail dollies	59	Plate Dryer	148
Pail Hand Truck	60	PLD Dock Lift	38
Pail Lid Closing Press	60	Pneumatic Scissor Lift Table	92
Pallet Cart & Carousel	14	Pneumatic Tilters AT10-3648	22
Pallet Inverter - PI-51 and PI-61 Models	91	Pneumatic Tilters AT10-4848	22
Pallet Inverter - PI-E Models	143	Pneumatic Tilters AT10-4856	23
Pallet Rack and Flow Rack Label Holders	130	Pneumatic Tilters AT10-4860	23
Pallet Rack Back Guards	131	Pneumatic Tilters AT20-3648	23
Pallet Rack Bay Dividers	131	Pneumatic Tilters AT20-4848	23
Pallet Rack Drum Cradle	60	Pneumatic Tilters AT20-4856	24
Pallet Rack Lifting Dolly	131	Pneumatic Tilters AT20-4860	24
Pallet Rack Sump	131	Pneumatic Tilters AT40-4848	24
Pallet Rack Wire Decking	132	Pneumatic Tilters AT40-4856	24
Pallet Racking	132	Pneumatic Tilters AT40-4860	25
Pallet Racking Trash Bags	132	Pneumatic Tilters AT60-4848	25

Alphabetical model index

Pneumatic Tilters AT60-4856	25	Powered Portable Loading Dock	11
Pneumatic Tilters AT60-4860	25	Powered Turntables	95
Pocket Bung	61	PowerStak Counterweight Stackers	29
Poly Drum Heaters	61	PowerStak Stacker	143
Poly Drum Heaters (CSA APPROVED-for use in Canada Only)	61	PR4500 Rider Lift Truck	95
Polyethylene Drum Dollies	43	Premium Scissor Lift Carts	14
Polyethylene Drum Rack	61	Propane Cages	109
Port-O-Giant Hydraulic Floor Crane	119	Propane Island Cage	110
Portable Aluminum Load Lifter	93	Push Around Stainless Steel Scissor Lift Tables	17
Portable Container Tilters PT-20	26	PVC Plywood Storage Cases	134
Portable Container Tilters PT-40	26	Quick Lift Pallet Trucks	95
Portable Container Tilters PTS50-20	26	Rapeseed Oil Cake Extraction	148
Portable Container Tilters PTS50-40	26	Recycling Lid	62
Portable Drum Lifter/Rotator/Transporter	62	Reversible Boom Crane	119
Portable Hand Winch Lifter	93	Revolving Drum Cart	62
Portable Hydraulic Drum Carrier/Rotator	41	Roll Pallet Truck	113
Portable Jib Crane	106	Rotary Air/Hydraulic Scissor Lift Tables	95
Portable Offset Jib Cranes	107	Rotary Drum Pumps	62
Portable Pallet Inverter	93	RotoCel Extraction System - High-Efficiency Continuous Oil Extraction	148
Portable Parts Bin	133	Rough Terrain Elevating Carts	15
Portable Scissor Table	93	Round Metal Can With Lid	63
Portable Stackable Vertical Sheet Rack	133	RT4000 Rider Lift Truck	96
Portable Stacking Racks	133	Rugged Aluminum Storage Container	134
Portable Storage U-Rack	134	S135-155FT Cushion Tire Lift Truck	30
Portable Uni-Tilt	94	S30-35FT & S40FTS Cushion Tire Lift Trucks	30
Posi-Crank	94	S40-70FT Cushion Tire Lift Truck	31
Post Lift Tables	34	S50CT Cushion Tire Lift Truck	31
Powder Coated Boltless Shelving	150	S80-120FT Cushion Tire Lift Truck	31
Power Lift Jib Cranes	107	Scissor Cart with Built-In Scale	15
Power Traction Drive System	94	Security Cabinets	134
Powered Carousel	94	Self Propelled Zero-Low Scissors Lift Table	150
Powered Drive and Powered Lift Hydraulic Scissor Carts	14	Self Supporting Bridge Cranes	107

Alphabetical model index

Self-Elevating Lift Carts	15	Stackable Steel Bulk Containers	135
Self-Venting Drum Pumps	63	Stacker with Powered Drive and Powered Lift	5
Semi-Automatic Pallet Probe Strapping Machine	96	Stacker with Powered Lift	6
Serapid Mechanical Scissors Lift	34	Stainless Steel Hydraulic Elevating Carts	15
Series 200 (45° Tilt)	96	Stainless Steel Low Profile Scissor Lift Tables	17
Series 35 Double High Scissor Lift Tables	96	Stainless Steel Pneumatic Scissor Lift Table	17
Series 35 Electrical Powered Turntable	63	Stainless Steel Scissor Carts	16
Series 35 Extra Narrow Scissor Lift Table	35	Stainless Steel Scissor Lift & Tilt Table	18
Series 35 Extra Wide Scissor Lift Table	97	Stainless Steel Scissor Lift Table	18
Series 35 Low Profile Work Station Scissors Lift Table	97	Stainless Steel Shelving	136
Series 35 Manual Turntable	150	Stainless Steel Single & Double Portable Scissor Lift Tables	18
Series 35 Triple High Scissor Lift Tables	35	Stainless Steel Solid Rivet Shelving	136
Series 500 (90° Tilt)	97	Stainless Steel Zero Low Scissor Lift Tables	36
Service Cranes Radio Remotes	119	Standard Pallet Truck	114
Shallow Pit Mounted Truck Leveler	39	Standard Sheet Rack	136
Shop Desks	135	Standard Steel Drums	64
Shorty Scissor Lift Tables	97	Stationary Hydraulic Drum Dumpers	44
Side Winder Pallet Truck	113	Steel Bulk Containers	136
Single Arm Scissors Lift Table	98	Steel Drum Funnel	64
Single Dual Sided Bar Stock Trees	135	Steel Drum Heaters	65
Single Leaf Bascule Bridge	9	Steel Drum Heaters (CSA APPROVED-for use in Canada Only)	65
Single Scissor Lift & Tilt Table	98	Steel Gantry Crane	107
Single Vertical Ram Lift	35	Steel Pail Lid Closing Tool	65
Skid Adaptor for Pallet Trucks	98	Steel Quick-Lift	99
Sliding Tilt Model: EH TT-L	98	Steel Storage Sheds	137
Smoking Shelter/ Bus Stop	135	Storage Cases	137
Solvent Condensation & Recovery	149	Storage Lockers	137
Specialty Covers	63	Straddle Stackers	143
Specialty Drum Adaptors	64	Structural Cantilever Racking	137
Spiral Lift Mechanical Scissor Lifts	35	STS-12 Cylinder Cage	110
Spring Self-Elevating Table	99	STS-12-FW-2 Cylinder Cage	110
Stackable Drum Racks	64		

Alphabetical model index

STS-20 Cylinder Cage	110	Toyota Lift Truck 8000 lbs Capacity 8FGC35U	140
STS-20-FW-2 Cylinder Cage	111	Tracked Hydraulic Stacker	6
STS-9 Cylinder Cage	111	Traction Drive Electric Hydraulic Elevating Carts	16
Super Titan Double Long Heavy Duty Scissor Lifts	99	Trash Cans	66
Super Titan Double Wide Heavy Duty Scissor Lifts	99	Truck-Mounted Crane Boom Rests	120
Super Titan Heavy Duty Scissor Lift Tables	141	Truck-Mounted Foldable Hydraulic Crane	121
Super Titan Quad Heavy Duty Scissor Lifts	100	Truck-Mounted Knuckle Crane	121
Super-Master Mobile Hydraulic Floor Cranes	120	Truck-Mounted Pick-Up Cranes	121
Surface Mounted Truck Leveler	39	Trucks Dollies Carts	144
Tandem Scissor Lift Table	36	TSL Dock Lift	39
Tele-Mast Straddle Crane	120	Turntables with Powered Height Adjustment	102
Telescopic Mast Jib Crane	120	Universal Subframe Hoists - 416	68
Thin Spin Carousel	100	Universal Subframe Hoists - 516	68
Tie Rod Jibs (for high ceilings)	108	Universal Subframe Hoists - 520	68
Tiller®	100	Universal Subframe Hoists - 620	69
Tilt Master & Tilt Master Straddle	16	Universal-Lift	121
Tilt Trucks	100	Uponder Inverter	144
Tilting Drum Dollies	43	Utility Trays	66
Tilting Drum Rings	65	V-Master Mobile Hydraulic Floor Cranes	122
Titan Heavy Duty Scissor Lift Tables	141	V10 HYDRAULIC TOE JACK	144
Tork Heavy Duty Scissor Lift Table	101	V15 HYDRAULIC TOE JACK	144
Tork Non-Intrusive Tilter	27	V20 HYDRAULIC TOE JACK	145
TorkLift T2 Heavy Duty Scissor Lift	101	V5 HYDRAULIC TOE JACK	145
TorkLift T3 Heavy Duty Scissors Lift	101	Variable Height Sheet Rack	138
Tote Lifters	101	VC500FB Van Service Crane 500lbs Lifting Capacity	122
Tote-A-Load	102	Versa Racks	138
Toyota Forklift 3000 lbs Capacity 8FGCU15	139	Versatile Quicklifts	102
Toyota Forklift 3500 lbs Capacity 8FGCU18	139	Vertical Ball Screw Actuated Lift	36
Toyota Lift Truck 10000 lbs Capacity 8FGC45U	139	Vertical Bar Rack	138
Toyota Lift Truck 12000 lbs Capacity 8FGC55U	140	Vertical Drum Clamp	66
Toyota Lift Truck 13500 lbs Capacity 8FGC60U	140	Vertical Drum Lifter	66
Toyota Lift Truck 15500 lbs Capacity 8FGC70U	140	Vertical Reciprocating Conveyor	145

Alphabetical model index

Vertical Storage Rack	138
Visibility Storage Lockers	139
Wall Jibs (for low ceilings)	108
Warehouse Dollies, Trucks and Carts	150
Warehouse Material Handling Lift	145
Wet Extruder HP162	149
Wet Meal Desolventizing	149
Wheel Nose Pallet Truck	114
Wide Base Standard Duty Scissor Lift Table	146
Winch Operated Truck Jib Crane	108
Work Area Portable Gantry Cranes	108
Work Positioners Low Mast Stacker	36
Work Station Electric Hydraulic Scissor Tables	37
XLR Hydraulic Scissor Lift Table	102
Zero Lift & Tilt Table	103
Zero-Low Lift & Tilt Tables	37
Zero-Low, 3-Point Entry Lift Table	37